Humanities & Social Sciences Communications

ARTICLE

https://doi.org/10.1057/s41599-025-06151-6 OPEN

Bridging pedagogy and technology: a generative AI and IoT approach to transformative English language education

Zhongjie Li[1]✉

English as a Second Language (ESL) education faces momentous challenges including restricted personalized feedback and scalability constraints in large classrooms. This study developed and assessed an innovative AI-driven oral assessment tool that incorporates generative artificial intelligence with Internet of Things (IoT) technology to make over adaptive learning environments for individual learners. The research used a mixed-methods strategy, developing the tool using datasets of L2Arctic and Libri-speech, also assessing it through both qualitative human validation including ESL teachers and metrics of quantitative performance. Key indicators of performance constituted learning rate optimization, model accuracy and proportion balancing of dataset. The results have demonstrated that the G-ASR AI tool has gained 94.7% precision accuracy on datasets of native speaker and 86.6% on datasets of non-native speaker, with optimum performance by self-correction feedback and 60% AI to 40% ratio of teacher interaction. Human validation crosswise 24 ESL teachers and 240 students discovered large effect sizes (Cohen's $d > 1.6$) crossways learning outcomes, specifically self-regulation abilities ($d = 2.14$) and metacognitive knowledge ($d = 1.98$). The tool explored scalability disputes with implementation price of $8400–$32,600 and ROI timelines of 12–24 months, while keeping the quality of assessment through mitigating bias across different L1 backgrounds. These outcomes indicate that tools of AI-driven oral assessment can efficaciously improve ESL education by supplying scalable and personalized feedback. This research promotes technology-enhanced language education and exhibits practical AI potential in learning environments.

[1] Xinyang Normal University, Xinyang, China. ✉email: Lizhongjie199006@163.com

Introduction

As global communication continues to expand, the demand for proficient English speakers has grown exponentially. Spoken English proficiency is not only a critical measure of language competency but also a key determinant of success in academic, professional, and social contexts. However, traditional methods of teaching and assessing spoken English face significant challenges, including limited personalization, scalability issues, and the inability to provide immediate, actionable feedback to learners (Jegede, 2024). All these restrictions are additionally enhanced due to the physical scope of classroom settings, where educators frequently fail to fulfill the individual needs of different students (Barnard and Henn, 2023).

The most recent developments in artificial intelligence (AI) and Internet of Things (IoT) have the transformational potential in the field of language education. The possibility of generative AI to regularize the English language teaching was explored by (Binhammad et al., 2024) including its ability to provide individualized education. Similarly, (Dong et al., 2024) discussed integrating IoT and Generative AI to the English language education where it was guiding at smart tools as a tool to enable personalized learning. The study carried out by (Waluyo and Kusumastuti, 2024) examined the use of student English learning among Thai higher education, with better performance and development of engagement. AI subfield, called natural language processing is identified to have impressive potential in imitating human speech, delivering on-demand pronunciation, grammar, and fluency feedback (Kuddus, 2022). Combined with IoT devices to gather real-time information about learners and their interactions, these technologies can provide adaptive, personalization learning experiences that are not limited by the constraints of the traditional classroom. The current research is justified by well-known concepts of technology-enhanced language learning and assessing oral proficiency, which are constructivism learning theories and formative assessment models, which put so much emphasis on context-specific personalized feedback in developing language skills (Spaho et al., 2025).

Even though the previous studies have also had essential contributions to the AI-driven language teaching, there exist several critical gaps. The focus of (Khiem et al., 2023) was initially on the use case of ChatGPT in online learning, and (Yeh, 2025) examined a synergy of generative AI and inquiry-oriented based learning in English educational contexts. However, these researches have mainly concentrated on general applications of AI and written language skills instead of specifically inscribing challenges of oral assessment. Despite these advancements, ongoing research deficit comprehensive incorporation of IoT sensor data with productive AI for feedback of real-time oral evaluation (Kush, 2025). In addition, while (Mohamed Nassar, 2025) exhibited potential of AI in language education, there persist insufficient empirical findings of AI-generated oral feedback by using qualified ESL educators. Moreover, the measurability of AI-driven oral assessment tools crosswise diverse linguistic contexts and culture remains underexplored, specifically regarding ethical considerations like data privacy and algorithmic bias in the assessment of oral language.

This study distinguishes itself from prior research by specifically concentrating on oral English assessment through the novel integrating IoT environmental sensors with real-time generative AI, culturally-adaptative feedback. Dissimilar to previous researches that primarily highlighted written skills or general applications of AI, our research creates a comprehensive framework of oral assessment valid through human expert assessment and tested across different linguistic prospect. To address these gaps, this study proposes a novel approach to oral English assessment that integrates generative AI and IoT technologies.

Objectives

The research is guided by the following objectives:

1. To formulate an integrated framework of IoT-AI mainly designed for real-time assessment of oral English and generating feedback.
2. To validate feedback of AI-generated oral assessment via systematic assessment by qualified ESL educators.
3. To analyze the effectiveness of tools across diverse linguistic and cultural contexts with focus on scalability and culturally competent.
4. To highlight ethical considerations like data privacy, algorithmic bias, and motivation to learner in AI-driven oral evaluation.
5. To verify empirical proof for the practical implementation of IoT-integrated generative AI and pedagogical value in oral assessment of ESL.

This study addresses a critical gap in ESL education by combining deep learning techniques with IoT technologies to create a scalable, personalized oral assessment tool. The proposed approach not only enhances the accuracy and efficiency of spoken English evaluation but also provides actionable feedback to learners, empowering them to take ownership of their language development. By addressing practical challenges such as teacher adoption, scalability, and ethical considerations, this research contributes to the growing body of knowledge on AI-driven educational tools and their potential to transform language learning outcomes.

The remainder of this paper is organized as follows: Section "Literature review" provides a comprehensive review of existing oral assessment methods and their limitations. Section "Method" details the methodology, including data collection, model development, and evaluation techniques. Section "Experiments" presents the empirical results, followed by a discussion of their implications in section "Results". Finally, Section "Conclusion" concludes the paper by summarizing key findings, highlighting contributions to the field, and proposing directions for future research.

Literature review

GenAI's potential benefits and obstacles in language classrooms. Generative artificial intelligence (GenAI) has the potential to revolutionize language education by offering innovative approaches to content creation, transcription, and pedagogical practices (Michaels et al., 2023). This section explores the transformative impact of GenAI on curriculum design, student engagement, teacher innovation, and the challenges associated with integrating AI into language classrooms.

Curriculum design and personalization. The strength of GenAI as a tool of enhancing the curriculum design has been identified in various studies, namely in the actualization of the instructional learning content such as interactive activities, quizzes and lesson plans. As Chen et al. (2024) discussed, AI-written contents may motivate the student and encourage them to create and generate useful skills of critical thinking. Similarly, recent studies have shown that AI-supported curriculum design can improve learning outcomes compared with traditional teaching methods. Other researchers have also reported higher levels of student satisfaction when using individualized learning materials created with the assistance of AI technologies. Furthermore, AI-driven adaptive curriculums have been found to reduce learning time without compromising students' understanding levels. The results are congruous with the constructivist theories of learning, in which

the individualized, interactive experiences, in learning, are crucial. Yet, whereas the theoretical gains have been thoroughly covered, practically no evidence on the effects of AI-created content on student educational outcomes have been presented. This space creates a necessity to conduct extensive, real-life research to assess how effective and sustainable curricular changes brought about by AI.

Translation and localization. Although the aspects of translation might not appear to be of any significance to oral assessment, the capabilities that exist in this writing assist in the production of culturally responsive AI systems that could provide feedback in the first language of the learners and fulfill the various linguistic backgrounds. GenAI models featuring such linguistic functions can increase the quality of access to learning materials using the native languages of students and their proficiency in foreign ones. Adere (2022) showed how AI can solve the problem of language inaccessibility to education, making it more diverse and popular. This is especially useful in bilingually oriented classrooms, where learners may receive education in the language of their choice without freshening up the quality of the education. However, with critical evaluation, significant constraints are revealed: AI translations often deal with the issue of cultural sensitivity and trustworthiness since they can fail to reconcile cultural and language particularity. These have certain pitfalls especially in the settings of often speech assessment where tendencies of cultural pronunciation, dialectal differences have to be identified and evaluated effectively. The next studies ought to work on how to improve the cultural competence of AIs models to serve diverse groups of students (Elashiri and Shawky, 2018).

Engagement and innovative teaching strategies. Research has shown that GenAI can increase student engagement through innovative teaching strategies such as gamification and storytelling. Thomopoulos et al. (2024) highlighted how these methods improve knowledge retention and foster deeper learning. By leveraging GenAI, educators can create dynamic, personalized learning environments that cater to students' interests and learning styles (Alhasnawi et al., 2022). However, the successful implementation of these strategies requires adequate teacher training and support. Gubbi et al. (2013) noted that educators often face challenges in fully utilizing AI tools without proper training. Comprehensive professional development programs focused on AI literacy and pedagogical innovation are essential to bridge this gap (Chen et al., 2024).

Challenges in integrating GenAI. Despite its potential, the integration of GenAI into language education faces several obstacles. These include a lack of infrastructure (Heidary Dahooie et al., 2023), limited technical resources (Arfi et al., 2021) and cultural resistance to new technologies. Gubbi et al. (2013) emphasized that educational policies and decision-making processes also pose strategic challenges, hindering the adoption of AI in learning. Additionally, issues such as curriculum constraints, lesson planning complexity (Gaber et al., 2023), and inadequate teacher preparation Salman and Hasar. (2023) further complicate the implementation of AI-driven tools. To address these challenges, robust support systems and policy frameworks are needed to facilitate the effective integration of AI in education (Gaber et al., 2023).

New developments in oral assessment methods. This subsection provides an overview of the current state of oral assessment methods, focusing on their fundamental components and popular algorithms. Oral assessment methods typically involve object text, learners' audio, error reporting, and feedback mechanisms. For example, a student may be asked to read a target text (e.g., the word "like" pronounced as "L I KE" in phonetic form), and the system provides feedback on mispronunciations. This process aligns with formative assessment principles, which emphasize the importance of timely, actionable feedback in language learning.

Speech recognition models. Developed speech recognition systems have resulted in a variety of orally based evaluation models but with each successive generation cumbersome adaptability and scalability limitations have been observed. Phoneme recognition previously relied on such early models as Hidden Markov Models (HMMs) and Gaussian Mixture Models (Manavalan and Jayakrishna, 2019). However, such models proved to have crucial shortcomings in other contexts of linguistic situations, namely that they failed to deal with accents in non-native speakers along the lines and regional diversity typical of ESL settings. Their inability to come up with individual learner character can only be confined to their pedagogic effectiveness. The use of these models has recently been superseded with deep neural networks (DNNs), which is more efficient and flexible to model (Karthik et al., 2023). Nevertheless, DNNs encountered considerable criticism when applied in practice in the field of education, taking the elements of computation resources that are beyond most classroom capabilities and limitations of adaptation possibilities with the pre-existing educational models. More recent work has been directed on end-to-end speech recognition models, including Connectionist Temporal Classification (CTC) which makes training much simpler and more accurate (Rahmanifar et al., 2023).

Pronunciation evaluation. The conventional approache of assessment of pronunciation reveals black holes in the recognition of different learner groups and connected pedagogy. The traditional systems of pronunciation evaluation, including Dynamic Time Warping (DTW), compare the pronunciation characteristics of the students with that of normal speakers (Li et al., 2017). These procedures are effective where the evaluation materials have been specified, but where they have to do with open-ended projects, e.g., reading materials that are chosen by the students, the procedures are severely restricted. What is more important, the DTW- based systems systematically did not take into consideration accent variations of L2 learners, usually criticizing culturally natural accents of pronunciation. The recent developments, like Quality of Pronunciation algorithms, exploit HMM-based phoneme models to offer more precise and scaleable measurements (Mbonu et al., 2021). Such strategies however require subject matter knowledge and high levels of technical skills which limit their usefulness in a common classroom scenario where most teachers lack relevant background in computing linguistics.

Research gaps. Although there are considerable developments in the use of AI and IoT in the assessment of oral English, there are still a number of gaps identified in this process. One is the inexistence of human validation in AI-generated tests, which are doubted in their correctness and pedagogical importance. Second, end-to-end speech recognition solutions have eased the deployment process but little is known how well they can be used in a variety of linguistic and cultural environments. Third, ethical implications, including the transfer or use of sensitive data and the presence of algorithmic bias (Okafor et al., 2017), and their effects on learner motivation have not been properly discussed. Lastly, the scalability and implementation of AI-based oral assessment instruments in real-life conditions (such as resource-

limited educational institutions) remain poorly studied. The paper fills these gaps with its idea of a new oral assessment tool that uses GenAI and IoT technology. This research is of value because it helps eliminate the problem of scalability by integrating human validation and considering the ethical implications of the work, as well as assessing how well the tool performs in differing scenarios (Woodhead et al., 2018).

Method

This section outlines the framework of the study, including the model design, evaluation strategies, and data selection procedures. The work first introduces the instructional scene model, then explains the speaking assessment model developed for this research. The section concludes with details of the experimental setup and validation approach.

Teaching scene model design

Model architecture and components. The teaching scene model consists of four elements incorporated together that are synergistic to develop a complete oral assessment setting that is beyond conversations in the form of orthodox limits in the classroom.

IoT data collection layer: Data Collection Layer of IoT combines different kinds of sensors to make real time linguistic context recording:

- Audio sensors that involve the use of microphones to record speeches 16 kHz sampling rate input
- Environmental sensors which measure ambient noise levels (dB), lighting conditions (lux) and temperature (°C)
- Biometric sensors that monitor indicators of learner stress through variability in heart rate
- Device interaction sensors track user engagement levels and response time duration

Environmental context processing module: The Processing Module of Environmental Context examines IoT sensor data to regulate optimal learning situations. For instance, when ambient noise surpasses 40 dB, the system adjusts speech recognition sensitivity automatically and delivers visual feedback clues. Data from Lightening and Temperature inform the system about the comfort levels of learner, which correlated with pronunciation accuracy demonstration.

Learner profile management system: The Learner Profile Management System holds individual learner profiles including:

- Historical pronunciation error patterns
- Learning pace metrics derived from IoT interaction data
- Preferred feedback modalities (audio, visual, haptic)
- Cultural and linguistic background information

Adaptive feedback generation engine: The Adaptive Feedback Generation Engine analyzes both learner profile information and IoT environmental data to adapt feedback delivery. When IoT sensors observe high stress levels like increased heart rate, the system supplies more simplified and promotive feedback. Contrarily, optimal environmental situations activate more challenging and detailed assessments.

Traditional classroom instruction is often constrained by time and space limitations, which hinder the provision of immediate, personalized feedback to learners. To address this challenge, a computer-assisted oral English teaching method is proposed that leverages IoT and AI technologies to create an adaptive learning environment (Huang et al., 2019). This approach aligns with formative assessment principles, which emphasize the importance of timely, actionable feedback in language learning.

Real-time data integration process. The system incessantly processes IoT data streams via three-stage pipeline:

Stage 1: data collection and preprocessing:

- IoT sensors obtain data at sampling rate of 100 Hz
- Raw sensor data filters noise and normalize it
- Parameters of environmental context are collected and classified

Stage 2: context-aware analysis:

- To analyze environmental factors by using Machine learning algorithms which affect the quality of speech
- Patterns of Learner behaviors are recognized through analysis of device interaction
- Engagement and stress levels are determined using biometric sensor fusion

Stage 3: adaptive response generation:

- Difficulty in assessment is adjusted on the basis of environmental conditions
- Mode of Feedback selection is based on context and learner preference
- Targets of Personalized pronunciation are formulated by considering individual progress

The proposed system provides learners with real-time feedback on their pronunciation, highlighting errors and offering corrective suggestions. Unlike traditional speech assessment methods, which are often discriminative and text-based, our system offers intuitive, speech-pattern-based feedback similar to that provided by human teachers. This is achieved through a combination of IoT devices, which collect real-time data on learners' interactions, and AI algorithms, which analyze this data to generate personalized feedback (Jabeur et al., 2021).

Scenario-based learning implementation. To design the teaching interaction scenario, a data-driven analysis of the correlation between instructional requirements and learning outcomes was conducted. This investigation includes collection of data from 150 ESL learners crosswise 6 months, measuring the relation between environmental factors that was captured by IoT sensors and pronunciation enhancement rates. The outcomes stated that learners in optimum environmental premises i.e., noise <30 dB and temperature 20–24°C displayed 34% faster pronunciation betterment as compared to suboptimal situations. This analysis informed the development of engaging narrative scenarios that serve as the basis for English language lesson plans. These scenarios are designed to address specific educational needs, provide solutions to common learner challenges, and facilitate meaningful interactions between learners and AI. By combining scenario data with learner data, individual learning issues can be identified and addressed more effectively (Lukić et al., 2023).

Speaking assessment model. The speaking assessment model consists of five-stages:

(1) Speech Capture and Preprocessing
(2) Automatic Speech Recognition
(3) Phonetic Analysis
(4) Error Detection and Classification
(5) Corrective Feedback Generation.




Fig. 1 Transformer model-based structure near here.

The speaking assessment model consists of two components: speech synthesis and pronunciation correction. The speech synthesis component converts text sequences into audio feature sequences using a Transformer-based architecture. This approach builds on the Tacotron model (Ashraf et al., 2022), which encodes text sequences using a PE-RNN-Receiver structure and generates speech waveforms using the Griffin-Lim algorithm. However, traditional autoregressive models face challenges such as reduced inference speed and robustness, as well as premature termination of speech generation (Huynh-The et al., 2023).

Transformer-based pronunciation correction. To overcome these limitations, a pronunciation correction method based on the Transformer model was proposed. The architecture model comprises of 6 decoder layers and 12 encoder layers, with almost 768 hidden dimensions and 12 attention heads. The model works upon input sequences of maximum length 512 tokens, with PEs which enables temporal relationship modeling. This method integrates concepts from DE noising auto encoders and speech synthesis engines to correct pronunciation errors in real time (Dakakni and Safa, 2023). As shown in Fig. 1, the network architecture begins with an automatic speech recognition (ASR) model, which converts speech data into text format. The transcribed text is then preprocessed (e.g., tokenized, cleaned, and structured) and fed into the Transformer model for evaluation.

The process of pronunciation correction works through the following steps of algorithm:

Step 1: input processing:

- It converts the audio input to mel-spectrogram features (80 mel-frequency bins)
- Then, apply IoT-informed noise reduction based on environmental sensor data
- Segment the audio into phoneme-level units by using voice activity detection

Step 2: feature extraction and encoding:

- To Extract acoustic features: F0, spectral centroid, formants F1–F3 and MFCCs
- Then, apply positional encoding to capture temporal relationships
- Generates the query, key, and value matrices for mechanism of attention

Step 3: error detection and correction:

- To compare extracted features with models of reference phoneme
- Then, identify pronunciation deviations by using threshold-based classification
- Generates the corrected phoneme sequences by using Transformer decoder

The Transformer model employs PE to capture temporal information in the input sequences:

$$\mathrm{PE}_{(\mathrm{pos},2i)} = \sin\left(\frac{\mathrm{pos}}{10000^{\frac{2i}{d_k}}}\right) \tag{1}$$

$$\mathrm{PE}_{(\mathrm{pos},2i+1)} = \cos\left(\frac{\mathrm{pos}}{10000^{\frac{2i}{d_k}}}\right) \tag{2}$$

Here, *pos* represents the position in the sequence, *i* is the channel dimension, and *dk* is the number of channels in the attention layer. The model uses multi-head attention (MHA) to compute correlations between query (Q), key (K), and value (V) matrices:

$$\mathrm{Attention}(Q,K,V) = \mathrm{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V \tag{3}$$

$$\mathrm{MHA}(Q,K,V) = \mathrm{concat}(\mathrm{hd}_1,\ldots,\mathrm{hd}_n)W^O \tag{4}$$

where $\mathrm{hd}_i = \mathrm{Attention}(QW_i^Q, KW_i^K, VW_i^V)$ represents the output of each attention head.

The pronunciation correction process involves retraining the model using a self-supervised learning approach. The original phonetic units (*En*) are modified to create a new sequence (*E′*), which simulates common mispronunciations(Tiwari et al., 2021). The model then adjusts the incorrect sequence and outputs the corrected sequence (*Er*). The training process minimizes the cross-entropy loss between the corrected sequence and the original sequence:

$$L_{\mathrm{ret}} = \mathrm{CrossEntropy}(E_r, E_n) \tag{5}$$

Experimental validation

Technical evaluation protocol. The experimental vali*dation uses an extensive three-phase s*trategy:

(1) Technical Performance Evaluation
(2) Human Expert Validation
(3) Learner Impact Assessment.

Phase 1: evaluation of technical performance:

- Dataset: L2-ARCTIC (non-native speakers) and LibriSpeech (960 h)
- Metrics: Phoneme Error Rate (PER), Word Error Rate (WER) and Pronunciation Accuracy Score
- IoT integration testing: Analysis under different environmental situations including noise levels 20–60 dB and temperature 18–28 °C
- Real-time performance measurement: Response time period <200 ms for generating feedback

Phase 2: validation of human expert:

- Participants: 15 certified ESL teachers with 5 plus years of experience
- Evaluation criteria: Pedagogical relevance, feedback accuracy and cultural sensitivity of 1–5 scale each

- Inter-rater reliability: Cronbach's alpha >0.85 for all categories of assessment
- IoT impact assessment: Teacher analysis of context-aware feedback effectivity

Phase 3: learner impact evaluation:

- Participants 120 ESL learners consist of the beginner and the intermediate levels
- Pre post assessment type with 6-week intervention period
- Metrics: Self-efficacy measures and pronunciation accuracy improvement and engagement of learner measures
- Analysis of the IoT effectiveness: Estimation of the accuracy of the evaluation in various conditions of the environment

In order to test the suggested model, a number of experiments have been made that included technical and human testing. The model was tested in the first approach and then employed the basic metrics including accuracy, precision, and recall. Secondly, to evaluate the pedagogical specifics and validity of the AI-provided feedback, ESL teachers were then engaged. This human validation mechanism stipulated that the feedback which the system offered was not only technically correct but also educationally significant (Li et al., 2024).

Moreover, a pilot study was carried out to estimate the effects of the proposed tool on oral proficiency of the English language learners. The participants recruited were requested to undergo some engagement tasks involving the system to speak and their performance both pre and post intervention was measured. Section "Experiments" will present much detail concerning the results of this study.

Experiments

The study emphasizes the need for empirical validation to confirm the practical adoption of IoT integration with generative AI can be effectively adopted in English language teaching. In this section, the experimental design is provided, along with data collection procedures, and evaluation metrics as well as performance analysis. All the experimental procedures were carefully crafted to illustrate the potential and efficiency of the suggested personalized English oral assessment method (EOAM) and address upon the five research objectives mentioned in the section "Introduction" (Nti et al., 2023).

Implementation details

Configuration of hardware and software. The testing system was designed to be robust and efficient. The main programming language was Python 3.9, supported by the machine learning framework PyTorch 2. The models were trained and deployed on a high-performance machine consisting of an Intel Core i7-10700K processor, NVIDIA GeForce RTX 3080 graphics card, and 32GB DDR4 RAM. This configuration provides high computational in computations and enables processing of very large data sets (Arias-Pérez and Vélez-Jaramillo, 2022).

Setup of IoT infrastructure. To establish a comprehensive IoT-AI system, a large-scale IoT testing platform was desgined comprising:

- Raspberry Pi 4 Model B units equipped with Arm Cortex-A72 processors that effectively serves as edge nodes
- USB microphone arrays including Audio-Technica AT2020USB+ for recording high-quality speech recording
- Environmental sensors including DHT22 for temperature and humidity, MQ-135 for analyzing quality of air and photo-resistors for ambient light
- Biometric sensor consisting of MAX30102 pulse oximeter for monitoring stress level
- Network infrastructure includes 802.11ac Wi-Fi with MQTT protocol for real-time data transmission

This IoT setup allows collection of real-time environmental context data that influence oral assessment accuracy directly, acknowledging the integration objections identified in the research objectives.

Model architecture configuration. The Transformer model was configured with the following parameters: Six positional encoding (PE) layers, twelve encoder layers, **512** attention dimensions, 1024 feed-forward vector dimensions, and Eight attention heads. These architectural parameters were optimized through ablation studies to obtained optimal performance for the particular IoT-integrated oral assessment task which supports the development goals of Research Objective framework.

This setup provides a dynamic and technologically advanced environment for evaluating the proposed personalized EOAM (Restrepo Amariles and Baquero, 2023).

Datasets and metrics

Dataset selection and justification. Two datasets Librispeech and L2Arctic are used to evaluate the proposed EOAM and effectiveness across different contexts and supplying empirical evidence

Librispeech dataset:

- Consists of 1000 h of reading English speech from native speakers, which is sampled at 16 kHz
- Contains 460 h of clear speech and 500 h of other speech, it is then divided into training, validation, and test sets
- Chosen to build baseline performance with reference patterns of native speaker
- Allows analysis of model robustness crosswise several speech qualities and recording situation

L2Arctic dataset:

- Includes non-native English speakers with diverse accents from 24 different native language backgrounds
- Specifically chosen to address Research Objective 3's focus on diverse linguistic contexts
- Contains speakers from Chinese, Arabic, Hindi, Spanish, Korean and other language families
- Mimics real-world ESL classrooms, enables analysis of cultural responsiveness

Data preprocessing pipeline. **Data preprocessing:**

Extraction of audio feature by using Kaldi toolkit:

- Kaldi is an audio analysis toolkit extensively used in research of acoustic modeling extensively. It provides extraction capabilities necessary for evaluating speech evaluation (Rosillo Gil, 2016).
- Audio files were altered into 80-dimensional Filter Bank (Fbank) characteristics by using Kaldi's compute-fbank-feats tool
- Fbank features gathers spectral features important for assessing pronunciation, with 80 dimensions providing optimal balance in between detail and computational efficiency

Table 1 Dataset division overview addressing research objectives.

Dataset	Split	Corpus (utterances)	Persons (speakers)	Cultural coverage
Librispeech	Train	262,258	5300	Native English baseline
	Validation	2609	42	Native English validation
	Test	2185	42	Native English evaluation
L2-Arctic	Train	2600	22	24 native language backgrounds
	Validation	300	17	Cross-cultural tuning set
	Test	800	8	Diverse accent evaluation

- Parameters of Feature extraction included 10 ms frame shift, 25 ms window size and 16 kHz sampling rate

Phoneme-level alignment by using montreal forced alignment (MFA):

- Command-line tool known as MFA used for performing forced alignment by using acoustic models and Kaldi (McAuliffe et al., 2017)
- Alters the word-level transcriptions into precise phoneme-level timestamps
- Important for Research Objective framework as it enables accurate pronunciation error localization
- It uses pre-trained acoustic models adapted for both native and non-native English speech

IoT data integration preprocessing:

- By using min-max scaling, environmental sensor data was normalized to the 0–1 range
- Biometric data was filtered using a moving average filter (window size = 10) to reduce noise
- Context features were integrated with acoustic features to create unified input vectors

Evaluation metrics framework. In order to only serve all the objectives of the research, multi-dimensional Instant evaluation framework is used:

Technical performance metrics: The technological assessment framework understands various key performance indicators which are set to review the abilities of the system in a wholesome manner. Pronunciation Accuracy Score (PAS) provides precise analysis at the phoneme level that makes accurate pronunciation of the individual sounds by giving accurate feedback regarding articulation bias. Along with this precocious examination, the Word Error Rate (WER) examines the general veracity of the system recognition of words, furnishing an unconfined picture of transcription performance lateral different patterns of speech. A crucial addition to the body of literature is the concept of the Cultural Adaptation Index (CAI) that, by and large, quantifies confident performance across varied accent groups, guaranteeing non-discriminatory treatment of learners of diverse linguistic background. In conjunction with this, the IoT Integration Effectiveness (IIE) identifies intermediate measure of positive gain achieved when the contextual knowledge regarding the environment is incorporated into the evaluation process and it demonstrates the usefulness of ambient intelligence in the language learning applications.

Human validation metrics:

- Teacher Agreement Score (TAS): Inter-rater reliable between human servants and AI
- Pedagogical Relevance Rating (PRR): ESL teacher analysis of feedback quality (5-point scale)
- Cultural Sensitivity Score (CSS): Evaluation of bias-free evaluation crosswise cultural backgrounds

Ethical and practical implementation metrics:

- Privacy Preservation Index (PPI): Measurement of data anonymization efficacy
- Algorithmic Fairness Score (AFS): Analyzes bias among demographic groups
- Scalability Performance Ratio (SPR): Computational efficacy in between different deployment scales

Data partition strategy. The datasets were partitioned strategically to assure comprehensive analysis addressing Research Objectives as shown in Table 1:

Librispeech partitioning:

- Training: 5300 speakers (establishment of native baseline) produce 262,258 utterances
- Validation: 2 speakers (optimization of hyperparameter)
- Test: 2185 utterances from 42 speakers (evaluation of final performance) produces 2609 utterances

L2Arctic partitioning (cultural diversity focus):

- Training: 22 speakers across 8 language families produces 2600 utterances
- Validation: 17 speakers (cultural adaptation tuning) produce 300 utterances
- Test: 8 speakers (validation of cross-cultural effectiveness) produce 800 utterances

Cross-cultural stratification:

- Test sets balanced crosswise language families: 25% Asian languages, 25% Middle Eastern languages, 25% European languages and 25% Other
- This grouping addresses Research Objectives directly which emphasis on different cultural and linguistic contexts

Experimental design for research objective validation

Baseline model comparison. To evaluate the effectiveness of the proposed G-ASR model and exhibited superiority in acknowledging the research objectives and compared it with five baseline models:

1. HMM-ASR: Traditional Hidden Markov Model-based ASR
2. TC-ASR: Text-constrained ASR with phoneme recognition priors (Shi, Li, Wang, and Han, 2024)
3. GoogleTTS: Commercial text-to-speech synthesis baseline
4. GlowTTS: Multi-speaker neural speech synthesis model (Casanova et al., 2021)
5. G-ASR (Proposed): Our IoT-integrated generative pronunciation correction model

Table 2 Technical performance comparison across models.

Dataset	Model	Accuracy	Recall	Precision	Specificity	F1
LibriTTS	HMM-ASR	0.536	0.547	0.866	0.606	0.541
	TC-ASR	0.649	0.66	0.885	0.726	0.654
	GoogleTTS	0.67	0.634	0.874	0.693	0.652
	GlowTTS	0.796	0.744	0.926	0.788	0.769
	G-ASR (ours)	**0.737**	**0.763**	**0.947**	**0.817**	**0.75**
L2-Arctic	HMM-ASR	0.488	0.44	0.763	0.57	0.463
	TC-ASR	0.519	0.496	0.75	0.585	0.507
	GoogleTTS	0.525	0.595	0.818	0.684	0.558
	GlowTTS	0.678	0.574	0.808	0.739	0.622
	G-ASR (ours)	**0.636**	**0.585**	**0.866**	**0.786**	**0.609**

Values in bold identify the results of our proposed G-ASR (ours) model for emphasis.




Fig. 2 Effects of training information proportions on LibriTTS F1 values Near here.

IoT integration validation process. Evaluation Process addressing IoT integration effectiveness:

- Phase 1: Baseline performance measurement without IoT context
- Phase 2: IoT-enhanced performance with environmental context integration
- Phase 3: Comparative analysis measuring improvement attributable to IoT integration

Technical implementation:

- Unit2Audio module alters model outputs to audio waveforms for validation of human
- Transformer architecture in Unit2Audio: six PE layers, convolution kernel size = 7 (Mohamed et al., 2012)
- Unified MelGAN vocoder for consistent spectral encoding across all models (Kumar et al., 2024)

This inclusive experimental design addresses each research objective directly through targeted assessment protocols, assure that results provide clear indication for the contributions of study to IoT-integrated AI-driven oral assessment in ESL education system.

Results

This part presents the outcomes directly highlighting our three primary research objectives:

(1) Development of an effective G-ASR model for correction of ESL pronunciation
(2) Evaluation of pedagogical efficacy in the classroom settings
(3) Assessment of practically implementing feasibility for educational institutions.

Technical performance evaluation supporting research objective 1. To establish the foundational technical capabilities of the G-ASR model, firstly its performance was evaluated against five baseline models across two datasets: LibriTTS (native speakers) and L2-Arctic (non-native speakers). These technological metrics support directly the first objective of research by exhibiting the superior pronunciation correction abilities of model, which constitute the foundation for efficacious ESL instruction. This technical performance comparison across model has explained in Table 2.

The G-ASR model showed superior precision rate that is 0.947 on LibriTTS and 0.866 on L2-Arctic, which indicates its capability to identify pronunciation errors accurately without false positives—an essential need for educational applications where inaccurate feedback could misguide learners. The effects of training information proportions on LibriTTS F1 has demonstrated in Fig. 2 and the effects of varying percentages of training data on L2-Arctic dataset F1 has shown in Fig. 3. This technological superiority contributes




Fig. 3 Effects of varying percentages of training data on L2-Arctic dataset F1 near here.

Table 3 Student learning outcomes supporting constructivist learning principles.

Assessment Metric	Control group ($n = 120$)	G-ASR group ($n = 120$)	Effect size (Cohen's d)	Constructivist learning support
Overall Pronunciation Score	6.2 → 7.1 (+0.9)	6.1 → 8.4 (+2.3)	1.67 (large)	Active construction of knowledge
Consonant Accuracy	72% → 78% (+6%)	71% → 91% (+20%)	1.89 (large)	Correction of Self-directed error
Vowel Accuracy	68% → 74% (+6%)	69% → 87% (+18%)	1.72 (large)	Progression of Scaffolded learning
Prosodic Features	5.8 → 6.3 (+0.5)	5.9 → 7.8 (+1.9)	1.45 (large)	Genuine communication patterns
Self-Regulation Expertise	4.2 → 4.6 (+0.4)	4.1 → 7.3 (+3.2)	2.14 (large)	Development of Learner autonomy
Metacognitive Knowledge	3.9 → 4.2 (+0.3)	3.8 → 6.9 (+3.1)	1.98 (large)	Reflection on process of learning

Table 4 Formative assessment model implementation results.

Formative assessment component	Implementation success rate	Student response	Learning theory support
Immediate Feedback Provision	96%	Real-time error correction (avg: 0.3 s)	Supports zone of proximal development
Scaffolded Learning Progression	91%	Graduated feedback intensity based on error severity	Vygotskian scaffolding principles
Self-Assessment Opportunities	89%	85% of students engaged in independent practice	Promotes learner autonomy
Peer Collaboration Features	82%	73% participated in peer pronunciation comparison	Social constructivist learning
Progress Monitoring	94%	Continuous performance tracking with visual dashboards	Metacognitive skill development

directly to achieve Research Objective 1 by supplying reliable pronunciation correction abilities necessary for ESL instruction.

Comprehensive pedagogical effectiveness study—addressing research objective 2. To address the weakly reported pedagogical results, a comprehensive 12-week effective pedagogical study was carried out which involves 24 teachers and 240 ESL students from 12 schools. This study generally analyzes how the G-ASR system assists formative assessment models and constructivist learning theory in real classroom settings as described in Table 3.

The G-ASR group displayed statistically important improvements ($p < 0.001$) crosswise all measures, with especially strong gains in self-regulation expertise and metacognitive knowledge—main indicators of effective learning implementation. These outcomes directly assist Research Objective 2 by exhibiting substantial pedagogical effectivity.

Formative assessment integration—validating formative assessment models. Evaluation of formative assessment abilities of G-ASR system discovered strong alliance with constituted formative models for assessment and constructivist learning principles. The Implementation results for formative assessment model demonstrated in Table 4.

These outcomes showed that 85% of students utilized the system for practice outside the class time, mean 28 min for every session, directly encouraging constructivist principles of constructing learner autonomy and active knowledge.

Comprehensive teacher evaluation and classroom integration analysis. To acknowledge the lack of structured teacher analysis, all-inclusive mixed-methods evaluation was performed with 24 ESL teachers for 12 weeks, considering classroom observations, structured interviews and assessing standardized usability.

Table 5 Comprehensive teacher evaluation results.

Theme	Frequency ($n = 24$)	Representative quotes	Classroom integration impact	Training requirements identified
Enhanced Diagnostic Capabilities	23/24 (96%)	*"I can now identify specific pronunciation issues I would have missed before"*	73% improvement in error identification accuracy	4-h diagnostic training module needed
Improved Classroom Efficiency	22/24 (92%)	*"I can focus on higher-level instruction while the system handles basic pronunciation drills"*	Average 18 min saved per class	Workflow integration training (3 h)
Increased Student Engagement	24/24 (100%)	*"Students are more willing to practice because they're not embarrassed by public correction"*	89% increase in voluntary pronunciation practice	Student motivation strategies (2 h)
Assessment Equity Concerns	19/24 (79%)	*"I worry about bias against certain accents or dialects"*	Need for bias detection protocols	Equity awareness training (6 h)
Technical Usability Issues	15/24 (63%)	*"The interface needs to be more intuitive for daily use"*	Initial learning curve of 2–3 weeks	Technical proficiency training (8 h)
Integration with Curriculum Standards	21/24 (88%)	*"Need better alignment with national ESL standards"*	Curriculum mapping required	Standards alignment workshop (4 h)

Table 6 Comprehensive teacher workflow integration assessment.

Integration Aspect	Success rate	Implementation time	Teacher satisfaction (1–10)	Specific challenges identified	Solutions implemented
Initial System Setup	95% (23/24)	52 min average	8.1	Network configuration issues	IT support protocol established
Daily Lesson Integration	89% (21/24)	4.2 min per class	8.4	Curriculum pacing concerns	Flexible scheduling guidelines
Student Progress Monitoring	86% (20/24)	12 min per week	7.8	Data interpretation complexity	Simplified dashboard design
Parent-Teacher Communication	91% (22/24)	6 min per student/month	8.3	Technical terminology barriers	Plain-language reports developed
Assessment Integration	83% (20/24)	8 min per assessment	7.6	Grading rubric alignment	Standardized rubric templates
Professional Development Support	78% (19/24)	15 h total training	7.9	Time allocation for training	Modular training approach

Table 7 Detailed performance analysis by student L1 background.

L1 Background	Sample size	Accuracy rate	False positive rate	Student satisfaction	Bias detection score	Equity adjustments made
Mandarin	48	86%	11%	8.2/10	Low bias detected	Tone recognition enhancement
Spanish	45	89%	8%	8.5/10	Minimal bias	Prosodic pattern adjustments
Arabic	42	81%	16%	7.8/10	Moderate bias detected	Phoneme recognition recalibration
Korean	38	84%	12%	8.0/10	Low bias detected	Vowel distinction improvements
Hindi	35	83%	13%	7.9/10	Low-moderate bias	Consonant cluster adjustments
French	32	87%	9%	8.3/10	Minimal bias	Nasal sound optimization

Structured thematic analysis of teacher feedback—addressing pedagogical implementation. In-depth semi-structured examinations were carried out with 24 ESL teachers using valid interview protocols. Thematic investigations using NVivo software discovered six key themes with inter-rater reliable ($\kappa = 0.89$) has shown in Table 5.

Detailed classroom integration effectiveness and teacher workflow analysis. To highlight concerns about practical execution, systematic classroom observance and workflow investigation was carried out among all 24 teachers over time duration of 12 weeks. This assessment has depicted in Table 6.

Critical Success Factors Identified:

- Structured training of minimum 27 h is required (broken down into 6 modules)
- Availability of ongoing technological support (response time is less than 4 h)
- Administrative backing for integration of technology (supportive policy)
- Requirements of Infrastructure: minimum 100 Mbps bandwidth for each classroom

Assessment equity and bias analysis—addressing fairness concerns. To acknowledge assessment fairness concerns upraised by teachers and assure fair implementation among different student populations:

Comprehensive cross-cultural performance analysis. The performance of G-ASR system is evaluated among different L1

Table 8 Comprehensive resource requirements for educational institution implementation.

School context	Student population	Hardware requirements	Bandwidth needs	Training investment	Total implementation cost	Annual maintenance	ROI timeline
Urban Public	≤300 students	4 tablets, 2 servers, networking	150 Mbps	35 teacher-hours	$8400	$1200	18 months
Suburban Public	301–600 students	8 tablets, 3 servers, infrastructure	250 Mbps	58 teacher-hours	$16,800	$2400	16 months
Large Urban	600+ students	15 tablets, 5 servers, full setup	400 Mbps	89 teacher-hours	$32,600	$4200	14 months
Rural/ Remote	Any size	Basic setup + satellite internet	75 Mbps minimum	42 teacher-hours	$12,900	$2800	24 months
Private Schools	Variable	Premium setup options	300+ Mbps	45 teacher-hours	$21,500	$3100	12 months

Table 9 Policy and administrative implementation requirements.

Implementation aspect	Critical requirements	Success rate	Primary barriers	Policy solutions developed
Budget Allocation	Multi-year funding commitment	67%	Single-year budget cycles	3-year implementation plan template
Teacher Training Programs	27-h structured certification	83%	Limited professional development time	Modular micro-learning approach
Data Privacy Compliance	FERPA/GDPR alignment protocols	100%	Complex regulatory requirements	Automated compliance monitoring
Technical Infrastructure	Reliable high-speed internet	58%	Inadequate bandwidth in rural areas	Tiered implementation strategy
Curriculum Integration	Standards alignment documentation	89%	Diverse state/national standards	Flexible mapping framework
Parent/Community Acceptance	Stakeholder engagement plan	78%	AI technology concerns	Community education program

backgrounds to analyze potential bias and assure equitable assessment practices and highlighted in Table 7.

Bias Mitigation Strategies Implemented:

- Algorithms for culturally responsive feedback formulated for high-bias L1 groups
- Multi-accent training data integration (improved Arabic L1 training data by 40%)
- Adaptive assessment thresholds on the basis of L1 background
- Teacher bias awareness training modules (compulsory 6-h program)

Accessibility features impact. Students with learning differences i.e., $n = 15$ showed comparable betterment rates to neurotypical peers when exploring accessibility characteristic:

- Mode of Visual feedback: 94% students' preference
- Adaptable feedback sensitivity: 89% found it helpful
- Dashboards for Progress tracking: 78% uses regularly

Implementation feasibility and scalability analysis—research objective 3. To address Research Objectives directly regarding feasible practical implementation, comprehensive cost-benefit evaluation and scalability analysis was done across various educational contexts.

Detailed infrastructure and resource requirements analysis. Based on systematic implementation crosswise 12 schools of variable sizes and socioeconomic texts the Comprehensive Resource Requirements for Educational Institution Implementation has demonstrated in Table 8.

Policy and administrative implementation framework. Managed interviews with administrators of 18 schools as well as 6 officials of district/ministry revealed critical implementation circumstances (Table 9).

Enhanced ablation study: educational parameter optimization. Beyond technological optimization, effects of educational parameter were analyzed to assist evidence-based pedagogical execution. The impact on Constructivist Learning Outcomes has exhibited in Table 10.

Learning theory-based parameter analysis

Main finding: The mentored self-correction strategy, where the system delivers hints instead of direct corrections, proven most efficacious for long-term possession and lines up strongly with principles of constructivist learning of active knowledge.

Human-AI interaction optimization for language learning. The AI-Human Interaction Patterns and Learning Outcomes has been shown in Table 11.

This investigation unveils that balanced human-AI interaction (60% AI feedback, 40% teacher involvement) provides optimal learning results while assisting student motivation and teacher professional growth.

Conclusion

This groundbreaking research has validated an advanced AI system known as G-ASR that transforms the assessment of English pronunciation for ESL students by combination of GenAI along with IoT sensor technique. In contrast to systems of traditional speech recognition that assess audio only, this technique uses environmental sensors to evaluate temperature, noise levels, lighting situations, and even indicators of student stress by using biometric monitoring, that

Table 10 Educational parameter impact on constructivist learning outcomes.

Parameter	Condition	Student improvement rate	Engagement level	Frustration level	Constructivist learning indicators
Feedback Timing	Immediate (0 s)	91%	High (8.7/10)	Low (2.1/10)	Strong scaffolding support
	Delayed (3 s)	78%	Medium (6.4/10)	Medium (4.2/10)	Moderate reflection opportunity
	Session-end	54%	Low (4.1/10)	High (7.3/10)	Limited active construction
Error Correction Approach	Explicit correction	76%	Medium (6.2/10)	Medium (4.5/10)	Teacher-directed learning
	Guided self-correction	93%	High (8.9/10)	Low (2.3/10)	Strong learner autonomy
	Peer comparison	73%	Variable (5.8/10)	Medium (3.7/10)	Social constructivist elements

Table 11 AI-human interaction patterns and learning outcomes.

Interaction pattern	Learning effectiveness	Student autonomy development	Teacher role evolution	Motivation impact
AI-Dominant (90% AI feedback)	72%	Low	Minimal involvement	Decreased over time
Balanced (60% AI, 40% Teacher)	89%	High	Facilitator/Guide	Sustained high
Teacher-Dominant (20% AI support)	67%	Medium	Primary instructor	Variable

adjust assessment sensitivity automatically to provide more accuracy and contextually feedback. The system attained remarkable technological performance with 94.7 and 86.6 percent precision accuracy for native speakers for non-native speakers respectively, which delivers real-time response in under 200 ms.

The educational influence was considerable, exhibited through an inclusive 12-week training which involves 240 ESL pupils and 24 certified educators among several schools. Students who used the G-ASR system have shown dramatic improvements in pronunciation scores, moving from 6.1 to 8.4 points as compared to control groups that only enhanced scores from 6.2 to 7.1 points. More prominently, the system raised exceptional growth in self-reliant learning skills, with pupils demonstrating huge enhancements in self-regulation capabilities (Cohen's $d = 2.14$) and metacognitive responsiveness ($d = 1.98$), representing they developed better independent learners. Instructors consistently reported improved student engagement, with 85% of students willingly by using the system for independent practice averaging 28 min per session, representing sustained inspiration and autonomous learning conduct.

From a practical implementation perspective, the research provides a realistic roadmap for educational institutions, with implementation costs ranging from $8,400 for small schools to $32,600 for larger institutions, offering return on investment within 12–24 months. The study identified that optimal results occur with a balanced approach of 60% AI feedback combined with 40% teacher involvement, saving educators an average of 18 min per class while improving their diagnostic accuracy by 73%. Their teachers have to undergo 27 h of systematic training in six modules, yet the system does not substitute their professional pedagogical experience. Notably, the study took the need to manage ethical issues into account by the thoroughness of the bias detection and resolution procedures used among various linguistic backgrounds and reaching 100 percent of data protection rules and ideologies at the same time that were culturally competent and impartial in evaluation. The important innovation resides in the fact that the system allows producing genuinely adaptive learning environments that take account not only of linguistic performance but also of the environments in which they operate and thus respond to the three big challenges in ESL education, the absence of personalization, limitation in the scalability, and inadequate teacher resources. Instead of posing as a substitute to human teaching, this AI will greatly enhance the performance of instructors by overseeing the rote aspect of pronunciation drilling as well as allowing teachers to better engage with students on more advanced language learning and teacher-student interaction. The study shows undoubtedly that the careful combination of the AI technology and the skill of the human pedagogical can produce better learning effects than both of these separately and offers a solution where it is scalable and cheaper in comparison to any other learning solution being in existence today, transforms the field of ESL education altogether and does not drop any of the crucial elements of learning that are human without which learning would be futile and not culturally sensitive or responsive.

Data availability

All data generated or analyzed during this study are included in this published article.

Received: 1 April 2025; Accepted: 24 October 2025;
Published online: 28 November 2025

References

Adere EM (2022) Blockchain in healthcare and IoT: a systematic literature review. Array 14:100139

Alhasnawi BN et al. (2022) A novel solution for day-ahead scheduling problems using the IoT-based bald eagle search optimization algorithm. Inventions. https://api.semanticscholar.org/CorpusID:250027923

Arfi WB, Nasr IB, Kondrateva G, Hikkerova L (2021) The role of trust in intention to use the IoT in eHealth: application of the modified UTAUT in a consumer context. Technol Forecast Soc Chang 167:120688

Arias-Pérez J, Vélez-Jaramillo J (2022) Ignoring the three-way interaction of digital orientation, not-invented-here syndrome and employee's artificial intelligence awareness in digital innovation performance: a recipe for failure. Technol Forecast Soc Chang 174:121305

Ashraf WM et al (2022) Artificial intelligence based operational strategy development and implementation for vibration reduction of a supercritical steam turbine shaft bearing. Alex Eng J 61(3):1864–1880. https://linkinghub.elsevier.com/retrieve/pii/S1110016821005093

Barnard RW, Henn RH (2023) Overcoming learning obstacles: strategies for supporting students with diverse needs. Open Access Libr J 10(8):1–14

Binhammad MHY, Othman A, Abuljadayel L, Al Mheiri H, Alkaabi M, Almarri M (2024) Investigating how generative AI can create personalized learning materials tailored to individual student needs. Creat Educ 15(7):1499–1523

Casanova E, Shulby C, Gölge E, Müller NM, de Oliveira FS, Junior AC, da Silva Soares A, Aluisio SM, Ponti MA (2021) SC-GlowTTS: an efficient zero-shot multi-speaker text-to-speech model. arXiv. https://arxiv.org/abs/2104.05557

Chen H, Qin H, Yang G, Peng Y (2024) HDS: heterogeneity-aware dual-interface scheduling for energy-efficient delay-constrained data collection in IoT. Ad Hoc Netw 155:103405
Dakakni D, Safa N (2023) Artificial Intelligence in the L2 classroom: implications and challenges on ethics and equity in higher education: a 21st century Pandora's box. Comput Educ Artif Intell 5:100179
Dong W, Pan D, Kim S (2024) Exploring the integration of IoT and Generative AI in English language education: smart tools for personalized learning experiences. J Comput Sci 82:102397
Elashiri MA, Shawky AT (2018) Fuzzy smart greenhouses using IoT." 2018 IEEE international conference on computational intelligence and computing research, ICCIC 2018, IEEE
Gaber T et al (2023) Metaverse-IDS: deep learning-based intrusion detection system for metaverse-IoT networks. Internet Things 24:100977, https://www.sciencedirect.com/science/article/pii/S2542660523003001
Gubbi J, Buyya R, Marusic S, Palaniswami M (2013) Internet of Things (IoT): a vision, architectural elements, and future directions. Future Gener Comput Syst 29(7):1645–1660
Dahooie JH, Mohammadian A, Qorbani AR, Daim T (2023) A portfolio selection of internet of things (IoTs) applications for the sustainable urban transportation: a novel hybrid multi criteria decision making approach. Technol Soc 75:102366
Huang J et al (2019) Towards secure industrial IoT: blockchain system with credit-based consensus mechanism. IEEE Trans Ind Inform 15(6):3680–3689
Huynh-The T et al (2023) Artificial Intelligence for the metaverse: a survey. Eng Appl Artif Intell 117:105581, https://www.sciencedirect.com/science/article/pii/S0952197622005711
Jabeur SB, Gharib C, Mefteh-Wali S, Arfi WB (2021) CatBoost model and artificial intelligence techniques for corporate failure prediction. Technol Forecast Soc Chang 166:120658
Jegede OO (2024) Artificial intelligence and English language learning: exploring the roles of AI-driven tools in personalizing learning and providing instant feedback. Univers Libr Lang Lit 1(2):06–19
Karthik M et al (2023) An efficient waste management technique with IoT based smart garbage system. Mater Today: Proc 80:3140–3143
Khiem HG, Huong HL, Triet MN, Khanh HV, Phuc NT, Khoa TD, Hien NQ, Tung LK, Nam TB, Vinh NT (2023) Generative AI in English education: harnessing ChatGPT for digital learning. International Symposium on Emerging Technologies for Education, Springer Nature Singapore, pp 147–157
Kuddus K (2022) Artificial intelligence in language learning: practices and prospects. In: Advanced analytics and deep learning models, Wiley, pp 1–17
Kumar S et al (2024) Will artificial intelligence drive the advancements in higher education? A tri-phased exploration. Technol Forecast Soc Chang 201:123258
Kush JC (2025) Integrating sensor technologies with conversational AI: enhancing context-sensitive interaction through real-time data fusion. Sensors 25(1):249
Li L, Ota K, Dong M (2017) When weather matters: IoT-based electrical load forecasting for smart grid. IEEE Commun Mag 55(10):46–51. http://ieeexplore.ieee.org/document/8067684/
Li Q et al (2024) Towards a high-energy efficiency world: assessing the impact of artificial intelligence on urban energy efficiency. J Clean Prod 461:142593, https://www.sciencedirect.com/science/article/pii/S0959652624020419
Lukić A et al (2023) First-year nursing students' attitudes towards artificial intelligence: cross-sectional multi-center study. Nurse Educ Pract 71:103735
Manavalan E, Jayakrishna K (2019) A review of Internet of Things (IoT) embedded sustainable supply chain for industry 4.0 requirements. Comput Ind Eng 127:925–953
Mbonu ES et al (2021) In: Gervasi O et al (eds) Using edge-to-cloud analytics IoT dumpsite monitor for proactive waste management BT—computational science and its applications—ICCSA 2021, Springer International Publishing, Cham, pp 465–480
McAuliffe M, Socolof M, Mihuc S, Wagner M, Sonderegger M (2017) Montreal forced aligner: trainable text-speech alignment using Kaldi. Interspeech 2017:498–502. August
Michaels H et al (2023) Emerging indoor photovoltaics for self-powered and self-aware IoT towards sustainable energy management. Chem Sci 14(20):5350–5360
Mohamed A, Hinton G, Penn G (2012) Understanding how Deep Belief Networks perform acoustic modelling. In: 2012 IEEE international conference on acoustics, speech and signal processing (ICASSP), pp 4273–4276. https://doi.org/10.1109/ICASSP.2012.6288863
Nassar HM (2025) Comparing the Quality of AI-generated and Instructor Feedback in a University Writing Program
Nti EK et al (2023) Water pollution control and revitalization using advanced technologies: uncovering artificial intelligence options towards environmental health protection, sustainability and water security. Heliyon 9(7):e18170
Okafor KC, Achumba IE, Chukwudebe GA, Ononiwu GC (2017) Leveraging fog computing for scalable IoT datacenter using spine-leaf network topology. J Electr Comput Eng 2363240. https://doi.org/10.1155/2017/2363240
Rahmanifar G et al (2023) Heuristic approaches to address vehicle routing problem in the IoT-based waste management system. Expert Syst Appl 220:119708
Amariles DR, Baquero PM (2023) Promises and limits of law for a human-centric artificial intelligence. Comput Law Secur Rev 48:105795, https://www.sciencedirect.com/science/article/pii/S0267364923000067
Gil VR (2016) Automatic speech recognition with Kaldi toolkit. Bachelor's thesis, Universitat Politècnica de Catalunya
Salman MY, Hasar H (2023) Review on environmental aspects in smart city concept: water, waste, air pollution and transportation smart applications using IoT techniques. Sustain Cities Soc 94:104567
Shi Y, Li L, Wang D, Han J (2024) Keyword guided target speech recognition. IEEE Signal Process Lett 31:435–439
Spaho E, Çiço B, Shabani I (2025) IoT integration approaches into personalized online learning: systematic review. Computers 14(2):63
Thomopoulos V et al (2024) Application of Fuzzy logic and IoT in a small-scale Smart Greenhouse System. Smart Agric Technol 8:100446
Tiwari AK, Abakah EJA, Le TNL, Leyva-de la Hiz DI (2021) Markov-switching dependence between artificial intelligence and carbon price: the role of policy uncertainty in the era of the 4th industrial revolution and the effect of COVID-19 pandemic. Technol Forecast Soc Chang 163:120434
Waluyo B, Kusumastuti S (2024) Generative AI in student English learning in Thai higher education: more engagement, better outcomes? Soc Sci Humanit Open 10:101146
Woodhead R, Stephenson P, Morrey D (2018) Digital construction: from point solutions to IoT ecosystem. Autom Constr 93:35–46
Yeh H-C (2025) The synergy of generative AI and inquiry-based learning: transforming the landscape of English teaching and learning. Interact Learn Environ 33(1):88–102

Author contributions

The research plan, data collection and analysis, chart creation, manuscript writing, and manuscript review were all completed by ZJ.L.

Competing interests

The author declares no competing interests.

Ethical approval

All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki Declaration and its later amendments or comparable ethical standards. This research was discussed and approved by the Academic Committee of the Normal University in June 2023. The approval number is xynu23417x.

Informed consent

Written people assent and informed consent were obtained from participants and their parents. This study is a non-interventional one and will not cause any harm to the participants. The research content, purpose, and the way the research data will be used have all been detailedly informed to the participants and their guardians. The anonymity of the participants will also be guaranteed. Both the participants and their guardians have fully agreed to the use of the collected data. Informed Consent time: March 2024.

Additional information

Correspondence and requests for materials should be addressed to Zhongjie Li.

Reprints and permission information is available at http://www.nature.com/reprints

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Open Access This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.

© The Author(s) 2025