Export as Excel Test Suite

Execution Environment

Host name USER - DESKTOP-HLRVE9S

Local OS Windows 10 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Integration Feature People Counting to Dashboard Monitoring/Export as Excel Test Suite

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 17-01-2024 17:13:51 End 17-01-2024 17:15:00

Elapsed 1m - 9.377s

ID Description Status

1 Test Cases/Offline PSSI Dashboard Function/Integration Feature People Counting to Dashboard Monitoring/Export as Excel/PSSIExportPeopleCounting **FAILED**

Information

Test Cases/Offline PSSI Dashboard Function/Integration Feature People Counting to Dashboard

Monitoring/Export as Excel/PSSIExportPeopleCounting

Description

Tag

Start 17-01-2024 17:14:45 End 17-01-2024 17:15:00

Elapsed 15.120s Status FAILED

Details

#	Description	Elapsed	Status
1	baseUrl = offline_pssi_dashboard_url	0.001s	PASSED
2	callTestCase(findTestCase("Offline PSSI Dashboard Function/Integration Feature People Counting to Dashboard Monitoring/View People Counting Data/Positive Test Case/PSSIViewPeopleCounting"), [:]) Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Integration Feature People Counting to Dashboard Monitoring/View People Counting Data/Positive Test Case/PSSIViewPeopleCounting' successfully	6.449s	PASSED
3	verifyElementClickable(findTestObject("Object Repository/Page_CCTV/Data Entries Option")) Object 'Object Repository/Page_CCTV/Data Entries Option' is clickable	0.656s	PASSED
4	selectOptionByValue(findTestObject("Object Repository/Page_CCTV/Data Entries Option"), "100", true) All options with value '100' are selected in object 'Object Repository/Page_CCTV/Data Entries Option' using regular expression	1.084s	PASSED
5	scrollToElement(findTestObject("Page_CCTV/page 1"), 1)	0.570s	PASSED

Scroll to object 'Object Repository/Page_CCTV/page 1' successfully

#	Description	Elapsed	Status
6	page1Object = findTestObject("Object Repository/Page_CCTV/page 1")	0.033s	PASSED
7	page1Object.addProperty("css", EQUALS, "li.paginate_button.page-item.active > a.page-link")	0.001s	PASSED
8	verifyElementPresent(page1Object, 3) Object 'Object Repository/Page_CCTV/page 1' is present	0.276s	PASSED
9	scrollToElement(findTestObject("Page_CCTV//Data Entries Option"), 1) Scroll to object 'Object Repository/Page_CCTV//Data Entries Option' successfully	0.319s	PASSED
10	verifyElementClickable(findTestObject("Object Repository/Page_CCTV/Data Entries Option")) Object 'Object Repository/Page_CCTV/Data Entries Option' is clickable	0.325s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/Page_CCTV/Data Entries Option"), "25", true) All options with value '25' are selected in object 'Object Repository/Page_CCTV/Data Entries Option' using regular expression	1.020s	PASSED
12	scrollToElement(findTestObject("Page_CCTV/page 2"), 1) Scroll to object 'Object Repository/Page_CCTV/page 2' successfully	0.567s	PASSED

#	Description	Elapsed	Status
13	click(findTestObject("Object Repository/Page_CCTV/page 2"))	3.770s	FAILED
	Unable to click on object 'Object Repository/Page_CCTV/page 2' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_CCTV/page 2'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659) at PSSIExportPeopleCounting.run(PSSIExportPeopleCounting:46)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1705486222796.run(TempTestSuite1705486222796.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a aria-controls="table_data" aria-disabled="true" data-dt-<="" role="link" td=""><td></td><td></td>		
	idx="next" tabindex="-1" class="page-link"> is not clickable at point (1450, 581). Other element would receive the click: <li class="paginate_button page-item next disabled" id=" table_data_next">		

table_data_next">...

(Session info: chrome=120.0.6099.217)

Status

```
Description
                                                                                             Elapsed
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-HLRVE9S', ip: '192.168.100.189', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.217, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\USER\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:61325}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 06cfe78f32641acacd8b80857323f76d
          at\ java.base/jdk.internal.reflect. Native Constructor Accessor Impl.new Instance 0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at jdk.internal.reflect.GeneratedMethodAccessor18.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
```

(DelegatingMethodAccessorImpl.java:43)

Description

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.

doCall(ClickKeyword.groovy:67)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)

 $at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. execute (Click Keyword. groovy: 40)$

 $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1704873589854.run(Script1704873589854.groovy:46)

... 18 more

