## **Edit Account Test Suite**

### **Execution Environment**

Host name USER - DESKTOP-HLRVE9S

Local OS Windows 10 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Create BE Account Management/Edit Account Test Suite

Description

Total 6

Passed 0 Failed 6 Error 0 Incomplete 0

Skipped 0

Start 19-01-2024 11:32:58 End 19-01-2024 11:44:19

Elapsed 11m - 21.233s

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test Case/PSSIEditAccountDuplicateEmail      |             | FAILED |
| 2 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test Case/PSSIEditAccountEmptyMandatoryField |             | FAILED |
| 3 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test Case/PSSIEditAccountExceedMaxChar       |             | FAILED |
| 4 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test Case/PSSIEditAccountInvalidEmailFormat  |             | FAILED |
| 5 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test Case/PSSIEditAccountInvalidPicFormat    |             | FAILED |
| 6 | Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Positive Test Case/PSSIEditAccount/ValidData          |             | FAILED |

## ${\tt PSSIEditAccountDuplicateEmail}$

### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test

Case/PSSIEditAccountDuplicateEmail

Description

Tag

Start 19-01-2024 11:34:37 End 19-01-2024 11:35:09

Elapsed 31.430s Status FAILED

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.001s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.000s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 8.821s  | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 0.627s  | PASSED |
| 5 | verifyElementClickable(findTestObject("Page_Create Account/Name Field"))  Object 'Object Repository/Page_Create Account/Name Field' is clickable  | 2.610s  | PASSED |
| 6 | setText(findTestObject("Page_Create Account/Name Field"), "ehehehehehe")  Text 'eheheheheheh' is set on object 'Object Repository/Page_Create Account/Name Field'   | 5.238s  | PASSED |

# ${\tt PSSIEditAccountDuplicateEmail}$

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | verifyElementClickable(findTestObject("Page_Create Account/Email Field"))                      | 2.428s  | PASSED |
|   | Object 'Object Repository/Page_Create Account/Email Field' is clickable                        |         |        |
| 8 | setText(findTestObject("Page_Create Account/Email Field"), "superadmin@app.com")               | 4.937s  | PASSED |
|   | Text 'superadmin@app.com' is set on object 'Object Repository/Page_Create Account/Email Field' |         |        |


## ${\tt PSSIEditAccountDuplicateEmail}$

| Desc   | ription  | Elapsed | Status |
|--------|--|---------|--------|
| verify | ElementClickable(findTestObject("Page_Create Account/Password Field"))   | 6.709s  | FAILED |
| clicka | le to verify object 'Object Repository/Page_Create Account/Password Field' to be ble (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to object 'Object Repository/Page_Create Account/Password Field' to be clickable  |         |        |
| (Web   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed UIKeywordMain.groovy:64)  |         |        |
| (Web   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywordUIKeywordMain.groovy:26)   |         |        |
| verify | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. ElementClickable(VerifyElementClickableKeyword.groovy:96)   |         |        |
| exec   | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.ute(VerifyElementClickableKeyword.groovy:67)   |         |        |
| exec   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  uteKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|        | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. ElementClickable(WebUiBuiltInKeywords.groovy:605)  |         |        |
| ,      | at PSSIEditAccountDuplicateEmail.run(PSSIEditAccountDuplicateEmail:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
| java:  | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. 19)   |         |        |
| java:  |  |         |        |
| java:  |  |         |        |
| (Test  | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase CaseExecutor.java:418)   |         |        |
| (Test  | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase CaseExecutor.java:410)   |         |        |
| java:  |  |         |        |
| java:  | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:  | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
| java:  | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|        | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase monExecutor.java:65)   |         |        |
|        | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase SuiteExecutor.java:148)  |         |        |
| 106)   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
| 180)   | $at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at com. kms. katalon. core. main. start Test Suite (Test Case Main. java: at core. kms. katalon. core. main. start Test Suite (Test Case Main. java: at core. kms. katalon. core. main. start Test Suite (Test Case Main. java: at core. kms. katalon. core. kms. katal$ |         |        |
| 100)   | at TempTestSuite1705637915236.run(TempTestSuite1705637915236.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |         |        |
| Meth   |  |         |        |
| (Nativ | reMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |         |        |
|        | gatingMethodAccessorImpl.java:43) ed by: com.kms.katalon.core.exception.StepFailedException: Web element with id:  |         |        |
| 'Obje  | ct Repository/Page_Create Account/Password Field' located by 'id("password")[count(.ut[@type = 'text' and @class = 'form-control ' and @id = 'password' and @name =  |         |        |

'password' and @placeholder = 'Password']) = count(//input[@type = 'text' and @class = 'form-control ' and @id = 'password' and @name = 'password' and @placeholder =

'Password'])]' not found

### PSSIEditAccountDuplicateEmail



## ${\tt PSSIE} dit Account {\tt Empty Mandatory Field}$

### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test

Case/PSSIEditAccountEmptyMandatoryField

Description

Tag

Start 19-01-2024 11:36:02 End 19-01-2024 11:36:20

Elapsed 18.408s Status FAILED

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.000s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.001s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 9.068s  | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 0.622s  | PASSED |
| 5 | verifyElementClickable(findTestObject("Page_Create Account/Image Field"))  Object 'Object Repository/Page_Create Account/Image Field' is clickable  | 2.469s  | PASSED |
| 6 | uploadFile(findTestObject("Page_Create Account/Image Field"), "C:\Users\USER\Downloads\unnamed (3).jpg")  File 'C:\Users\USER\Downloads\unnamed (3).jpg' sent to object: 'Object Repository/Page_Create Account/Image Field'  | 2.625s  | PASSED |

# ${\tt PSSIE} dit Account {\tt EmptyMandatoryField}$

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 7 | verifyElementClickable(findTestObject("Page_Create Account/Save Button")) | 0.378s  | PASSED |
|   | Object 'Object Repository/Page_Create Account/Save Button' is clickable   |         |        |
| 8 | click(findTestObject("Page_Create Account/Save Button"))                  | 1.759s  | PASSED |
|   | Object: 'Object Repository/Page_Create Account/Save Button' is clicked on |         |        |


## ${\tt PSSIE} dit Account {\tt Empty} {\tt Mandatory} {\tt Field}$

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 9 | verifyTextPresent("Create Account", false)  | 1.459s  | FAILED |
|   | Unable to verify text 'Create Account' is present (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to verify text 'Create Account' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. verifyTextPresent(VerifyTextPresentKeyword.groovy:83)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.execute(VerifyTextPresentKeyword.groovy:68)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent   |         |        |
|   | (WebUiBuiltInKeywords.groovy:1762) at PSSIEditAccountEmptyMandatoryField.run  |         |        |
|   | (PSSIEditAccountEmptyMandatoryField:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.   |         |        |
|   | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
|   | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|   | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |        |
|   | java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   |         |        |
|   | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)  |         |        |
|   | at TempTestSuite1705637915236.run(TempTestSuite1705637915236.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  |         |        |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  |         |        |
|   | Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'Create Account' is not present on page at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |        |
|   | (WebUlKeywordMain.groovy:64)  |         |        |

at com.kms.katalon.core.webui.keyword.builtin.

 $Verify Text Present Keyword \$\_verify Text Present \_closure 1. do Call (Verify Text Present Keyword.$ 

## PSSIEditAccountEmptyMandatoryField



### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test

Case/PSSIEditAccountExceedMaxChar

Description

Tag

Start 19-01-2024 11:37:58 End 19-01-2024 11:38:31

Elapsed 32.546s Status FAILED


| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.001s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.000s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 9.237s  | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 0.555s  | PASSED |
| 5 | verifyElementClickable(findTestObject("Page_Create Account/Name Field"))  Object 'Object Repository/Page_Create Account/Name Field' is clickable  | 2.621s  | PASSED |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 6 | setText(findTestObject("Page_Create Account/Name Field"), "superadmin brisuperadmin br | 5.987s  | PASSED |
| 7 | verifyElementClickable(findTestObject("Page_Create Account/Email Field"))  Object 'Object Repository/Page_Create Account/Email Field' is clickable   | 2.534s  | PASSED |
| 8 | setText(findTestObject("Page_Create Account/Email Field"), "vieweruser@yopmail.com")  Text 'vieweruser@yopmail.com' is set on object 'Object Repository/Page_Create Account/Email Field'   | 4.975s  | PASSED |

| Descr    | iption  | Elapsed | Statu |
|----------|---|---------|-------|
| verifyE  | ElementClickable(findTestObject("Page_Create Account/Password Field"))                                      | 6.613s  | FAILE |
| Unable   | e to verify object 'Object Repository/Page_Create Account/Password Field' to be                             |         |       |
|          | ole (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to                              |         |       |
|          | object 'Object Repository/Page_Create Account/Password Field' to be clickable                               |         |       |
| Verify   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed                                  |         |       |
| (\Mobil  | JIKeywordMain.groovy:64)  |         |       |
| (vvebc   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword                                  |         |       |
| (\Mobil  |   |         |       |
| (webt    | JIKeywordMain.groovy:26)  |         |       |
|          | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.                                |         |       |
| verify   | ElementClickable(VerifyElementClickableKeyword.groovy:96)   |         |       |
|          | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.                                |         |       |
| execu    | te(VerifyElementClickableKeyword.groovy:67)   |         |       |
|          | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |       |
| execu    | teKeywordForPlatform(KeywordExecutor.groovy:74)   |         |       |
|          | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.   |         |       |
| verify   | ElementClickable(WebUiBuiltInKeywords.groovy:605)   |         |       |
|          | at PSSIEditAccountExceedMaxChar.run(PSSIEditAccountExceedMaxChar:36)  |         |       |
|          | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |       |
|          | $at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$                  |         |       |
| java:1   | 19)   |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.                                   |         |       |
| java:4   | 48)   |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.                                   |         |       |
| java:4   | 39)   |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |       |
| (TestC   | CaseExecutor.java:418)  |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |       |
| (TestC   | CaseExecutor.java:410)  |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                     |         |       |
| java:2   | 85)   |         |       |
| •        | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                     |         |       |
| java:3   | 69)   |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                     |         |       |
| java:3   | 69)   |         |       |
|          | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                     |         |       |
| java:3   | · ·   |         |       |
| •        | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                                       |         |       |
| (Comr    | monExecutor.java:65)  |         |       |
| (        | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                                     |         |       |
| (TestS   | SuiteExecutor.java:148)   |         |       |
| (        | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:                              |         |       |
| 106)     |   |         |       |
| ,        | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                                 |         |       |
| 180)     | 2. 22   |         |       |
| ,        | at TempTestSuite1705637915236.run(TempTestSuite1705637915236.groovy:36)                                     |         |       |
|          | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                                   |         |       |
| Metho    |   |         |       |
| WIGHT    | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke   |         |       |
| (Nativ   | eMethodAccessorImpl.java:77)  |         |       |
| (1 valiv | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                                       |         |       |
| (Dolor   | at java.base/juk.internal.renect.belegatingivietnouAccessorimpi.invoke<br>patingMethodAccessorImpl.java:43) |         |       |
|          |   |         |       |
|          | ed by: com.kms.katalon.core.exception.StepFailedException: Web element with id:                             |         |       |
|          | tt Repository/Page_Create Account/Password Field' located by 'id("password")[count(                         |         |       |
|          | ut[@type = 'text' and @class = 'form-control ' and @id = 'password' and @name =                             |         |       |
|          | vord' and @placeholder = 'Password']) = count(//input[@type = 'text' and @class =                           |         |       |
| 'form-o  | control ' and @id = 'password' and @name = 'password' and @placeholder =                                    |         |       |

'form-control ' and @id = 'password' and @name = 'password' and @placeholder =

'Password'])]' not found



### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test

Case/PSSIEditAccountInvalidEmailFormat

Description

Tag


Start 19-01-2024 11:39:43 End 19-01-2024 11:40:18

Elapsed 35.041s
Status FAILED

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.001s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.001s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 18.619s | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 1.883s  | PASSED |
| 5 | verifyElementClickable(findTestObject("Page_Create Account/Email Field"))  Object 'Object Repository/Page_Create Account/Email Field' is clickable  | 2.589s  | PASSED |
| 6 | setText(findTestObject("Page_Create Account/Email Field"), "vieweruser@a")  Text 'vieweruser@a' is set on object 'Object Repository/Page_Create Account/Email Field'  | 5.218s  | PASSED |

# Description Elapsed Status

| Description | n  | Elapsed | Stat |
|-------------|--|---------|------|
| verifyElem  | entClickable(findTestObject("Page_Create Account/Password Field"))               | 6.712s  | FAIL |
| Unable to   | verify object 'Object Repository/Page_Create Account/Password Field' to be       |         |      |
|             | Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to        |         |      |
|             |  |         |      |
|             | ct 'Object Repository/Page_Create Account/Password Field' to be clickable        |         |      |
|             | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed       |         |      |
| (WebUIKe    | ywordMain.groovy:64)   |         |      |
|             | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword       |         |      |
| (WebUIKe    | ywordMain.groovy:26)   |         |      |
|             | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.     |         |      |
|             | entClickable(VerifyElementClickableKeyword.groovy:96)                            |         |      |
|             |  |         |      |
|             | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.     |         |      |
|             | erifyElementClickableKeyword.groovy:67)  |         |      |
|             | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                        |         |      |
| executeKe   | ywordForPlatform(KeywordExecutor.groovy:74)                                      |         |      |
|             | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.                      |         |      |
|             | entClickable(WebUiBuiltInKeywords.groovy:605)                                    |         |      |
|             | at PSSIEditAccountInvalidEmailFormat.run(PSSIEditAccountInvalidEmailFormat:      |         |      |
| 37)         | at 1 00.24.0 toodatativandeman offidativity Ooiedidhooddittiivandeman offidat.   |         |      |
|             | at som kma katalan sara main CarintEngina run(CarintEngina iava:404)             |         |      |
|             | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)             |         |      |
|             | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.       |         |      |
| java:119)   |  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.        |         |      |
| java:448)   |  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.        |         |      |
| java:439)   | (  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase              |         |      |
|             |  |         |      |
|             | Executor.java:418)   |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                    |         |      |
| •           | Executor.java:410)   |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.          |         |      |
| java:285)   |  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.          |         |      |
| java:369)   |  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.          |         |      |
| java:369)   | ( )  |         |      |
|             | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.          |         |      |
|             | at com.kms.katalom.core.main. restoaseExecutor.execute(restoaseExecutor.         |         |      |
| java:369)   | et een line lietelen een een oorden Commen Europiten een Test Oesekt is Di       |         |      |
|             | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase            |         |      |
|             | Executor.java:65)  |         |      |
|             | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase          |         |      |
| (TestSuite  | Executor.java:148)   |         |      |
|             | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |      |
| 106)        |  |         |      |
|             | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:      |         |      |
| 180)        | น จอกก.พ.กอ.พนเนเอก.ออกอ.กานแก. กองเอนจอกกนแก.จเนก กองเอนแอ( กองเอนจอกกนแก.java. |         |      |
|             | nt TompTootQuito1705627015226 ****/TompTootQuito4705027045200 ****               |         |      |
|             | at TempTestSuite1705637915236.run(TempTestSuite1705637915236.groovy:36)          |         |      |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native        |         |      |
| Method)     |  |         |      |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                |         |      |
|             | thodAccessorImpl.java:77)  |         |      |
|             | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke            |         |      |
|             | gMethodAccessorImpl.java:43)   |         |      |
|             | r: com.kms.katalon.core.exception.StepFailedException: Web element with id:      |         |      |
|             |  |         |      |
|             | pository/Page_Create Account/Password Field' located by 'id("password")[count(.  |         |      |
|             | type = 'text' and @class = 'form-control ' and @id = 'password' and @name =      |         |      |
|             | and @placeholder = 'Password']) = count(//input[@type = 'text' and @class =      |         |      |



CCTV Data

Role Manager

### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Negative Test

Case/PSSIEditAccountInvalidPicFormat

Description

Tag

Start 19-01-2024 11:41:55 End 19-01-2024 11:42:26


Elapsed 31.007s
Status FAILED

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.000s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.001s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 9.042s  | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 0.362s  | PASSED |
| 5 | verifyElementClickable(findTestObject("Page_Create Account/Name Field"))  Object 'Object Repository/Page_Create Account/Name Field' is clickable  | 2.413s  | PASSED |
| 6 | setText(findTestObject("Page_Create Account/Name Field"), "tes pic ngaco10")  Text 'tes pic ngaco10' is set on object 'Object Repository/Page_Create Account/Name Field'  | 5.084s  | PASSED |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | verifyElementClickable(findTestObject("Page_Create Account/Email Field"))  | 2.456s  | PASSED |
|   | Object 'Object Repository/Page_Create Account/Email Field' is clickable  |         |        |
| 8 | setText(findTestObject("Page_Create Account/Email Field"), "tespicngaco91@ngaco.com")  Text 'tespicngaco91@ngaco.com' is set on object 'Object Repository/Page_Create Account/Email Field' | 5.056s  | PASSED |

| Description         |   | Flores  | Ctatura |
|---------------------|---|---------|---------|
| Description         |   | Elapsed | Status  |
| verifyElementClick  | able(findTestObject("Page_Create Account/Password Field"))                      | 6.579s  | FAILED  |
| Unable to verify ob | enject 'Object Repository/Page_Create Account/Password Field' to be             |         |         |
| •                   | use: com.kms.katalon.core.exception.StepFailedException: Unable to              |         |         |
|                     | ct Repository/Page_Create Account/Password Field' to be clickable               |         |         |
|                     | ms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed              |         |         |
| (WebUIKeywordM      |   |         |         |
|                     | ms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword              |         |         |
| (WebUIKeywordM      |   |         |         |
|                     | ms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.            |         |         |
|                     |   |         |         |
|                     | able(VerifyElementClickableKeyword.groovy:96)                                   |         |         |
|                     | ms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.            |         |         |
|                     | nentClickableKeyword.groovy:67)   |         |         |
|                     | ms.katalon.core.keyword.internal.KeywordExecutor.                               |         |         |
|                     | orPlatform(KeywordExecutor.groovy:74)   |         |         |
|                     | ms.katalon.core.webui.keyword.WebUiBuiltInKeywords.                             |         |         |
|                     | able(WebUiBuiltInKeywords.groovy:605)   |         |         |
|                     | EditAccountInvalidPicFormat.run(PSSIEditAccountInvalidPicFormat:37)             |         |         |
|                     | ms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                    |         |         |
| at com.k            | ms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.              |         |         |
| java:119)           |   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.               |         |         |
| java:448)           |   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.               |         |         |
| java:439)           |   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.processExecutionPhase                     |         |         |
| (TestCaseExecuto    | r.java:418)   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.accessMainPhase                           |         |         |
| (TestCaseExecuto    | r.java:410)   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                 |         |         |
| java:285)           |   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                 |         |         |
| java:369)           |   |         |         |
| at com.k            | ms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                 |         |         |
| java:369)           |   |         |         |
|                     | ms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                 |         |         |
| java:369)           |   |         |         |
| •                   | ms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                   |         |         |
| (CommonExecutor     |   |         |         |
| · ·                 | ms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                 |         |         |
| (TestSuiteExecuto   | r.iava:148)   |         |         |
|                     | ms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:          |         |         |
| 106)                | ······································  |         |         |
| •                   | ms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:             |         |         |
| 180)                | internation content in rectadornal metart rectada (rectadornal mjara.           |         |         |
|                     | TestSuite1705637915236.run(TempTestSuite1705637915236.groovy:36)                |         |         |
|                     | ase/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                |         |         |
| Method)             | adorjanamomanionoda valivoiviotinod/10065501111pi.iiivoneo(ivalive              |         |         |
|                     | ase/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                        |         |         |
|                     | essorImpl.java:77)  |         |         |
|                     | essorimpi.java.rr) ase/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke |         |         |
|                     |   |         |         |
|                     | dAccessorImpl.java:43)  |         |         |
|                     | ms.katalon.core.exception.StepFailedException: Web element with id:             |         |         |
|                     | /Page_Create Account/Password Field' located by 'id("password")[count(.         |         |         |
|                     | ext' and @class = 'form-control ' and @id = 'password' and @name =              |         |         |
| password and @p     | placeholder = 'Password']) = count(//input[@type = 'text' and @class =          |         |         |
|                     | @id = 'password' and @name = 'password' and @placeholder =                      |         |         |

'Password'])]' not found



### Information

ID Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/Edit Account/Positive Test

Case/PSSIEditAccountValidData

Description

Tag

Start 19-01-2024 11:43:30 End 19-01-2024 11:44:19

Elapsed 48.841s Status FAILED

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE   | 0.001s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url  | 0.000s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement"), [:], failureHandling)  Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE Account Management/View Account Management/PSSIViewAccountManagement' successfully | 36.792s | PASSED |
| 4 | navigateToUrl(baseUrl + "/accounts/edit/652c095d63d9d69bc80121ca", failureHandling)  Navigate to 'https://monitoring.pssi- dev.kecilin.id/accounts/edit/652c095d63d9d69bc80121ca' successfully  | 0.724s  | PASSED |
| 5 | clearText(findTestObject("Page_Create Account/Name Field"))  Text of object 'Object Repository/Page_Create Account/Name Field' is cleared   | 2.424s  | PASSED |
| 6 | clearText(findTestObject("Page_Create Account/Email Field"))  Text of object 'Object Repository/Page_Create Account/Email Field' is cleared   | 2.676s  | PASSED |

# Description Elapsed Status

| Description   | Elapsed | Stat |
|---|---------|------|
| clearText(findTestObject("Page_Create Account/Password Field"))   | 6.208s  | FAIL |
| Unable to clear text of object 'Object Repository/Page_Create Account/Password Field'   |         |      |
| (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to clear text of  |         |      |
| object 'Object Repository/Page_Create Account/Password Field'   |         |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  |         |      |
| (WebUlKeywordMain.groovy:64)  |         |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywo  | rd      |      |
| (WebUIKeywordMain.groovy:42)  |         |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.clearText  |         |      |
| (ClearTextKeyword.groovy:61)  |         |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.execute  |         |      |
| (ClearTextKeyword.groovy:34)  |         |      |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |      |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |      |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.clearText  |         |      |
| (WebUiBuiltInKeywords.groovy:4989)  |         |      |
| at PSSIEditAccountValidData.run(PSSIEditAccountValidData:35)  |         |      |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |      |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |      |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |      |
| java:448)   |         |      |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |      |
| java:439)   |         |      |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |      |
| (TestCaseExecutor.java:418)   |         |      |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |      |
| (TestCaseExecutor.java:410)   |         |      |
| $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$  |         |      |
| java:285)   |         |      |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |      |
| java:369)   |         |      |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |      |
| java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.   |         |      |
| java:369)   |         |      |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase   | 2       |      |
| (CommonExecutor.java:65)  |         |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |      |
| (TestSuiteExecutor.java:148)  |         |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav  | a:      |      |
| 106)  |         |      |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java  |         |      |
| 180)  |         |      |
| at TempTestSuite1705637915236.run(TempTestSuite1705637915236.groovy:30  | 5)      |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native   |         |      |
| Method)   |         |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke   |         |      |
| (NativeMethodAccessorImpl.java:77)  |         |      |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke   |         |      |
| (DelegatingMethodAccessorImpl.java:43)  |         |      |
| Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_Create Account/Password Field' located by 'id |         |      |
| ("password")[count(.   //input[@type = 'text' and @class = 'form-control ' and @id =  |         |      |
| 'nassword' and @name - 'nassword' and @nlaceholder - 'Password']) - count//input  |         |      |

'password' and @name = 'password' and @placeholder = 'Password']) = count(//input [@type = 'text' and @class = 'form-control' and @id = 'password' and @name = 'password'

and @placeholder = 'Password'])]' not found

# Description Elapsed Status

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1379)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:27)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

ClearTextKeyword\$\_clearText\_closure1.doCall(ClearTextKeyword.groovy:44)

at com.kms.katalon.core.webui.keyword.builtin.

ClearTextKeyword\$\_clearText\_closure1.call(ClearTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

(WebUIKeywordMain.groovy:33)

at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.clearText

(ClearTextKeyword.groovy:61)

 $at\ com. kms. katalon. core. we bui. keyword. builtin. Clear Text Keyword. execute$ 

(ClearTextKeyword.groovy:34)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.clearText

(WebUiBuiltInKeywords.groovy:4989)

at Script1705568024681.run(Script1705568024681.groovy:35)

... 18 more

