

# Edit CCTV Test Suite

## Execution Environment

|                 |                        |
|-----------------|------------------------|
| Host name       | USER - DESKTOP-HLRVE9S |
| Local OS        | Windows 10 64bit       |
| Katalon version | 9.2.0.212              |
| Browser         | Chrome 120.0.0.0       |

## Summary

|             |  |            |                     |
|-------------|--|------------|---------------------|
| ID          | Test Suites/Create BE CCTV Data/Edit CCTV Test Suite |            |                     |
| Description |  |            |                     |
| Total       | 5  |            |                     |
| Passed      | 2  | Failed     | 3                   |
| Error       | 0  | Incomplete | 0                   |
| Skipped     | 0  |            |                     |
| Start       | 02-01-2024 17:42:54                                  | End        | 02-01-2024 17:50:34 |
| Elapsed     | 7m - 40.382s   |            |                     |

| # | ID  | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEDitCCTVDuplicateID         |             | PASSED |
| 2 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEDitCCTVInvalidData         |             | FAILED |
| 3 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEDitCCTVInvalidRTSPFormat   |             | FAILED |
| 4 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEDitCCTVEmptyMandatoryField |             | FAILED |
| 5 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Positive Test Case/PSSIEDitCCTVValidDataOfflineWeb |             | PASSED |

# PSSIEditCCTVDuplicateID

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVDuplicateID |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 02-01-2024 17:42:54   | End | 02-01-2024 17:46:58 |
| Elapsed     | 4m - 3.426s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed      | Status |
|---|--|--------------|--------|
| 1 | failureHandling = STOP_ON_FAILURE  | 0.036s       | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url   | 2.520s       | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 2m - 32.565s | PASSED |
|   | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully            |              |        |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257", failureHandling)                          | 1.863s       | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257'                  |              |        |
| 5 | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"))                                       | 8.823s       | PASSED |
|   | Text of object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' is cleared  |              |        |

## PSSIEditCCTVDuplicateID

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "1002", failureHandling)<br><br>Text '1002' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 23.699s | PASSED |
| 7  | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), failureHandling)<br><br>Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on                                      | 17.509s | PASSED |
| 8  | isElementStadiumNameNotPresent = verifyTextNotPresent("Stadium Name", false)<br><br>Text 'Stadium Name' is not present on page  | 4.821s  | PASSED |
| 9  | isElementErrorMessageIDPresent = verifyTextPresent("The cctv id is exists", false)<br><br>Text 'The cctv id is exists' is present on page   | 1.534s  | PASSED |
| 10 | if (!(isElementStadiumNameNotPresent))  | 0.026s  | PASSED |
| 11 | closeBrowser()<br><br>Browser is closed   | 28.363s | PASSED |

# PSSIEditCCTVInvalidData

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVInvalidData |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 02-01-2024 17:46:58   | End | 02-01-2024 17:48:08 |
| Elapsed     | 1m - 10.053s  |     |                     |
| Status      | FAILED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE  | 0.005s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url   | 0.007s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/SignIn/PSSISignInValidData"), [:], failureHandling) | 47.061s | PASSED |
|   | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/SignIn/PSSISignInValidData' successfully            |         |        |
| 4 | navigateToUrl(baseUrl + "/cctv/stadion", failureHandling)  | 0.617s  | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/stadion' successfully   |         |        |
| 5 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494", failureHandling)  | 2.569s  | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494' successfully                             |         |        |
| 6 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257", failureHandling)                    | 3.260s  | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257'            |         |        |

## PSSIEditCCTVInvalidData

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 7  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' is cleared   | 3.407s  | PASSED |
| 8  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' is cleared                             | 1.335s  | PASSED |
| 9  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' is cleared   | 1.882s  | PASSED |
| 10 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "a", failureHandling)<br><br>Text 'a' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name'                     | 1.379s  | PASSED |
| 11 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "-@\$#", failureHandling)<br><br>Text '-@\$#' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 2.437s  | PASSED |
| 12 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "a", failureHandling)<br><br>Text 'a' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp'                     | 1.166s  | PASSED |
| 13 | scrollThenClickSave()   | 0.004s  | PASSED |

## PSSIEditCCTVInvalidData

---

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 14 | scrollToElement(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), 1)<br><br>Scroll to object 'Object Repository/Page Add new CCTV Offline Web/button_Save' successfully | 0.974s  | PASSED |
| 15 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"))<br><br>Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on                      | 1.307s  | PASSED |
| 16 | errorMessageAppear = negativeTestPassedErrorMessageAppear  | 0.003s  | PASSED |


# PSSIEditCCTVInvalidData

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 17 | if (verifyTextPresent("Edit CCTV", false))<br><br>Unable to verify text 'Invalid name' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify text 'Invalid name' is present<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed<br>(WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.<br>verifyTextPresent(VerifyTextPresentKeyword.groovy:83)<br>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.<br>execute(VerifyTextPresentKeyword.groovy:68)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent<br>(WebUiBuiltInKeywords.groovy:1762)<br>at PSSIEditCCTVInvalidData.run(PSSIEditCCTVInvalidData:49)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:448)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:439)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:418)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:410)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:285)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>180)<br>at TempTestSuite1704192113251.run(TempTestSuite1704192113251.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'Invalid name' is not<br>present on page<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed<br>(WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.<br>groovy:79)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword.<br>groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 20 more | 1.871s  | PASSED |

# PSSIEditCCTVInvalidData

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

)



Dashboard / Edit Stadium

Super Admin

Dashboard

User Data

MONITORING

CCTV Data

Monitoring

Playback Video

History Identity

People Counting

Download

ACCOUNTS

Role Management

Edit CCTV

Name

a

CCTV ID

-@\$\$#

Invalid value

RTSP

a

Update

© 2024, made with keclin



# PSSIEditCCTVInvalidRTSPFormat

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVInvalidRTSPFormat |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 02-01-2024 17:48:08   | End | 02-01-2024 17:49:04 |
| Elapsed     | 55.747s   |     |                     |
| Status      | FAILED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE  | 0.009s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url   | 0.002s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 31.261s | PASSED |
|   | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully            |         |        |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257", failureHandling)                          | 0.709s  | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257'                  |         |        |
| 5 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "camera2", failureHandling)                   | 1.253s  | PASSED |
|   | Text 'camera2' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name'  |         |        |


## PSSIEditCCTVInvalidRTSPFormat

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 6 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "1050", failureHandling)<br><br>Text '1050' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 3.569s  | PASSED |
| 7 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "googeru", failureHandling)<br><br>Text 'googeru' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp'       | 2.948s  | PASSED |
| 8 | scrollToElement(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), 1)<br><br>Scroll to object 'Object Repository/Page Add new CCTV Offline Web/button_Save' successfully                                  | 10.567s | PASSED |
| 9 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"))<br><br>Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on   | 1.551s  | PASSED |

# PSSIEditCCTVInvalidRTSPFormat

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 10 | <p>if (verifyElementNotPresent(findTestObject("Page_CCTV/CCTV Data Title"), 0, failureHandling))</p> <p>Unable to verify object 'Object Repository/Page_CCTV/CCTV Data Title' is not present<br/>(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_CCTV/CCTV Data Title' is not present<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed<br/>(WebUIKeywordMain.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br/>(WebUIKeywordMain.groovy:26)<br/>at com.kms.katalon.core.webui.keyword.internal.<br/>WebUIKeywordMain\$runKeyword.call(Unknown Source)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.<br/>verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword.<br/>execute(VerifyElementNotPresentKeyword.groovy:68)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br/>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.<br/>verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1520)<br/>at PSSIEditCCTVInvalidRTSPFormat.run(PSSIEditCCTVInvalidRTSPFormat:40)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br/>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br/>java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br/>java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br/>java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br/>(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br/>(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:285)<br/>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br/>(CommonExecutor.java:65)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br/>(TestSuiteExecutor.java:148)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br/>106)<br/>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br/>180)<br/>at TempTestSuite1704192113251.run(TempTestSuite1704192113251.groovy:36)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br/>Method)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br/>(NativeMethodAccessorImpl.java:77)<br/>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br/>(DelegatingMethodAccessorImpl.java:43)<br/>Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id:<br/>'Object Repository/Page_CCTV/CCTV Data Title' located by 'By.xpath: //div/div/span' is<br/>present after '1' second(s)<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed<br/>(WebUIKeywordMain.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.internal.<br/>WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)<br/>at com.kms.katalon.core.webui.keyword.builtin.<br/>VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall</p> | 3.072s  | FAILED |

# PSSIEditCCTVInvalidRTSPFormat

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>(VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 21 more )</pre> |         |        |
|   |   |         |        |

# PSSIEditCCTVEmptyMandatoryField

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVEmptyMandatoryField |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 02-01-2024 17:49:04   | End | 02-01-2024 17:50:13 |
| Elapsed     | 1m - 9.104s   |     |                     |
| Status      | FAILED  |     |                     |

## Details

| #   | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1   | failureHandling = STOP_ON_FAILURE  | 0.003s  | PASSED |
| 2   | baseUrl = offline_pssi_dashboard_url   | 0.006s  | PASSED |
| 3   | errorMessageAppear = negativeTestPassedErrorMessageAppear  | 0.051s  | PASSED |
| 4   | failedToEditCCTVWithEmptyMandatory = negativeTestPassedCannotSaveCCTVEmptyMandatory  | 0.005s  | PASSED |
| 5   | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 58.004s | PASSED |
| Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully |  |         |        |
| 6   | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/6593997212ca78ff53351df9", failureHandling)                          | 0.970s  | PASSED |
| Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/6593997212ca78ff53351df9'       |  |         |        |

## PSSIEditCCTVEmptyMandatoryField

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 7  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' is cleared             | 1.911s  | PASSED |
| 8  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' is cleared | 0.798s  | PASSED |
| 9  | clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"))<br><br>Text of object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' is cleared             | 0.533s  | PASSED |
| 10 | scrollThenClickSave()   | 0.002s  | PASSED |
| 11 | scrollToElement(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), 1)<br><br>Scroll to object 'Object Repository/Page Add new CCTV Offline Web/button_Save' successfully        | 1.271s  | PASSED |
| 12 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"))<br><br>Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on                             | 2.055s  | PASSED |

# PSSIEditCCTVEmptyMandatoryField


| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 13 | <p>verifyIDInvalidNotPresent = verifyTextNotPresent(cctvIdInvalid, false)</p> <p>Unable to verify text 'Invalid value' is not present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify text 'Invalid value' is not present<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextNotPresentKeyword.verifyTextNotPresent(VerifyTextNotPresentKeyword.groovy:82)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextNotPresentKeyword.execute(VerifyTextNotPresentKeyword.groovy:68)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextNotPresent(WebUiBuiltInKeywords.groovy:1795)<br/>at PSSIEditCCTVEmptyMandatoryField.run(PSSIEditCCTVEmptyMandatoryField:42)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br/>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)<br/>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br/>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br/>at TempTestSuite1704192113251.run(TempTestSuite1704192113251.groovy:36)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br/>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/>Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'Invalid value' is present on page<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextNotPresentKeyword\$_verifyTextNotPresent_closure1.doCall (VerifyTextNotPresentKeyword.groovy:77)<br/>at com.kms.katalon.core.webui.keyword.builtin.VerifyTextNotPresentKeyword\$_verifyTextNotPresent_closure1.call (VerifyTextNotPresentKeyword.groovy)<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)</p> | 1.283s  | FAILED |

# PSSIEditCCTVEmptyMandatoryField

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

... 20 more

)



Dashboard / Edit Stadium

Super Admin

Dashboard

User Data

MONITORING

CCTV Data

Monitoring

Playback Video

History Identity

People Counting

Download

ACCOUNTS

Role Management

Edit CCTV

Name

Nama CCTV

Field Name is required

CCTV ID

CCTV ID

Field CCTV ID is required

Invalid value

RTSP

RTSP

Field RTSP is required

Update

© 2024, made with keclin



# PSSIEditCCTVValidDataOfflineWeb

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Positive Test Case/PSSIEditCCTVValidDataOfflineWeb |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 02-01-2024 17:50:13   | End | 02-01-2024 17:50:34 |
| Elapsed     | 21.346s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE  | 0.003s  | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url   | 0.001s  | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 10.740s | PASSED |
|   | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully            |         |        |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257", failureHandling)                          | 0.509s  | PASSED |
|   | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/6593c45312ca78ff53352257'                  |         |        |
| 5 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "camera1", failureHandling)                   | 2.078s  | PASSED |
|   | Text 'camera1' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name'  |         |        |

## PSSIEditCCTVValidDataOfflineWeb

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "1111", failureHandling)<br><br>Text '1111' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id'                 | 1.045s  | PASSED |
| 7  | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "https://google.com", failureHandling)<br><br>Text 'https://google.com' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' | 1.362s  | PASSED |
| 8  | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), failureHandling)<br><br>Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on  | 2.378s  | PASSED |
| 9  | if (verifyElementPresent(findTestObject("Object Repository/Page CCTV/CCTV Data Title"), 0, failureHandling))<br><br>Test passed because data is added   | 1.122s  | PASSED |
| 10 | closeBrowser()<br><br>Browser is closed   | 1.180s  | PASSED |