

Edit CCTV Test Suite

Execution Environment

| | |
|-----------------|------------------------|
| Host name | USER - DESKTOP-HLRVE9S |
| Local OS | Windows 10 64bit |
| Katalon version | 9.2.0.212 |
| Browser | Chrome 120.0.0.0 |

Summary

| | | | |
|-------------|--|------------|---------------------|
| ID | Test Suites/Create BE CCTV Data/Edit CCTV Test Suite | | |
| Description | | | |
| Total | 5 | | |
| Passed | 0 | Failed | 5 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 29-12-2023 11:24:14 | End | 29-12-2023 11:28:30 |
| Elapsed | 4m - 15.479s | | |

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVDuplicateID | | FAILED |
| 2 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVInvalidDataOfflineWeb | | FAILED |
| 3 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVInvalidRTSPFormat | | FAILED |
| 4 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVEmptyMandatoryField | | FAILED |
| 5 | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Positive Test Case/PSSIEditCCTVValidDataOfflineWeb | | FAILED |

PSSIAddCCTVDuplicateID

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVDuplicateID | | |
| Description | | | |
| Tag | | | |
| Start | 29-12-2023 11:24:15 | End | 29-12-2023 11:24:29 |
| Elapsed | 14.544s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE | 0.022s | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url | 0.220s | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 9.069s | PASSED |
| | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully | | |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/create", failureHandling) | 0.312s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/create' successfully | | |
| 5 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "camera2", failureHandling) | 1.068s | PASSED |
| | Text 'camera2' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' | | |

PSSIAddCCTVDuplicateID

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 6 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "1002", failureHandling) Text '1002' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 0.895s | PASSED |
| 7 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "googeru", failureHandling) Text 'googeru' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' | 0.895s | PASSED |
| 8 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), failureHandling) Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on | 0.773s | PASSED |
| 9 | if (verifyElementPresent(findTestObject("Page_CCTV/CCTV Data Title"), 0, failureHandling)) Test failed because data is added | 0.647s | PASSED |
| 10 | closeBrowser() Browser is closed | 0.250s | PASSED |

PSSIAddCCTVInvalidDataOfflineWeb

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVInvalidDataOfflineWeb | | |
| Description | | | |
| Tag | | | |
| Start | 29-12-2023 11:24:29 | End | 29-12-2023 11:24:42 |
| Elapsed | 12.613s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE | 0.002s | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url | 0.002s | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/SignIn/PSSISignInValidData"), [:], failureHandling) | 5.805s | PASSED |
| | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/SignIn/PSSISignInValidData' successfully | | |
| 4 | navigateToUrl(baseUrl + "/cctv/stadion", failureHandling) | 0.529s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/stadion' successfully | | |
| 5 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494", failureHandling) | 0.785s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494' successfully | | |
| 6 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/create", failureHandling) | 0.507s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/create' successfully | | |

PSSIAddCCTVInvalidDataOfflineWeb

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "a", failureHandling) Text 'a' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' | 1.025s | PASSED |
| 8 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "a", failureHandling) Text 'a' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 0.893s | PASSED |
| 9 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "a", failureHandling) Text 'a' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' | 0.973s | PASSED |
| 10 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), failureHandling) Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on | 0.858s | PASSED |
| 11 | if (verifyElementPresent(findTestObject("Object Repository/Page CCTV/CCTV Data Title"), 0, failureHandling)) Test failed because conditionFails is true | 0.740s | PASSED |
| 12 | closeBrowser() Browser is closed | 0.272s | PASSED |

PSSIAddCCTVInvalidRTSPFormat

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIAddCCTVInvalidRTSPFormat | | |
| Description | | | |
| Tag | | | |
| Start | 29-12-2023 11:24:42 | End | 29-12-2023 11:24:56 |
| Elapsed | 14.138s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE | 0.004s | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url | 0.002s | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 7.917s | PASSED |
| | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully | | |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/create", failureHandling) | 0.339s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/create' successfully | | |
| 5 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "camera2", failureHandling) | 1.539s | PASSED |
| | Text 'camera2' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' | | |

PSSIAddCCTVInvalidRTSPFormat

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 6 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id"), "1002", failureHandling) Text '1002' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_CCTV ID_cctv_id' | 0.993s | PASSED |
| 7 | setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp"), "googeru", failureHandling) Text 'googeru' is set on object 'Object Repository/Page Add new CCTV Offline Web/input_RTSP_rtsp' | 0.990s | PASSED |
| 8 | click(findTestObject("Object Repository/Page Add new CCTV Offline Web/button_Save"), failureHandling) Object: 'Object Repository/Page Add new CCTV Offline Web/button_Save' is clicked on | 0.853s | PASSED |
| 9 | if (verifyElementPresent(findTestObject("Page_CCTV/CCTV Data Title"), 0, failureHandling)) Test failed because data is added | 0.601s | PASSED |
| 10 | closeBrowser() Browser is closed | 0.277s | PASSED |

PSSIEditCCTVEmptyMandatoryField

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Negative Test Case/PSSIEditCCTVEmptyMandatoryField | | |
| Description | | | |
| Tag | | | |
| Start | 29-12-2023 11:24:56 | End | 29-12-2023 11:27:40 |
| Elapsed | 2m - 43.923s | | |
| Status | FAILED | | |

Details


| # | Description | Elapsed | Status |
|---|--|-------------|--------|
| 1 | failureHandling = STOP_ON_FAILURE | 0.006s | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url | 0.002s | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 6.767s | PASSED |
| | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully | | |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/658cfd5e12ca78ff5334e922", failureHandling) | 1m - 0.184s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/658cfd5e12ca78ff5334e922' | | |

PSSIEditCCTVEmptyMandatoryField

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 5 | <pre>clearText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"))</pre> <p>Unable to clear text of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to clear text of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:42) at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.clearText (ClearTextKeyword.groovy:61) at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.execute (ClearTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.clearText (WebUiBuiltInKeywords.groovy:4989) at PSSIEditCCTVEmptyMandatoryField.run(PSSIEditCCTVEmptyMandatoryField:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1703823537728.run(TempTestSuite1703823537728.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' located by '//input[@id='name']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)</p> | 1m - 36.669s | FAILED |

PSSIEditCCTVEmptyMandatoryField

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>at com.kms.katalon.core.webui.keyword.builtin. ClearTextKeyword\$_clearText_closure1.doCall(ClearTextKeyword.groovy:44) at com.kms.katalon.core.webui.keyword.builtin. ClearTextKeyword\$_clearText_closure1.call(ClearTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:33) at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.clearText (ClearTextKeyword.groovy:61) at com.kms.katalon.core.webui.keyword.builtin.ClearTextKeyword.execute (ClearTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.clearText (WebUiBuiltInKeywords.groovy:4989) at Script1703744923016.run(Script1703744923016.groovy:31) ... 15 more)</pre> | | |



PSSIEditCCTVValidDataOfflineWeb

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/Edit CCTV/Positive Test Case/PSSIEditCCTVValidDataOfflineWeb | | |
| Description | | | |
| Tag | | | |
| Start | 29-12-2023 11:27:40 | End | 29-12-2023 11:28:30 |
| Elapsed | 49.975s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | failureHandling = STOP_ON_FAILURE | 0.007s | PASSED |
| 2 | baseUrl = offline_pssi_dashboard_url | 0.002s | PASSED |
| 3 | callTestCase(findTestCase("Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData"), [:], failureHandling) | 6.862s | PASSED |
| | Call Test Case 'Test Cases/Offline PSSI Dashboard Function/Create BE CCTV Data/View CCTV Table/PSSIViewCCTVData' successfully | | |
| 4 | navigateToUrl(baseUrl + "/cctv/detail/64fea065acbef66fd5476494/edit/658cfd5e12ca78ff5334e922", failureHandling) | 42.658s | PASSED |
| | Navigate to 'https://monitoring.pssi-dev.kecilin.id/cctv/detail/64fea065acbef66fd5476494/edit/658cfd5e12ca78ff5334e922' | | |

PSSIEditCCTVValidDataOfflineWeb

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 5 | <p>setText(findTestObject("Object Repository/Page Add new CCTV Offline Web/input_Name_name"), "camera1", failureHandling)</p> <p>Unable to set text 'camera1' of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'camera1' of object 'Object Repository/Page Add new CCTV Offline Web/input_Name_name' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1005) at PSSIEditCCTVValidDataOfflineWeb.run(PSSIEditCCTVValidDataOfflineWeb:32) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1703823537728.run (TempTestSuite1703823537728.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.130) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HLRVE9S', ip: '192.168.100.183', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p> | 0.176s | FAILED |

PSSIEditCCTVValidDataOfflineWeb

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | <pre>120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\USER\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55125}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f34ac4635c6965f51cb7d5ebab18392 *** Element info: {Using=xpath, value=//input[@id='name']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at jdk.proxy2/jdk.proxy2.\$Proxy23.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements</pre> | | |

PSSIEditCCTVValidDataOfflineWeb

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1005) at Script1703739514539.run(Script1703739514539.groovy:32) ... 15 more) | | |