


| Overview

Number of molecules:	3
Number of invalid molecules:	0
Link:	Back ADMET Evaluation

| Result

Download as CSV

Show 10 entries Search:

Index	SMILES	2D Structure	Detail
1	O=c1c(O)c(-c2ccc(O)c(O)c2)oc2cc(O)cc(O)c12		View
2	O=c1cc(-c2ccc(O)c(O)c2)oc2cc(O)cc(O)c12		View
3	O=c1c2cc(O)c(O)cc2oc2cc(O)c([C@@H]3O[C@H](CO)[C@@H](O)[C@H](O)[C@H]3O)c(O)c12		View

Showing 1 to 3 of 3 entries

Previous 1 Next

ABOUT

This website provides easy access to comprehensive, accurate and efficient prediction of ADMET profiles for chemicals. The prediction is founded on a high-quality database of 0.25M entries spanning 53 endpoints and multi-task graph attention framework.

The webtool is described in detail here: ADMETlab 2.0: an integrated online platform for accurate and comprehensive predictions of ADMET properties. Nucleic Acids Res, 2021, 49(W1):W5-W14. PMID:33893803

QUICK LINKS


Contact Us
CBDD Group


DEV TOOL

Xiangya School of Pharmaceutical Sciences, Central South University. All rights reserved.

E-mail:oriental-cds@163.com

Copyright © 2020 All Rights Reserved by Computational Biology & Drug Design Group.





Physicochemical Property

Molecular Weight (MW)	302.040	ℹ
Volume	282.767	ℹ
Density	1.068	ℹ
nHA	7	ℹ
nHD	5	ℹ
nRot	1	ℹ
nRing	3	ℹ
MaxRing	10	ℹ
nHet	7	ℹ
fChar	0	ℹ
nRig	18	ℹ
Flexibility	0.056	ℹ
Stereo Centers	0	ℹ
TPSA	131.360	ℹ
logS	-3.671	ℹ
logP	2.155	ℹ
logD	1.767	ℹ

Medicinal Chemistry

QED	0.434	🔴	ℹ
SAscore	2.545	🟢	ℹ

Toxicity

hERG Blockers	---	🟢	ℹ
H-HT	---	🟢	ℹ

Fsp^3	0.000		
MCE-18	19.000		
NPscore	1.701		
Lipinski Rule	Accepted		
Pfizer Rule	Accepted		
GSK Rule	Accepted		
Golden Triangle	Accepted		
PAINS	1 alert(s)	DETAIL	
ALARM NMR Rule	3 alert(s)	DETAIL	
BMS Rule	1 alert(s)	DETAIL	
Chelator Rule	2 alert(s)	DETAIL	

Absorption

Caco-2 Permeability	-5.204		
MDCK Permeability	7.7e-06		
Pgp-inhibitor	---		
Pgp-substrate	---		
HIA	---		
$F_{20\%}$	+++		
$F_{30\%}$	+++		

Distribution

PPB	95.496%		
VD	0.579		
BBB Penetration	---		
Fu	7.423%		

Metabolism

CYP1A2 inhibitor	+++		
CYP1A2 substrate	--		
CYP2C19 inhibitor	---		
CYP2C19 substrate	---		
CYP2C9 inhibitor	+		
CYP2C9 substrate	+		
CYP2D6 inhibitor	-		
CYP2D6 substrate	--		
CYP3A4 inhibitor	-		
CYP3A4 substrate	---		

Excretion

CL	8.284		
$T_{1/2}$	0.929		

DILI	+++		
AMES Toxicity	+		
Rat Oral Acute Toxicity	---		
FDAMDD	-		
Skin Sensitization	+++		
Carcinogencity	---		
Eye Corrosion	---		
Eye Irritation	+++		
Respiratory Toxicity	---		

Environmental Toxicity

Bioconcentration Factors	1.017		
IGC_{50}	4.231		
$LC_{50}FM$	5.222		
$LC_{50}DM$	5.331		

Tox21 Pathway

NR-AR	---		
NR-AR-LBD	--		
NR-AhR	+++		
NR-Aromatase	+++		
NR-ER	+++		
NR-ER-LBD	+++		
NR-PPAR-gamma	+++		
SR-ARE	++		
SR-ATAD5	-		
SR-HSE	+		
SR-MMP	+++		
SR-p53	++		

Toxicophore Rules

Acute Toxicity Rule	0 alert(s)		
Genotoxic Carcinogenicity Rule	0 alert(s)		
NonGenotoxic Carcinogenicity Rule	0 alert(s)		
Skin Sensitization Rule	8 alert(s)	DETAIL	
Aquatic Toxicity Rule	0 alert(s)		
NonBiodegradable Rule	1 alert(s)	DETAIL	
SureChEMBL Rule	0 alert(s)		
FAF-Drugs4 Rule	2 alert(s)	DETAIL	

Tip: For the classification endpoints , the prediction probability values are transformed into six symbols: 0-0.1(---), 0.1-0.3(--), 0.3-0.5(-), 0.5-0.7(+), 0.7-0.9(++), and 0.9-1.0(+++).

ABOUT

This website provides easy access to comprehensive, accurate and efficient prediction of ADMET profiles for chemicals. The prediction is founded on a high-quality database of 0.25M entries spanning 53 endpoints and multi-task graph attention framework.

The webtool is described in detail here: ADMETlab 2.0: an integrated online platform for accurate and comprehensive predictions of ADMET properties. Nucleic Acids Res, 2021, 49(W1):W5-W14. PMID:33893803

QUICK LINKS

Contact Us


CBDD Group


DEV TOOL

Xiangya School of Pharmaceutical Sciences, Central South University. All rights reserved.

E-mail:oriental-cds@163.com

Copyright © 2020 All Rights Reserved by Computational Biology & Drug Design Group.





Physicochemical Property

Molecular Weight (MW)	286.050	ℹ
Volume	273.977	ℹ
Density	1.044	ℹ
nHA	6	ℹ
nHD	4	ℹ
nRot	1	ℹ
nRing	3	ℹ
MaxRing	10	ℹ
nHet	6	ℹ
fChar	0	ℹ
nRig	18	ℹ
Flexibility	0.056	ℹ
Stereo Centers	0	ℹ
TPSA	111.130	ℹ
logS	-3.629	ℹ
logP	2.902	ℹ
logD	2.361	ℹ

Medicinal Chemistry

QED	0.511	🔴	ℹ
SAscore	2.420	🟢	ℹ

Toxicity

hERG Blockers	---	🟢	ℹ
H-HT	---	🟢	ℹ

Fsp^3	0.000	🔴	ℹ
MCE-18	18.000	🔴	ℹ
NPscore	1.499		ℹ
Lipinski Rule	Accepted	🟢	ℹ
Pfizer Rule	Accepted	🟢	ℹ
GSK Rule	Accepted	🟢	ℹ
Golden Triangle	Accepted	🟢	ℹ
PAINS	1 alert(s)	DETAIL	ℹ
ALARM NMR Rule	3 alert(s)	DETAIL	ℹ
BMS Rule	0 alert(s)		ℹ
Chelator Rule	1 alert(s)	DETAIL	ℹ

Absorption

Caco-2 Permeability	-5.028	🟢	ℹ
MDCK Permeability	1e-05	🟢	ℹ
Pgp-inhibitor	---	🟢	ℹ
Pgp-substrate	--	🟢	ℹ
HIA	---	🟢	ℹ
$F_{20\%}$	+++	🔴	ℹ
$F_{30\%}$	+++	🔴	ℹ

Distribution

PPB	95.436%	🔴	ℹ
VD	0.533	🟢	ℹ
BBB Penetration	---	🟢	ℹ
Fu	5.985%	🟢	ℹ

Metabolism

CYP1A2 inhibitor	+++		ℹ
CYP1A2 substrate	--		ℹ
CYP2C19 inhibitor	--		ℹ
CYP2C19 substrate	---		ℹ
CYP2C9 inhibitor	+		ℹ
CYP2C9 substrate	++		ℹ
CYP2D6 inhibitor	+		ℹ
CYP2D6 substrate	+		ℹ
CYP3A4 inhibitor	+		ℹ
CYP3A4 substrate	---		ℹ

Excretion

CL	8.146	🟢	ℹ
$T_{1/2}$	0.898		ℹ

DILI	+++	🔴	ℹ
AMES Toxicity	+	🟡	ℹ
Rat Oral Acute Toxicity	---	🟢	ℹ
FDAMDD	++	🔴	ℹ
Skin Sensitization	+++	🔴	ℹ
Carcinogencity	---	🟢	ℹ
Eye Corrosion	---	🟢	ℹ
Eye Irritation	+++	🔴	ℹ
Respiratory Toxicity	--	🟢	ℹ

Environmental Toxicity

Bioconcentration Factors	1.016	ℹ
IGC_{50}	4.432	ℹ
$LC_{50}FM$	5.222	ℹ
$LC_{50}DM$	5.302	ℹ

Tox21 Pathway

NR-AR	---	🟢	ℹ
NR-AR-LBD	--	🟢	ℹ
NR-AhR	+++	🔴	ℹ
NR-Aromatase	+++	🔴	ℹ
NR-ER	+++	🔴	ℹ
NR-ER-LBD	+++	🔴	ℹ
NR-PPAR-gamma	+++	🔴	ℹ
SR-ARE	++	🔴	ℹ
SR-ATAD5	+	🟡	ℹ
SR-HSE	++	🔴	ℹ
SR-MMP	+++	🔴	ℹ
SR-p53	++	🔴	ℹ

Toxicophore Rules

Acute Toxicity Rule	0 alert(s)		ℹ
Genotoxic Carcinogenicity Rule	0 alert(s)		ℹ
NonGenotoxic Carcinogenicity Rule	0 alert(s)		ℹ
Skin Sensitization Rule	7 alert(s)	DETAIL	ℹ
Aquatic Toxicity Rule	0 alert(s)		ℹ
NonBiodegradable Rule	1 alert(s)	DETAIL	ℹ
SureChEMBL Rule	0 alert(s)		ℹ
FAF-Drugs4 Rule	2 alert(s)	DETAIL	ℹ

Tip: For the classification endpoints , the prediction probability values are transformed into six symbols: 0-0.1(---), 0.1-0.3(--), 0.3-0.5(-), 0.5-0.7(+), 0.7-0.9(++), and 0.9-1.0(+++).

ABOUT

This website provides easy access to comprehensive, accurate and efficient prediction of ADMET profiles for chemicals. The prediction is founded on a high-quality database of 0.25M entries spanning 53 endpoints and multi-task graph attention framework.

The webtool is described in detail here: ADMETlab 2.0: an integrated online platform for accurate and comprehensive predictions of ADMET properties. Nucleic Acids Res, 2021, 49(W1):W5-W14. PMID:33893803

QUICK LINKS

Contact Us


CBDD Group


DEV TOOL

Xiangya School of Pharmaceutical Sciences, Central South University. All rights reserved.

E-mail:oriental-cds@163.com

Copyright © 2020 All Rights Reserved by Computational Biology & Drug Design Group.





Physicochemical Property

Molecular Weight (MW)	422.080	
Volume	381.192	
Density	1.107	
nHA	11	
nHD	8	
nRot	2	
nRing	4	
MaxRing	14	
nHet	11	
fChar	0	
nRig	23	
Flexibility	0.087	
Stereo Centers	5	
TPSA	201.280	
logS	-3.514	
logP	0.136	
logD	-0.079	

Medicinal Chemistry

QED	0.191	🔴	
SAscore	4.093	🟢	

Toxicity

hERG Blockers	--	🟢	
H-HT	--	🟢	

Fsp^3	0.316		
MCE-18	91.800		
NPscore	1.999		
Lipinski Rule	Rejected		
Pfizer Rule	Accepted		
GSK Rule	Rejected		
Golden Triangle	Accepted		
PAINS	1 alert(s)	DETAIL	
ALARM NMR Rule	2 alert(s)	DETAIL	
BMS Rule	0 alert(s)		
Chelator Rule	1 alert(s)	DETAIL	

Absorption

Caco-2 Permeability	-6.286		
MDCK Permeability	4.5e-06		
Pgp-inhibitor	---		
Pgp-substrate	+++		
HIA	+++		
$F_{20\%}$	++		
$F_{30\%}$	+++		

Distribution

PPB	85.706%		
VD	0.889		
BBB Penetration	---		
Fu	21.929%		

Metabolism

CYP1A2 inhibitor	--		
CYP1A2 substrate	---		
CYP2C19 inhibitor	---		
CYP2C19 substrate	---		
CYP2C9 inhibitor	---		
CYP2C9 substrate	--		
CYP2D6 inhibitor	---		
CYP2D6 substrate	--		
CYP3A4 inhibitor	---		
CYP3A4 substrate	---		

Excretion

CL	3.792		
$T_{1/2}$	0.868		

DILI	+++		
AMES Toxicity	++		
Rat Oral Acute Toxicity	---		
FDAMDD	---		
Skin Sensitization	+++		
Carcinogencity	---		
Eye Corrosion	---		
Eye Irritation	++		
Respiratory Toxicity	---		

Environmental Toxicity

Bioconcentration Factors	0.981		
IGC_{50}	4.045		
$LC_{50}FM$	4.728		
$LC_{50}DM$	5.513		

Tox21 Pathway

NR-AR	--		
NR-AR-LBD	--		
NR-AhR	++		
NR-Aromatase	+		
NR-ER	-		
NR-ER-LBD	+		
NR-PPAR-gamma	+		
SR-ARE	--		
SR-ATAD5	---		
SR-HSE	--		
SR-MMP	++		
SR-p53	+++		

Toxicophore Rules

Acute Toxicity Rule	0 alert(s)		
Genotoxic Carcinogenicity Rule	3 alert(s)	DETAIL	
NonGenotoxic Carcinogenicity Rule	1 alert(s)	DETAIL	
Skin Sensitization Rule	7 alert(s)	DETAIL	
Aquatic Toxicity Rule	3 alert(s)	DETAIL	
NonBiodegradable Rule	2 alert(s)	DETAIL	
SureChEMBL Rule	0 alert(s)		
FAF-Drugs4 Rule	3 alert(s)	DETAIL	

Tip: For the classification endpoints , the prediction probability values are transformed into six symbols: 0-0.1(---), 0.1-0.3(--), 0.3-0.5(-), 0.5-0.7(+), 0.7-0.9(++), and 0.9-1.0(+++).

ABOUT

This website provides easy access to comprehensive, accurate and efficient prediction of ADMET profiles for chemicals. The prediction is founded on a high-quality database of 0.25M entries spanning 53 endpoints and multi-task graph attention framework.

The webtool is described in detail here: ADMETlab 2.0: an integrated online platform for accurate and comprehensive predictions of ADMET properties. Nucleic Acids Res, 2021, 49(W1):W5-W14. PMID:33893803

QUICK LINKS

Contact Us

CBDD Group

DEV TOOL

Xiangya School of Pharmaceutical Sciences, Central South University. All rights reserved.

E-mail:oriental-cds@163.com

Copyright © 2020 All Rights Reserved by Computational Biology & Drug Design Group.