


LEGEND-T2DM Evidence Dissemination Summary

- Target (class): **Dulaglutide** (GLP-1 Receptor Agonists)
- Comparator (class): **Dapagliflozin** (SGLT2 Inhibitors)
- Outcome: **Acute pancreatitis**

How Often? (Incidence rates in the PS-matched target cohorts)

| Data source | Persons exposed | Person-time (yrs) | Persons with outcome | IR (/1,000 PY) |
|---------------------|-----------------|-------------------|----------------------|----------------|
| IQVIA DA Germany | - | - | - | - |
| IQVIA LDP France | - | - | - | - |
| IQVIA Open Claims | 159,923 | 125,129 | 187 | 1.49 |
| Merative CCAE | 11,162 | 9,150 | 16 | 1.75 |
| Merative MDCD | 2,549 | 1,456 | 10 | 6.87 |
| Merative MDCR | 1,127 | 747 | <5 | <6.69 |
| Optum Clinformatics | 12,066 | 8,213 | 29 | 3.53 |
| Optum EHR | 13,963 | 6,975 | 18 | 2.58 |
| Veterans Affairs | - | - | - | - |

How Reliable Are the Effect Estimates? (Objective diagnostics)



What have we learned from the OHDSI Network? (Meta-analysis diagnostics and estimate)

