



## Activity 4

### Numerical Derivatives and Richardson Extrapolation

1) ✓

2)



3) The slope of 4.0 means that the error goes like  $1/N^4$ , which is what we expected.

4) The slope of the error does not depend on the method for approximating error. Instead, it depends on the use of double precision floats, which were used in all of the approximations and the error will scale the same.

## Pointer Games

I created a new cpp file to do this activity, it's called "test\_derivative\_test.cpp"

1) ✓

2) ✓

3) ✓

4) Changed to  $x=2$  and my plot file stopped working

5) Yes, the slopes are the same in each, and the intercepts are different.

## Linear Algebra

1) ✓

2) Called `Hilbert.py` in my session-04 GitHub

3) Same answers! But my Python code gives more decimals / precision.

4) ✓

5) My only guess is that it will not be linear. This is because square matrices do not grow linearly. For example a  $100 \times 100$  matrix does not have double the amount of inputs as a  $50 \times 50$  matrix, it has 4x the amount.

$x \cdot x$  matrix compared to a  $2x \cdot 2x$  matrix

$$\frac{2x \cdot 2x}{x \cdot x} = 4$$

$x \cdot x$  matrix compared to a  $4x \cdot 4x$  matrix

$$\frac{4x \cdot 4x}{x \cdot x} = 16$$

I'd guess 2 or 4 for the power law based on my math

6) According to my data, the power law is 3.39, which is between 2 and 4.

