Internet Engineering Task Force (IETF)

Request for Comments: 6474 Category: Standards Track

ISSN: 2070-1721

K. Li B. Leiba Huawei Technologies December 2011

vCard Format Extensions: Place of Birth, Place and Date of Death

#### Abstract

The base vCard 4.0 specification defines a large number of properties, including date of birth. This specification adds three new properties to vCard 4.0: place of birth, place of death, and date of death.

### Status of This Memo

This is an Internet Standards Track document.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Further information on Internet Standards is available in Section 2 of RFC 5741.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at http://www.rfc-editor.org/info/rfc6474.

# Copyright Notice

Copyright (c) 2011 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (http://trustee.ietf.org/license-info) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Li & Leiba Standards Track [Page 1]

### Table of Contents

1.	Introduction	)
	1.1. Terminology Used in This Document	)
2.	Identification Property Extensions	)
	2.1. Property: BIRTHPLACE	)
	2.2. Property: DEATHPLACE	3
	2.3. Property: DEATHDATE	1
3.	Security Considerations5	֓
4.	IANA Considerations	ֹ
5.	Acknowledgements	
6	Normative References	;

### 1. Introduction

The base vCard 4.0 specification [RFC6350] defines a large number of properties, including date of birth. This specification adds three new properties to vCard 4.0: place of birth, place of death, and date of death.

# 1.1. Terminology Used in This Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

Syntax specifications shown here use the augmented Backus-Naur Form (ABNF) as described in [RFC5234], and are specified as in the base vCard specification [RFC6350].

## 2. Identification Property Extensions

## 2.1. Property: BIRTHPLACE

#### Namespace:

Property name: BIRTHPLACE

Purpose: To specify the place of birth of the object the vCard

represents.

Value type: A single text value (default) or a single URI value.

Cardinality: \*1

Property parameters: VALUE, LANGUAGE

Li & Leiba Standards Track [Page 2]

```
Description:
   Format definition:
      BIRTHPLACE-param = "VALUE=" ("text" / "uri")
      BIRTHPLACE-value = text / uri
         ; Value type and VALUE parameter MUST match.
      BIRTHPLACE-param =/ altid-param / language-param / any-param
   Examples:
      BIRTHPLACE: Babies'R'Us Hospital
      BIRTHPLACE; VALUE=uri: http://example.com/hospitals/babiesrus.vcf
      BIRTHPLACE; VALUE=uri:geo:46.769307,-71.283079
2.2.
      Property: DEATHPLACE
   Namespace:
   Property name:
                   DEATHPLACE
   Purpose:
             To specify the place of death of the object the vCard
             represents.
   Value type: A single text value (default) or a single URI value.
   Cardinality: *1
   Property parameters: VALUE, LANGUAGE
   Description:
   Format definition:
      DEATHPLACE-param = "VALUE=" ("text" / "uri")
     DEATHPLACE-value = text / uri
         ; Value type and VALUE parameter MUST match.
      DEATHPLACE-param =/ altid-param / language-param / any-param
```

### **Examples:**

```
DEATHPLACE: Aboard the Titanic\, near Newfoundland DEATHPLACE; VALUE=uri: http://example.com/ships/titanic.vcf DEATHPLACE; VALUE=uri:geo:41.731944,-49.945833
```

# 2.3. Property: DEATHDATE

Namespace:

Property name: DEATHDATE

Purpose: To specify the date of death of the object the vCard

represents.

Value type: The default is a single date-and-or-time value. It can

also be reset to a single text value.

Cardinality: \*1

Property parameters: VALUE, CALSCALE, LANGUAGE

CALSCALE can only be present when the value is a date-and-or-time value and actually contains a date or date-time. LANGUAGE can only be present when the value is text.

Description: The presence of a DEATHDATE property indicates that the

subject of the vCard is known to be dead. The absence of this property makes no statement one way or the

other.

### Format definition:

DEATHDATE-param = DEATHDATE-param-date / DEATHDATE-param-text
DEATHDATE-value = date-and-or-time / text
; Value type and VALUE parameter MUST match.

DEATHDATE-param-date = "VALUE=date-and-or-time" / calscale-param ; calscale-param can only be present when DEATHDATE-value is ; date-and-or-time and actually contains a date or date-time.

DEATHDATE-param-date = "VALUE=text" / language-param

DEATHDATE-param =/ altid-param / any-param

### **Examples:**

DEATHDATE: 19960415 DEATHDATE: --0415

**DEATHDATE**;19531015T231000Z

DEATHDATE; VALUE=text: circa 1800

# 3. Security Considerations

The properties defined in this document present no security considerations beyond those in Section 9 of the base vCard specification [RFC6350].

### 4. IANA Considerations

IANA has added the following entries to the vCard Properties registry, defined in Section 10.3.1 of [RFC6350].

Namespace		Reference
	BIRTHPLACE DEATHPLACE DEATHDATE	[RFC6474], Section 2.1 [RFC6474], Section 2.2 [RFC6474], Section 2.3

# 5. Acknowledgements

The authors of this document would like to thank Simon Perreault and Pete Resnick, the authors of a draft version of RFC 6350 whence the properties defined herein originated.

#### 6. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997.
- [RFC5234] Crocker, D., Ed., and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, January 2008.
- [RFC6350] Perreault, S., "vCard Format Specification", RFC 6350,
  August 2011.

# **Authors' Addresses**

Kepeng Li Huawei Technologies Huawei Base, Bantian, Longgang District Shenzhen, Guangdong 518129 P.R. China

Phone: +86-755-28974289 EMail: likepeng@huawei.com

Barry Leiba Huawei Technologies

Phone: +1 646 827 0648

EMail: barryleiba@computer.org

URI: http://internetmessagingtechnology.org/