search.pl Page 1

```
middle(X, [X]).
middle(X, [H|T]) :-
    append(M, [L], T),
    middle(X, M).
% ----EXAMPLE QUERY-----
§ -----
% -----VERSION 1-----
% ----Program----
% middle(X, [X]).
% middle(X, [H|T]) :-
      append(M, [L], T),
middle(X, M).
2
% ?- middle(X, [a, b, c]).
% X = b ? ;
% no
% ?- middle(a, X).
% X = [a] ? ;
% X = [\_A, a, \_B] ? ; 
% X = [\_A, \_B, a, \_C, \_D] ? 
% (infinite results...)
% yes
%
% -----VERSION 2-----
응
% -----Program-----
% middle(X, [H/T]) :-
      append(M, [L], T),
middle(X, M).
%
왕
% middle(X, [X]).
% ?- middle(X, [a, b, c]).
% X = b ? ;
% no
% ?- middle(a, X).
% X = [\_A, a, \_B] ? ; % X = [\_A, \_B, a, \_C, \_D] ?
% (infinite results...)
% yes
2
% -----VERSION 3-----
% -----Program-----
% middle(X, [H|T]) :-
% middle(X, M),
% append(M, [L], T).
% middle(X, [X]).
% ?- middle(X, [a, b, c]).
% Resource error: insufficient memory
% (non-terminating query it seems???)
% ?- middle(a, X).
% Resource error: insufficient memory
  (also query that never terminates?)
% -----VERSION 4-----
% ----Program----
% middle(X, [X]).
% middle(X, [H/T]) :-
     middle(X', M),
%
      append(M, [L], T).
% middle(X, [a, b, c]).
% X = b ? ; (seems it got one result)
% Resource error: insufficient memory
% (non-terminating query it seems???)
```

search.pl Page 2

```
% middle(a, X).
% X = [a] ? ;
% X = [_A,a,_B] ? ;
% X = [_A,_B,a,_C,_D] ?
% (infinite results...)
```