
WORKSHEET

Chapter 8: Boxplots 1

Rule



Range = highest score − lowest score

Interquartile range = $Q_3 - Q_1$

A group of students work on a typing program that records the number of words typed per minute. The results are:

47 28 35 17 25 42 38 65 34 29 45

1 What is the range of the results?

2 What is the median score?

3 What is the Q_1 score?

4 What is the Q_3 score?

5 What is the interquartile range?

6 Draw a boxplot to represent the data.

Garth is one of the best players on his basketball team. The numbers of points he has scored in games this season are listed below:

12 16 10 18 20 28 12 14 18

7 What is the range of the scores?

8 What is the median score?

9 What is the Q_1 score?

© Cengage Learning Australia Pty Ltd 2013

10 What is the Q_3 score?

11 What is the interquartile range?

12 Draw a boxplot to represent the data.

Michelle received the following results (in %) on her end-of-semester exams:

80 78 92 79 71 84 86 79 75 91 82

13 What is the range of her results?

14 What is the median result?

15 What is the Q_1 result?

16 What is the Q_3 result?

17 What is the interquartile range?

18 Draw a boxplot to represent the data.

Bags of flour are supposed to weigh 250 g. Several bags were weighed and their weights recorded as follows:

249 g 244 g 250 g 242 g 244 g 253 g 243 g

19 Draw a boxplot to represent the data.

© Cengage Learning Australia Pty Ltd 2013

20 Several more bags are found to weigh 251 g, 252 g, 249 g and 252 g. Draw a new boxplot to include the additional data.

© Cengage Learning Australia Pty Ltd 2013

Answers

1 48


2 35

3 28

4 45

5 17

6



7 18


8 16

9 12

10 19

11 7

12



13 21%


14 80%

15 78%


16 86%

17 8%


18



19



20



© Cengage Learning Australia Pty Ltd 2013