limewater	Hydrochloric acid and nitric acid can be described as this.
strong acid	Concentrated acids that are dangerous because they attack metals and destroy skin if spilled.
corrosive	In a laboratory, you will use this type of acid.
dilute/weak	Everyday examples of acids.

twinkl.com

vinegar, fizzy drinks and tea	This will react with an acid to neutralise it.
base	If a specific amount of acid is reacted with a specific amount of base, it will do this.
neutralise	A base dissolved in water.
alkali	Examples of weak, everyday bases found in the home.

twinkl.com

toothpaste, antacid and baking powder	This will show whether a substance is an acid or an alkali.

twinkl.com

indicator	This paper can be used as an indicator.

twinkl.com

litmus	This is used to measure how acidic or alkaline a substance is.

twinkl.com

pH scale	This is neutral on the pH scale.

twinkl.com

pH 7	A strong acid will be this on the pH scale.
pH 1-2	A strong alkali will be this on the pH scale.
pH 13-14	A strong acid will turn this colour in universal indicator.
red	A strong alkali will turn this colour in universal indicator.

twinkl.com

dark purple	Neutralisation is this type of reaction, which gives heat to its surroundings.

twinkl.com

exothermic	If a metal oxide reacts with an acid, these are the products.

twinkl.com

salt + water	Common table salt.

twinkl.com

sodium chloride	Acidity is determined by the concentration of these ions.

twinkl.com

hydrogen	You must do this if a corrosive substance came into contact with your skin
wash it off	Lemons contain this type of acid.
citric	These must always be worn if handling acids and alkalis.
goggles	This can be used to make a homemade indicator to test a solution.

twinkl.com

red cabbage	The products when metal carbonates react with acid.

twinkl.com

salt + water + carbon dioxide	This is the test for carbon dioxide.

twinkl.com

Acid, Alkali and pH **Answers**

Hydrochloric acid and nitric acid can be described as this	strong acid
Concentrated acids are dangerous because they attack metals and destroy skin if spilled	corrosive
In a laboratory you will use this type of acid	dilute, weak
Examples of everyday acids are ...	vinegar, fizzy drinks and tea
This will react with an acid to neutralise it	base
If a specific amount of acid is reacted with a specific amount of base it will do this	neutralise
A base dissolved in water is referred to as this	alkali
Weak, everyday bases found in the home include	toothpaste, antacid and baking powder
This will show whether a substance is an acid or an alkali	indicator
This paper can be used as an indicator	Litmus
This is used to measure how acidic or alkaline a substance is	pH scale
This is neutral on the pH scale	pH 7
A strong acid will be this on the pH scale	pH 1-2
A strong alkali will be this on the pH scale	pH 13-14
A strong acid will turn this colour in universal indicator	red
A strong alkali will turn this colour in universal indicator	dark purple
Neutralisation is this type of reaction (gives heat to the surroundings)	exothermic
If a metal oxide reacts with an acid, these are the products	salt + water
Common table salt is also called this	sodium chloride
Acidity is determined by the concentration of these ions	hydrogen
You must do this if a corrosive substance come into contact with your skin	wash it off
Lemons contain this type of acid	citric
These must always be worn if handling acids and alkalis	goggles
This can be used to make a home made indicator to test solution	red cabbage
The products when metal carbonates react with acid	salt + water + carbon dioxide
This is the test for carbon dioxide	Limewater