
"WHAT'S IN YOUR BACKYARD?"

Teachers Resource File

Activities and worksheets for cane toad and biodiversity awareness!



Updated 11/15

Version 1.3

Published by Kimberley Specialists in Research Conversion to e-book format Dean Goodgame
Copyright © Kimberley Toad Busters & Kimberley Specialists in Research

All rights reserved. No part of this book may be reprinted, reproduced, transmitted or utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage or retrieval system, now known or hereafter invented without the permission in writing from the publisher. The Australian Copyright Act 1968 (the Act) allows a maximum of one chapter or 10 per cent of the book, whichever is greater, to be photocopied by any educational institution for its educational purpose provided that the educational institution (or body that administers it) has given a remuneration notice to Copyright Agency Limited (CAL) under the Act

Kimberley Specialists,
P.O. Box 738, Kununurra Western Australia
Phone: (61 8) 91687080
Email: Kimberleyspecialists@westnet.com.au
Web: www.kimberleyspecialists.com.au

First edited in 2008 Second edit 2010
Current Editor Jordy Groffen 2015 Kimberley Toad Busters

Rangelands NRM
Western Australia

Australian Government | National Landcare Programme

KIMBERLEY SPECIALISTS

"IF EVERYONE WAS A TOADBUSTER KIMBERLEY TOAD BUSTERS THE TOADS WOULD BE BUSTED"

Includes Index

ISBN 978-0-9942588—7-8

Key words: Cane toads-native-biodiversity-Kimberley-Australia-volunteers-toad busters-research.

Introduction to Teachers 4

1. Identification of Cane Toads and Native Frogs 5

1.1 Activity – Powerpoint Presentation – Common Native Frogs 7

1.2 Activity – Playdoh Cane Toads 7

1.3 Worksheet – Key Features to Identify Cane Toads - Cut and Paste Activity 7

1.4 Worksheet – Cane Toad vs. Native Frog Comparative Table

2. Cane Toads Life Cycle 9

2.1 Worksheet – Cane Toad Life Cycle –Reading Comprehension Activity 9
2.2 Worksheet – Cane Toad Life Cycle - Cut and Paste Activity 11
2.3 Worksheet – Identify difference between Cane toads and frogs 12

3. Can You Design a Cane Toad Trap 13

3.1 Activity – Watch the Engineering Design Process e-clip (6 mins) 13
3.2 Activity – Using the Engineering Design Process to Create a Cane Toad Trap 13

4. Independent Research Project 15

4.1 Activity – Watch the Kimberley Toad Busters Research Documentary 15
4.2 Activity – Web Quest www.canetoads.com.au 15
4.3 Worksheet – Cane Toad Research Planner 16

5. What's In Your Backyard? Icon Species Project 17

5.1 Activity – Do you have an Icon Species in your backyard? 18

6. Conduct your own wildlife survey and get to know the animals in your Backyard 19

6.1 Activity – What's In Your Backyard? Biodiversity Monitoring Project 19

Appendix 1: Black Line Master Classroom Worksheets 20

Introduction to Teachers

The cane toad (*Rhinella marina* or better known as *Bufo Marinus*) is a member of the Bufonidae family and with an average length of 23cm and weight of 1.25kg is one of the world's largest anurans. The largest recorded toad was a female found in Australia with a snout-vent length (SVL) of 24cm and weighed 2.8 kilograms. The cane toads like other bufonids have paratoid glands on their shoulders where toxin containing bufogenins, bufotoxins, and other substances is stored. The secretion from these glands is toxic to native wildlife and so the biggest part of the cane toad problem. Cane toads are toxic in all their life stages, eggs, tadpoles, metamorphs and adults, and compounding this problem is that female cane toads can lay 6.000 to 36.000 eggs twice a year.

Furthermore cane toads have an incredible gift to adapt to and travel through different systems. It was initially thought that cane toads were restricted to freshwater, however, more recently reports have shown that cane toads can swim in brackish water and adult cane toads have been found swimming in the sea around the Bermuda. In 2012 cane toads were also found swimming in the Gambridge Gulf, Western Australia, more than a kilometre from shore and toad tadpoles have successfully developed in diluted sea water. Earlier observations also indicated that cane toads are not good climbers, however, they have been recorded on top of cliffs and even on the top of the Cockburn range in the Kimberley region of Western Australia, which highlights that cane toads should not be underestimated in adapting to whatever landscape they are travelling and that their trail of destructions will inevitably follow.

The cane toad was introduced into Australia in an attempt to eliminate two native beetle species, the greyback beetle and the frenchi beetle which were pests in the sugar cane plantations on the east coast in Queensland. Before the introduction of the cane toads, various attempts were made to control the beetles, like fumigation with carbon disulphide, the attraction of the beetles with strong lights and picking the beetles up by hand, but all attempts failed. The introduction of the cane toad turned out to be one of the biggest ecological mistakes made in Australian history and in 2013 was defined as the worst political action taken in Australia.

In their march all the way through Australia they leave a trail of destruction behind. Cane toads are poisonous in every life cycle and subsequently are dangerous for native animals in every life cycle. While the impact on some species remains uncertain and still under investigation, cane toads can have a huge direct effect (consumption of a toad), and an indirect effect (food competition), on the native wildlife. Native predators often die after consuming toads, and it is this direct poisoning that is the biggest impact that cane toads have on the Australian native fauna. It is believed that the direct impact is probably caused because there are no endemic bufonids in Australia and that many native predators have little physiological tolerance against the poison of the introduced cane toad.

When cane toads invade an area they are in high numbers, often resulting in more toads around the water edge than native frogs. Toads use the same type of shelter as many native species. With a much bigger average body size compared to frogs, toads eat more than native frogs. Cane toads can eat around 200 food items per night. This is far more than most native frog species.

Cane toads have led to multiple local extinctions of some species and are a huge threat for our native wildlife!

1. Identification of Cane Toads and Native Frogs

Problem:
Across Australia it is still common for people to mistake one of our native frogs for a Cane Toad. This has already happened in different locations in the Kimberley. Often the mistake is made by Queenslanders! We all must learn how to identify a Cane Toad and show others.

The Cane toad is an introduced species to Australia. It is native to South and Central America. Monitoring their migration westward requires correct identification.
The difference between toads and frogs are small differences in bone structure, difficult to see by the naked eye. Proper identification of a cane toad will keep our native frog populations alive. Native frog populations are under threat when the cane toad is present in an environment. We need to positively identify and know the difference between the cane toads and native frogs.
Some native frogs, especially the burrowing frogs have already been mistaken as cane toads. All amphibians have a good ability to camouflage within their environment, so colour is not a good indicator.


The most distinguishing features about the cane toads are:

- The bony ridges around there eyes, they look like they have battle armour on.
- Can vary in colour from dark greys, golden – rusty browns, with flecks of colour
- They give the impression of an animal with attitude.
- Their snout is more like a beak of a turtle
- Can be typically 70 – 170 mm in length
- Ear drum visible
- The glands behind the head are obvious
- Habit roads during or after rain events
- Generally turn towards artificially light at night
- When approached will sit, then hop away reluctantly, more an amble with attitude
- Have a stance like a bull dog, deep wide shoulders, smaller legs
- Prolific breeders, up to 36,000 eggs produced in a distinctive chain of spawn


The most commonly mistaken frog is the Giant Burrowing frog (*Cyclorana australis*).

- Can vary in colour from bright green, through to olive and brown or can be very blotchy or mottled
- Older individuals have more warts and a rougher skin texture
- Their snout is more triangular than other native frog species
- Can grow up to 70 - 100mm in length
- Large smooth eyes (nocturnal), with no rigid eye socket.
- A unique and distinct dorsolateral fold of skin running down both sides of the back of the frog.
- Ear drum visible
- They habit the roads during or after rain events
- Produce large mottled colour tadpoles
- When approached hop away quickly in fear

Cane Toad



Giant Frog



Activity

1.1 Power-point presentation of common native frogs, their different calls and distribution in the Kimberley *(Available as a CD from Kimberley Toad Busters).*

Children identify Cane Toad from Native Frog and which ones they have seen before.

The Kimberley has the highest number of frog species in Australia. In South Eastern Australia the chytrid fungus disease is greatly reducing frog numbers. Older people in Eastern Australia, eg. near Bathurst, remember when there were as many frogs as the Kimberley has today. They say they are rare in Backyards now!

1.2 Playdoh Cane Toads

Make your own Cane Toad out of playdoh. Make sure you have all the features to show the difference between a native frog and a Cane Toad!

1) Bony ridge above eye to nose
2) Large poison land behind the ear
3) Bumpy back
4) Sits up proud.

Always popular to include uncooked beans, peppercorns, lentils or any other items for kids to use as eyes, poison glands or bumps on back. Include toothpicks to add extra detail. The toads can be baked in an oven, gentle heat for 10 minutes. Be careful to hollow out stomach to avoid disfiguration. They will also air dry naturally. **Encourage children to take home and show relatives how to identify a cane toad.**

Recipe Uncooked Play Dough

2 cups of plain flour
4 tablespoons of 'cream of tartar
2 tablespoons of cooking oil
1 cup of salt
2 cups of Boiling water Food colouring

Mix all dry ingredients and then add boiling water while stirring mixture. Hardens quickly. Will store in airtight container for several weeks.



An example of a Playdoh cane toad

1.3 Key Features to Identify Cane Toads - Cut and Paste Activity

Cut out the labels showing the key features of a cane toad and glue them in the correct place then colour in the cane toad.

Bony Brow Ridge	Parotoid Gland


Worksheet 1.3



Name_____

'IFY CANE TOADS

Warty Dry Skin	Upright Stance



2. Cane Toad Life Cycle

An amphibian begins life living in water before growing up as an adult to live on land. Cane toads are amphibians. It is important to be able to recognise cane toads at all stages of their life cycle. Kimberley Toad Busters have found if people are able to remove cane toad eggs, tadpoles and metamorphs (baby toads) we can reduce adult cane toad numbers. Without people acting on cane toads we can expect up to 2,000 cane toads per hectare!

Eggs

One of the key reasons why cane toads have been so successful in colonising Australia is they are prolific breeders. Females are able to produce between 8,000 and 35,000 eggs twice a year. Male cane toads fertilise eggs. This is called amplexing. Cane toad eggs are different from native frog eggs. They are long strings of a clear jelly with small black eggs inside. Native frog eggs are singular, never in strings. Cane toad eggs develop rapidly, within 24 to 48 hours the eggs have begun to breakdown into tadpoles. *If you find cane toad eggs you can pull them out of water and let them dry in the sun.* Cane toad eggs are poisonous, casualties include native frog tadpoles, fish and turtles.

Tadpoles

Cane toad tadpoles are black, however always look for two other features before you are sure tadpoles are not native frogs. There are two ways to tell cane toad tadpoles from native frog tadpoles. 1) The Cane toad tad poles tail is short and skinny, and looks like the tail has been 'stuck' on. The tail of native frog tadpoles is tapered in line with their body. 2) Cane toad tadpoles are usually in high numbers and 'flock' together. They try to hide as a group if they become scared. Native frog tadpoles will hide by themselves. *If you find cane toad tadpoles you can use a net to fish them out or a blower vacuum set in reverse to suck them up.* Cane toad tadpoles are poisonous and some casualties include freshwater crabs and water birds like Ibis and Pelicans.

Cane Toad Breeding Locations

Research has shown cane toads prefer to breed in water that is not flowing. They prefer gentle sloping banks without vegetation. Popular breeding habitats include gravel pits along the side of toads, culverts and turkey nest dams. Once cane toad breeding has occurred at a site and cane toads have reached the metamorph stage the ground can look like a moving carpet of cane toads! Cane toads have been found to breed in the hoof prints of cattle after rain!

Metamorphs

After cane toad tadpoles have grown legs, arms and lungs they are able to live on land and are called metamorphs. Metamorphs are found during the heat of the day on the banks of waterholes. They are active during the day to avoid adult cane toads that may eat them during the night! Cane toad metamorphs can be identified by the same features of an adult cane toad such as the bony ridge above the eye to nose.

Metamorphs develop into juvenile cane toads. Juvenile cane toads are able to begin travelling greater distances away from water and have all the key features of an adult. Cane toads become adult cane toads when they are old enough to breed. This is when they are about 7.5 cm in length, and approximately 18 months old.

Worksheet 2.1: Cane Toad Life Cycle Reading Comprehension Activity

Students <u>*actively read*</u> Cane Toad Life Cycle <u>*underlining*</u> information that they feel is making <u>*key points*</u> before completing the Cane Toad Life Cycle Reading Comprehension worksheet.

TASK: Before answering the questions on this worksheet *actively read* **Cane Toad Life Cycle** *underlining* information that you feel is making *key points*.

1. **Fill in the missing words.**

Cane toads are amphibians. An amphibian begins its life_____ before growing up as an adult to live _____.

It is important to be able to recognise cane toads at _____ of their life cycle. ***Kimberley Toad Busters*** have found if people remove cane toad _____, _____ and _____ (baby cane toads) we can _____ adult cane toad numbers.

2. **Write complete sentences to answer the following questions.**

Why have cane toads been so successful in colonising Australia's north?

_____
_____
_____

How are cane toad eggs different to native frog eggs?

_____
_____
_____

3. **Fill in the missing words then make a list of locations that cane toad breading may occur.**

Cane toads prefer to breed in water that is_____ _____.

They prefer gentle _____ without _____. Popular breeding locations include:

- _____
- _____
- _____

but have also been known to breed in

_____


4. **Write complete sentences to answer the following questions.**

Name the two ways to tell cane toad tadpole from native from tadpoles.

1)_____
_____
_____

2)_____
_____

5. **Fill in the correct names for the stages of a cane toads' life cycle.**



Worksheet 2.2: Cane Toad Life Cycle Cut and Paste Activity

Cut out all stages of the cane toad life cycle. Place in order in a circle and draw arrows. BEWARE... There is one stage of the life cycle missing... Draw your own juvenile or adult cane toad.


Remember to include key features:

1) Bony brow ridge above eye to nose
2) Large poison gland behind the ear
3) Dry warty skin
4) Upright stance.

Add your drawing to the life cycle circle. Once you are sure they are in the correct order glue them to some card and colour.

Additional KTB Resources: Frog and toad differences table. What's in Your Backyard ID cards for 34 Frogs and each stage of the cane toad life cycle. See the Kimberley Toad Busters website or request CD for photos of each stage of the life cycle.

TIP: For help with activity 2.1 refer to the KTB Poster 1 Life Cycle



Worksheet 2.3: Identify difference between Cane toads and frogs

Draw or write how to identify differences between Cane toads and Native Frogs.

Cane Toad		Native Frog
	Eggs	
	Tadpoles	
	Metamorphs	
	Adult	

TIP: For help completing Worksheet 1.4 refer to the KTB Comparative Chart and the KTB Frog Toad Differences Table

3. Can You Design a Cane Toad Trap?

Problem: Cane toads are spreading across northern Australia rapidly. Humans can inadvertently assist the toads to colonise new areas by accidently transporting them to places where they are not present. People need to be vigilant about making sure they are not helping to spread. If they think they have seen a cane toad they need to catch it and correctly identify it. Kimberley Toad Busters need some new designs for cane toad traps for people to use in their backyards.

Activity:

3.1 Jump online and watch the following e-clip.

http://vimeo.com/user8227474/review/49886782/f27837d2ba

3.2 Use the Engineering Design Process to help you design a cane toad trap.


Key things to remember when designing your cane toad trap:

- Cane toads are active at night and are attracted by light (to eat insects), water (to rehydrate) and the male cane toad call (to mate).
- Cane toads can jump up to 50 cm.
- Think about native animals that might be also caught in the trap. Look at ways to make the trap unfriendly to native wildlife.
- Cane toads are very good at escaping!
- A good trap may catch 20 toads in a night!

Some ideas:


- It is possible for people to run a power lead and light to a trap in their garden to help attract cane toads to the trap.
- Traps may have entrance on the sides or from the top.
- Traps may become a garden feature?
- For those that like an extra challenge, see if you can design a trap for tadpoles or metamorphs!
- There are a number of different designs already used including supertraps (100 toads!) and small light 0.3 by 0.3 by 0.2 m traps. These traps use solar lights to attract the cane toads.


Photos show some ideas for providing toads (or any native animals caught in the traps) with water and shelter.





Send your trap ideas to Kimberley Toad Busters - great ideas will be put up on our website www.canetoads.com.au


Student Guide: Engineering Design Process














Engineering Design Process e-clip http://vimeo.com/user8227474/review/49886782/f27837d2ba

4. Independent Research Project

Problem: Although the cane toad was introduced to Australia way back in 1935 they have only recently officially been recognised as a key threatening process to our native wildlife. This is because not all Australian States consider toads to be a problem. Only animals that are of national significance are officially recognised as pests. Environmental monitoring studies have been undertaken and there is a large volume of evidence showing the significant environmental impacts the cane toad is having on Australia's native wildlife.

Kimberley Toad Busters sponsors researchers from all over the world who are studying the cane toad and its impacts on the Kimberley environment.

Activity:

4.1 Watch the Kimberley Toad Busters Research Documentary 2012.

Use your Cane Toad Research Planner to help you gather information about the introduction of cane toads into Australia and what has occurred since.

4.2 Web Quest www.canetoads.com.au

Use your Cane Toad Research Planner to help you gather information about the introduction of cane toads into Australia and what has occurred since.



Once you have gathered all the information you can find on the introduction of cane toads into Australia and the impacts it has on our native wildlife present you findings as a booklet (powerpoint), poster or essay.

CANE TOAD RESI

Your task is to research the introduction of cane toads into Australia and the imp
of sources that includes books, websites and some other source (documentaries
reference them correctly.

TIP: www.canetoads.com.au is a great starting point t

What I ALREADY know:	What I MUST find out:
	Where are cane toads native to? ☐
	Why were they bought to Australi
	How can you identify a cane toad?
	Which native frog is commonly mi toad? ☐
	What Australian native animals ar introduction of the cane toad? ☐

Presentation Plan:

Booklet ☐

Poster ☐

Essay ☐

References:

EARCH PLANNER

)act it has had on our native wild life. You will need to use a range
:, journal articles) to gather your information and you will need to

o gather information for your research project

]

a? ☐

☐

staken for a cane

e threatened by the

What I WANT to find out:

_____? ☐

_____? ☐

_____? ☐

_____? ☐

_____? ☐

Web Search Key Words:

5. What's in Your Backyard? ICON species project

Problem: Over the last 5 years there has been research looking at impacts of cane toads on our native wildlife. A summary of the major impacts that have been recorded so far are in the table below. Loosing large numbers in a population make the animal more vulnerable to extinction in the future. The decline does not happen immediately, but over a period of 1.5 - 2 years, especially after cane toad breeding has occurred. Populations of these animals have not recovered, and in many cases in Queensland it was not known how many animals and species were there before cane toads. KTB is making sure this is not the case with the What's in Your Backyard? Project - where everyone can contribute important data on the animals they find.

Many of the animals in the table are our favourite animals in the Kimberley.

ICON animal	Impact of Cane Toads	Location in NT	Source/Principal Author
Northern Quoll	100% loss of animals	Kakadu	Meri Oakwood
Goannas/Monitors Yellow spotted, Mitchells, Mertens , Sand/Goulds Goanna	90% loss of animals No recovery since 2003	Daly River, Manton Dam, Kakadu	Sean Doody Tony Griffiths
Frilled Neck Lizard	Not well understood, up to 100% loss	Top End	Graham Sawyer Community groups
Freshwater Crocodile	77% loss of animals	Victoria River	Mike Lentic
'Pygmy' Freshwater Crocodile	Up to 100% loss of animals	Bullo River	Adam and Erin Brittor
Northern Blue-Tongue Lizard	100% loss of animals	Fogg Dam	Greg Brown Sam Price-Lees
Small Skinks	Dramatic reduction in number and types of species	Jaspers Gorge Katherine George	Lyall Grieve Tourism Operators
Brown Snake, Death Adder and other snakes	Up to 90% loss of animals, some research suggests morphological change and recovery of some species	Top End	Observations from Rangers- Kakadu Mattias Hagman Ben Phillips
Rainbow Bee Eater	30% loss of breeding locations	SE Qld	Christopher Boland
Insects	In tropical floodplain ecosystems, cane toads consume more than 4 times amount of insects than native frogs Cane toads significantly deplete insect food resource	Fogg Dam New Brittan	Matt Greenlees Mike Tyler

Activity

5.1. ICON species project

KTB record the number of these animals before cane toads and after cane toads arrive. This information can be used by scientists measuring the impact of cane toads and seeing if methods of cane toad control work.

To take part:

- Register a site and ICON animals you will monitor with KTB (School ground, backyard, Spring, Waterhole)
- KTB will contact you 4 times a year to visit your site and see if your ICON species is there.

Not finding the animal, is just as important as finding the animal, for scientific data. All animals move around to different habitat types during the year. This project is supported by a number of scientists. The method used for observations is being finalised - please register if interested.



These animals, as well as many others, will suffer serious declines in numbers within two years of cane toads arriving. Please help Kimberley Toad Busters and Scientists monitor this impact in the Kimberley by participating in the ICON species project.

1. Contact Kimberley Toad Busters and register a site that you regularly visit (backyard or camping spot) and see one of the ICON species.

   ICON species include all Goannas (we can help with identification of species), Frilled Neck Lizard, Northern Blue Tongue Lizard, and any other favourite animal you have seen at a place that you visit at least four times a year including Brown Bandicoots, Northern Quolls, Ghost Bats, Rainbow Bee Eaters to name of few!

2. During four set times during the year Kimberley Toad Busters will contact you to collect data on how many times you visited your site and seen the ICON species. Visiting the site and not seeing the species is just as important for scientific data as visiting the site and seeing the species.

3. Kimberley Toad Busters will publish results regularly as part of our newsletters and website. Data will be freely available all groups!

Register NOW, admin@canetoads.com.au or 08 9168 2576
Part of the Kimberley Toad Busters 'What's in Your Backyard?' Program

6. Conduct your own wildlife survey and get to know the animals in your Backyard

Problem: The Kimberley is a BIODIVERSITY HOTSPOT, we have many wildlife species found nowhere else in the world. There are environmental changes occurring in the Kimberley. It is important to record what wildlife species we have now and understand what is required for their long term survival. This is a HUGE task, scientific survey is a long way from being complete in the Kimberley. New species are still regularly being found. Very few studies have looked at the impact of cane toads on biodiversity; none have looked at their impact at the ecosystem or habitat scale.

Activity

6.1. What's In Your Backyard? Biodiversity Monitoring Project


We are hoping everyone who spends time in the Kimberley helps with 'What's in your Backyard?' Biodiversity Kits are available, with over 500 Identification cards to identify each species and map of where they can be found in the Kimberley. Observations can be a powerful form of biodiversity survey, especially when conducted by an entire community that cares about the Kimberley!

HOT TIP: the best results try to keep your survey the same - standardised. E.g. same place, same area covered and same time of day. Most animals are found in the mornings and evenings


Kimberley Toad Busters look forward to your results; they will be regularly displayed at www.canetoads.com.au, through our newsletters and the community database will be freely available.

1. Contact KTB for a data form or download from www.canetoads.com.au
2. Look around your backyard, along your favourite walking track, fishing or camping spot or any other place in the Kimberley and record what you see. Complete as regularly as you like, at least once per season (wet season, dry season) per site. The most powerful results are a weekly survey per site. Return forms to Kimberley Toad Busters (PO Box 1188, Kununurra. 6743), or lodge online admin@canetoads.com.au
3. Any species you are unsure of take some photos and send in to Kimberley Toad Busters admin@canetoads.com.au If we cannot provide identification we have a network of scientists who can. Or you may have found a new species!
4. For more information on different species check out your local Community Library. The Kununurra library has recently created an 'Ecology' section for flora and fauna including a number of resource books donated by Kimberley Toad Busters. Species ID cards are also available on the cane toads website, electronic versions are also available from Kimberley Toad Busters.

For more information do not hesitate to contact admin@canetoads.com.au or 0484097898



BLACK LINE MASTER CLASSROOM WORKSHEETS




LITERACY

Cane toad Word Search
Threaten Species Word Search
Crosswords
Get the Lizard to safety!
Animal Bingo
Dissection sheet
Cane Toad Facts Sheet (reading and comprehension)

Name_____


Cane Toad Word Search






J C V U Q R E A P I A K P C S S E U K D
S E R C W M I X B U N G I D I D X Y V C
Z K K K A N C M S S N W D V O I N R E Z
Z C B U I J X E Q N A U L M O N I T O R
O J X O U I Y T U V O A I M N O S I O P
N X Q D I L Y A V D G D Z V E C F X W D
N G U N E U P M T T E M A C L H Y U G A
S P G A F C D O V A L P R R I U H T X O
D V C L A S Q R H D N U D O N C C N G T
P V E G J B W P Z P I E S C E C B M L X
N B R V U O Y H Q O R V Y O V J I G U W
C I Z A Q O O L S L T I Y D U N Q X N V
S Z H P M M J N H E H S E I J W G U G O
E E W K B P A Z T B P A H L Y P B B W N
O R L K J K H K R Z X V A E T H E E O D
K Z R P E E O I A G N N U H R C B X R E
C L S S U W C D B G U I D D A U K I M Z
N T Z F J E T K K I G E S I W G P M J A
F D X I G E C J H X A D I O T O R A P U
Q X H K X M U B G E M N M I E V P U I Y

JUVENILE	AMPHIBIAN	LIZARDS	GLAND
CROCODILE	GOANNA	LUNGWORM	MONITOR
METAMORPH	TOAD	POISON	PAROTOID
INVASIVE	WARTY	SNAKES	TADPOLE






Threaten animal species word search puzzle

Y C U G L K T B V U T X G F O L F L U R
U B G M G L D E A T H A D D E R O X O B
O N L F X G O R F T N A I G E N L T N O
D F B U Q Z L U K Q S Y S G G H I S C M
R B G Z E P C T Q E X W V N L N J E A B
Q J B X N T J E L N G M E S O Y N D S A
S Y B G J C O I Z S R C J M D T C A P R
F R I L L E D N E C K E D L I Z A R D D
F V F G I O U Q G E I E H P N K V C S I
K L Y K C N Z C D U T I E T M G X G E E
I T N O J J D T D T E D K X R N Y O L R
N Y R H D S U S O M E D Y T I O M L T B
G C S E A R V P N W H G L Q E G N V E E
B Y K M T Q S H Q A F M B I N C M D E E
R I T L H W O S Z U K S G N Z A S O B T
O C E F O V O M G K Y E B I Y A C M G L
W V L L W P K Y Z U M H P E T I R Z N E
N O L F G N H G A C J Y H L C V O D U Z
R E T A E E E B W O B N I A R P U I D Z
Y Y C V P D V U K U Q M L R K C V T Q J

BLIND SNAKE
BLUE TONGUED LIZARD
BOMBARDIER BEETLE
CENTIPEDE
CROCODILES
DEATH ADDER
DUNG BEETLES
FRILLED NECKED LIZARD
GIANT FROG
KING BROWN
LONG NECKED TURTLE
NORTHERN QUOLL
RAINBOW BEE EATER
YELLOW SPOTTED MONITOR

Name_____

Cane Toad Crossword simple



Across


3. A baby cane toad
5. Frogs and toads belong to this class.
7. A teenage cane toad
8. Describes cane toad skin

Down

1. Where cane toads come originally from.
2. Secretes bufo toxin
4. What cane toads eat
6. A parasite found in cane toads

Name_____

Cane Toad Crossword higher level



Across

2. a cane toad with legs and a tail.
4. a parasite found in cane toads.
6. a baby cane toad.
7. a teenage cane toad.


Down

1. takes over other habitats.
3. gland secretes bufo toxin.
5. skinned vertebrate that hatches as an aquatic larva with gills.

Name_____

Get the Lizard to safety!

Guide the monitor lizard through the maze back to his pigeon friend, but watch out for cane toads!



Name_____

Students take the Bingo card home and if they have seen one of the animals they can cross them off! First to have Bingo wins a KTB cap!


B	I	N	G	O
Skink/lizard	Cockatoo	Jesus bird	Death adder	Brolga
Orb spider	Archer fish	Cormorant	Goanna	Cane toad
Wallaby	Gecko	Pelican	Kite	Turtle
Jabiru	Rocket frog	Crocodile	Python	Ibis

Name_____

Cane Toad Dissection Diagram

A graphic help if the student are going to do Cane Toad dissection

Abdominal and Chest Cavity of Frogs and Toads



Please provide feedback to kimberleytoadbusters@canetoads.com.au