Insulin and diabetes


Word bank

hormone
coma
control
blindness
blood
enough
diabetes
glucose
insulin
diet
bodies
pancreas
vessels
damage
diabetes
exercise

☞ **1** Use the word bank to complete the passage below.

Glucose in the blood gives us energy. If a person doesn't have e_____ blood **glucose**, they can go into a c_____ and may die. Too much g_____ in the blood also causes problems. Over time it causes d_____ to the small blood v_____ in our body and can lead to b_____, nerve damage and **cardiovascular** disease.

The h_____ insulin is made by the p_____. Its job is to regulate the body's glucose levels. Some people's bodies don't make enough i_____. This problem is called type 1 diabetes. People with type 1 d_____ need regular doses of insulin each day to help c_____ their blood sugar. Other people find that as they age their b_____ sugar levels are hard to control. Their b_____ make insulin but it isn't doing its job effectively. This is called type 2 diabetes. In many cases this type of d_____ can be controlled with regular e_____ and a healthy d_____.



Blood sugar concentration is measured in millimoles per litre. The safe levels of blood sugar concentration are between 4 and 8, as shown on the graph.

2 Why are blood sugar levels so low for both people before breakfast? _____

_____

3 What happens to blood sugar levels soon after a meal? _____

4 Why does the person with type 2 diabetes have high levels of blood sugar throughout the whole day? _____

_____

© Beth Montgomery and Blake Education 2012
ISBN 978 1 92571 041 0