

CONFIDENTIAL PROPOSAL -BRS LEADERSHIP ONLY

FOR: BRS SENIOR LEADERSHIP

SciEncephalon AI

Telangana Voter Protection Mission

A Parallel Special Intensive Revision Platform

3.35 Cr

TELANGANA VOTERS AT RISK

90 Days

FULL DELIVERY

Day 30

PILOT REVIEW & GO/NO-GO

35,907 Polling Stations

33 Districts

119 Constituencies

AWS Mumbai

Telugu Bot

contact@sciencephalon.com

https://www.sciencephalon.com

DECISION RISK



Silent roll changes become constituency losses.

A 5.95% Bihar-rate deletion creates ~19.9 lakh missing Telangana voters. The mission is built around detecting that movement before the claims window closes.

20L

TELANGANA VOTERS EXPOSED

~16.8K

AVG PER SEAT

30D

PILOT PROOF POINT

OPERATING ARCHITECTURE

01

Station Capture

Voter Protection Officer (VPO) verifies households, migrants, service electors, and vulnerable clusters.

35,907 VP0s

02

Shadow Roll

Constituency dashboards hold a counter-database before draft publication.

3.35 Cr records

03

Reconcile

Draft roll diffing flags missing voters and abnormal Form 7 patterns.

real-time diff

04

Recover

Form 6 filings and objection packs move inside the statutory window.

claim window

THE THREAT

Bihar lost 47 lakh voters in 90 days.

UP lost 2.04 crore. WB lost 91 lakh. At Bihar-equivalent deletions, Telangana loses ~20 lakh voters -over 4x the 2023 INC-BRS statewide gap.

THE PLATFORM

Shadow enumeration + real-time reconciliation.


35,907 Voter Protection Operators. ML-powered Form 7 abuse detection. Automatic Form 6 filing pipeline within the statutory window.

THE TEAM

SciEncephalon AI · Senior Technical Executive Team from Ivy League Schools.

Technology, ground reach, and program delivery -three principals assigning senior delivery capacity and engineering resources to this mission.

COVERAGE MODEL



PILOT HIGH RISK STATEWIDE

A GHMC-edge pilot proves the workflow in 30 days; high-risk constituencies receive double coverage while the statewide polling-station network scales.

33

DISTRICT COMMAND

119

SEAT HEATMAPS

90D

STATEWIDE ROLL

Deletions can erase the 2023 gap several times over. The window to act is now.

THE MECHANISM

How silent deletion works

BLOs visit 35,907 polling stations. Absent households -migrant workers, urban renters, students, service families, and tribal hamlets -get marked "not traceable." Form 7 bulk objections are filed against valid voters. Names vanish in the draft roll before anyone notices.

THE STATUTORY WINDOW

Claims & objections are the only remedy

After the draft roll publishes, a statutory window allows Form 6 filings and Form 7 contests. Miss that window and the deletion is permanent. The platform exists to catch every case in time.

TELANGANA VULNERABILITY -2023 MARGIN MATH

Congress beat BRS by only ~4.82 lakh votes statewide.

A 5% roll deletion is ~16.8 lakh voters. The lowest SIR deletion scenario is large enough to reshape close constituencies before any campaign begins.

OPERATING RESPONSE

The countermeasure is a polling-station shadow roll before the draft roll arrives.

35,907

POLLING STATIONS COVERED

24h

FORM 7 TRIAGE

Day 30

PILOT REVIEW

5% DELETION SCENARIO -IMPACT CASCADE

3,35,27,925

Telangana registered voters

SSR-2025 final roll · Jan 6, 2025 · CEO Telangana

16.8 lakh

voters removed at 5%

Bihar-equivalent rate · before a ballot is cast

~14,085

Average deletion per constituency

16.8 lakh divided across 119 assembly seats.

35–45

Seats where deletion can exceed margin

Enough to change control in a 119-seat assembly.

~3.5x

Of the 2023 statewide vote gap

16.8 lakh is about 3.5 times the INC-BRS statewide vote gap.

WORST CASE VISUAL: 5% VOTES DELETED TO SEAT IMPACT



Seat exposure shown as share of 119 constituencies where deletion volume can exceed historical margin bands.

REQUIRED DECISION

Build the alarm system before the roll changes.

The work is time-bound: database first, polling-station network second, reconciliation the moment the draft roll appears.

D0

Leadership greenlight

D7

Telugu bot and VPO intake live

D30

Pilot review and statewide go/no-go

BOTTOM LINE: BRS cannot stop SIR -but can build the alarm system that catches every wrongful deletion before it becomes permanent. That is what we are offering to build.

Three states. The pattern is documented and consistent.

Deletion Record Across SIR States

Bihar

Jun-Sep 2025

47 lakh

from 7.89 crore pre-SIR voters

5.95% · ECI / Wikipedia SIR

Uttar Pradesh

Oct 2025-Apr 2026

~2.04 Cr

from ~15.4 crore pre-SIR voters

~13% · ECI / The Wire

West Bengal

Oct 2025-ongoing

~91 lakh

from ~7.6 crore pre-SIR voters

~12% · Sabrang / ECI

5.95%

Lowest observed deletion rate

12-13%

Adverse-state deletion band

3 states

Same documented pattern

The risk is not theoretical.

Every observed SIR case produced material roll contraction. Telangana only needs the lowest observed rate to create a seat-level shock.



Applied to Telangana - 3,35,27,925 voters

Bihar-equivalent

Conservative

6%

19,94,412

TELANGANA VOTERS LOST

35-45

SEATS AT MARGIN

West Bengal-equivalent

Base Case

12%

40,23,351

TELANGANA VOTERS LOST

55-70

SEATS AT MARGIN

UP-equivalent

Adverse

13%

43,58,630

TELANGANA VOTERS LOST

65-80

SEATS AT MARGIN

3.35 Cr

TELANGANA VOTER BASE

119

CONSTITUENCIES

71.97%

2023 TURNOUT

Even the conservative case is enough to alter the election map.

At the Bihar-equivalent rate, the deleted voter pool is large enough to exceed historical margins across dozens of constituencies.

19.9L

Conservative TG Loss

35+

Seats Exposed

40L

Base-Case Loss


65+

Adverse Seats

Context:

Telangana's 2023 election had a ~4.82 lakh INC-BRS statewide vote gap. Even a 5% deletion scenario is ~16.8 lakh voters -enough to change constituency outcomes before a ballot is cast.

A 16.8-lakh deletion is ~3.5x the INC-BRS statewide vote gap.



Every number the platform must protect.

ELECTORATE COMPOSITION

TOTAL REGISTERED VOTERS

3,35,27,925

SSR-2025 FINAL ROLL

GENDER SPLIT



A nearly even statewide electorate means small targeted deletions can change constituency-level margins.

35,907

POLLING STATIONS

119

CONSTITUENCIES

33

DISTRICTS

2,829

THIRD-GENDER VOTERS

The operating unit is the polling station.

Full protection requires a polling-station operator network, constituency-level heatmaps, and district technical liaisons.



RISK EVIDENCE AND ELECTION CONTEXT

SIR EXPOSURE APPLIED TO TELANGANA

19.9 lakh

Bihar-equivalent deletion on Telangana's SSR-2025 voter base would remove ~19.9 lakh voters, more than four times the 2023 INC-BRS statewide vote gap.

2023 ELECTION CONTEXT

71.97%

2.35 crore votes were cast. INC won 64 seats and BRS won 39, but the statewide vote-share gap was only 2.05 percentage points.

Absent voters are the highest-risk cohort.

Service electors, urban renters, migrants, students, tribal hamlets, and seasonal workers are disproportionately vulnerable during BLO visits.

15,872

SERVICE ELECTORS

5 cohorts

MIGRANTS · RENTERS · STUDENTS · TRIBAL · SEASONAL

BLO visit

PRIMARY RISK MOMENT

SCALE: 3.35 crore records · 35,907 polling stations · 33 districts · 119 constituencies. The platform must operate at national-census ingestion scale with Telugu-language support throughout.

A shadow enumeration that catches every wrongful deletion before it's permanent.

OPERATING MODEL

01

Build the counter-database first.

35,907 Voter Protection Operators capture every valid voter through the party's karyakarta network.

35,907

STATION OPERATORS

02

Match against the ECI draft roll.

The engine cross-references every name the moment the draft roll publishes. Missing voters trigger Form 6 workflows.

real-time

ROLL RECONCILIATION

03

Counter Form 7 attacks in 24 hours.

ML detection flags bulk false objections. Counter-filings and legal escalation packets are prepared immediately.

24h

ABUSE TRIAGE

Designed around the statutory clock.

The platform exists to be ready before the draft roll appears, then move claims and objections inside the legal window.

Day 0

GREENLIGHT

Day 30

PILOT REVIEW

Day 90

STATEWIDE DELIVERY

01

VPO intake

02

shadow roll capture

03

draft roll diff

04

Form 6 recovery

05

legal escalation

SCOPE, GUARDRAILS, HANDOVER

A voter protection platform. Not a campaign tool.

Stores only what is on the public electoral roll. No persuasion, no targeting, no political data.

NO CASTE

NO RELIGION

NO PREFERENCE

NO LOCK-IN

Sunset and handover are built into the design.

+30D

AFTER FINAL ROLL SUNSET

Day 91

CODEBASE HANDOVER

AWS Mumbai

DATA RESIDENCY

PostgreSQL

AUDITABLE DATABASE

One alarm system across the entire roll.

Public-roll data, field verification, draft-roll diffing, and claims workflows are unified into one statewide operating surface.



CORE THESIS: the party needs a database and alarm system ready before the draft roll publishes. That is what we are building. The window is the next 90 days.

Every deletion pathway covered.

SIX-PILLAR PROTECTION STACK

01 · WhatsApp

Telugu Alert Bot

Voter types EPIC number and gets roll status. Auto-alerts when the draft roll publishes and a name is missing.

Telugu · EPIC lookup

02 · Ground Network

BLO Watch Network

35,907 VPOs log BLO visits, household skips, and irregularities through an offline-first mobile app.

35,907 VPOs

03 · Dashboard

Deletion Heatmap

Mandal-level dashboard auto-flags polling stations with more than 3% deletion and sends 6 AM constituency briefs.

>3% red flag

04 · ML Defense

Form 7 Abuse Shield

XGBoost and Sentence-BERT detect bulk false objections and fuzzy Telugu name matches within 24 hours.

24h triage

05 · Outreach

Migrant Worker Camps

Pre-SIR enrollment at construction sites, hostels, urban rental clusters, and Gulf-returnee villages before BLOs find empty homes.

absent households

06 · Legal

Legal Fast-Track

Template writs and lawyers on standby for Telangana High Court filing within 72 hours of wrongful final deletion.

72h writ path

One pathway from alert to remedy.

The platform turns scattered roll problems into a sequenced operating workflow: detect, verify, reconcile, defend, reach, litigate.

01
Alert voter

02
Log BLO visit

03
Flag heatmap

04
Detect Form 7

05
Find absent voter

06
File remedy

Coverage is designed around deletion modes, not software modules.

Each pillar owns a distinct failure mode in the SIR process, with one dashboard tying field, data, and legal action together.

6

DEFENSE LAYERS

35.9K

STATION EYES

24h

FORM 7 SHIELD

72h

LEGAL ROUTE

DELETION PATHWAY COVERAGE



>3%

STATION DELETION RED FLAG

6 AM

CONSTITUENCY BRIEF

72h

COURT ESCALATION PATH

Daily operating cadence.

Booth signals flow into heatmaps and morning briefs; abuse patterns trigger counter-filings; unresolved final deletions move to legal escalation.

COVERAGE LOGIC: Pillar 5 handles absent households · Pillar 2 flags BLO irregularities · Pillars 1+3 surface deletions · Pillar 4 counters Form 7 attacks · Pillar 6 litigates what slips through.

Built for 3.35 crore records. Zero PII leaves Indian sovereign territory.

DATA LAYER

PostgreSQL 16 · AWS RDS · ap-south-1
DuckDB -analytical queries on 3.35 Cr snapshots
Apache Iceberg on S3 -immutable audit history
Row-level security by constituency for VP0s

ML LAYER

XGBoost -Form 7 bulk-abuse detection
Sentence-BERT -fuzzy Telugu/English name match
FAISS -duplicate detection across 3.35 Cr records
Training: Telangana 2023 margin and deletion-risk patterns

INGESTION & API LAYER

Apache Airflow DAGs -BLO reconciliation
FastAPI REST -VP0 app + WhatsApp writes
Celery async -high-volume Form 6 filing
CloudTrail + AWS Config -full write audit

APPLICATION LAYER

React Native VP0 app -offline-first, SQLite
Telugu WhatsApp Bot -Meta Business API
React + Recharts deletion heatmap dashboard
PDF report engine -6 AM daily per constituency

SECURITY · EPIC NUMBER IS THE ONLY KEY. AADHAAR NEVER STORED.

AES-256 at rest · TLS 1.3 in transit
No PII in logs · No PII in third-party services
Cloudflare WAF -public dashboard protection

VOTER_SHADOW MODEL · NO CASTE · NO RELIGION · NO POLITICAL PREFERENCE

epic_number PK · name_english · name_telugu
polling_station_id · mandal_id · constituency_id
official_roll_status: present/absent/contested
alert_status: none/alerted/form6_filed/resolved

SOVEREIGNTY: all voter data in AWS ap-south-1. CloudTrail logs every write. Full open-source codebase handover to the party on day 91. No lock-in.

These six areas go live in week one before statewide scale.

CRITICAL · URBAN RENTAL MOBILITY

Serilingampally, Quthbullapur, Medchal, Kukatpally

High-density GHMC-edge seats have large renter and IT-worker churn. BLO visits can miss moved families, hostels, and apartment clusters.

Apartment association drives · EPIC lookup camps · VPO double coverage



HIGH RISK · MIGRANT LABOUR

Patancheru, L.B. Nagar, Rajendranagar, Maheswaram

Construction, industrial, and service-sector voters are often away during enumeration. Absence can become non-traceability.

Worksite enrollment desks · contractor liaison network · weekend verification



HIGH RISK · OLD CITY DENSITY

Nampally, Karwan, Yakutpura, Chandrayangutta

Dense households, shared addresses, and high family mobility create name-match and address-match failure risk.

Community liaison cells · family-cluster validation · Form 7 watch




SC/ST & TRIBAL ACCESS RISK

Asifabad, Boath, Pinapaka, Yellandu, Mulug

Remote habitations and tribal hamlets have higher BLO reach risk. Standard digital-only verification fails here.

SHG and village-level VPOs · offline-first app · mandal escalation



STRUCTURAL RISK · NEW DISTRICT ADMIN

Narayanpet, Vikarabad, Jangaon, Mancherial

Newer district administration boundaries and mandal-level movement create address and polling-station confusion.

Boundary awareness camps · re-registration drives · district liaison support




PILOT ZONE · VALIDATION SITE · DAY 1

GHMC Edge Pilot: Serilingampally & Quthbullapur

Largest urban voter bases, high residential churn, and complex polling-station clusters make this the right 30-day proof point.

Proof of concept before statewide scale · Party review on day 30



LOGIC: the GHMC-edge pilot proves the system where churn is highest. Tribal, migrant, and dense urban seats get double VPO coverage from day one. Full statewide by day 60.

Pilot in 30. Statewide in 90. Reconciliation-ready before the draft publishes.

PHASE 1

Pilot: Serilingampally & Quthbullapur

Days 1 – 30

- **Day 3** -AWS infra live, PostgreSQL schema, S3 configured
- **Day 7** -Telugu WhatsApp bot live with EPIC lookup
- **Day 14** -VPO mobile app on 1,200 high-churn polling stations
- **Day 21** -First 5 lakh records enumerated & shadowed
- **Day 25** -Deletion heatmap live for GHMC-edge pilot seats
- **Day 28** -Form 7 abuse model deployed
- **Day 30** -Pilot review with party leadership

PHASE 2

Statewide Rollout

Days 31 – 90

- **Day 45** -All 33 district liaisons trained
- **Day 60** -VPO app on all 35,907 polling stations
- **Day 60** -Migrant and rental-cluster camps live in Hyderabad, Bengaluru, Mumbai, and Gulf-returnee districts
- **Day 75** -3.35 crore shadow database complete
- **Day 80** -Reconciliation engine ready for draft roll
- **Day 85** -Legal pipeline with template writs operational
- **Day 90** -Full statewide go-live confirmed

PHASE 3

Reconciliation & Recovery

Day 90 → Final Roll Publication

- Every BLO visit logged in real time
- Every household skip flagged for re-verification
- Every Form 7 objection parsed within 4 hours
- Automatic Form 6 for every name missing from draft roll
- Telangana High Court writ within 72 hours of any final deletion
- **Day 91** -Full data control transferred to BRS
- Platform sunsets within 30 days of final roll


COMMITMENT: SciEncephalon builds the platform, field operations mobilise 35,907 VPOs, and program leadership manages delivery. Three workstreams. One 90-day commitment.

Platform engineering, ground operations, and program delivery -fully resourced.

SCIENCEPHALON AI

Platform Engineering

- Full-stack engineering team for the 90-day build
- AWS ap-south-1 production infrastructure
- ML model development and training
- WhatsApp Business API integration & Telugu bot
- React Native VPO mobile app
- Full open-source codebase handover on day 91




INFRASTRUCTURE & DATA SOVEREIGNTY

All voter data resides in **AWS ap-south-1 (Mumbai)**. Full administrative control transfers to a BRS-designated custodian on day 91. No data leaves Indian sovereign territory.

FIELD OPERATIONS PARTNER

Ground Operations

- 35,907 Voter Protection Operators -one per polling station
- District-level coordinator network across 33 districts
- Migrant enrollment camps in Hyderabad, Bengaluru, Mumbai, and Gulf-returnee districts
- Apartment, hostel, and rental-cluster outreach in GHMC-edge seats
- SHG and village-level VPO appointments for SC/ST and tribal constituencies




PLATFORM LIFECYCLE

Platform sunsets within **30 days of final roll publication**. All voter PII purged. Full open-source codebase handover -no lock-in. Aggregated analytical insights retained for the next SIR cycle.

PROGRAM DELIVERY LEAD

Program Delivery

- 90-day delivery oversight across all three workstreams
- Party stakeholder alignment and MLA office liaison
- 33-district technical liaison onboarding by day 45
- Legal cell coordination for statutory filing windows
- Pilot review with party leadership on day 30



THE COMMITMENT: SciEncephalon assigning senior engineering, operations, and program delivery capacity -so that no valid BRS voter is silently deleted before the final roll publishes.

Six coordination items to launch the 90-day mission.

Access to 119 Constituency WhatsApp Networks

Bot reaches every karyakarta in week one. Without network access, the alert system has no reach.

One Technical Liaison Per District -33 People

Telugu-speaking local contact per district. Does not need to code. Coordinates VPO onboarding and escalation.

MLA Office Buy-In at All 119 Offices

Heatmap flags become MLA office action items. Without this link, the dashboard-to-filing pipeline breaks.

Authorisation Letter From Party Leadership

Engineering and field teams need sanctioned standing before any deployment begins.

Pilot Greenlight for GHMC-Edge Seats

Serilingampally and Quthbullapur provide a 30-day proof point across high-churn urban polling stations before statewide commitment.

Legal Cell Coordination

Counter-filings within the statutory window and Telangana High Court writs require party legal infrastructure and standing.

PILOT GUARDRAIL: the first 30 days operate with defined success criteria, after which statewide scale-up proceeds only on leadership approval.

SciEncephalon AI

TELANGANA VOTER PROTECTION MISSION · SIR 2026

3.35 Cr

VOTERS PROTECTED

90 Days

FULL DELIVERY

35,907

STATIONS COVERED

33 Districts

119 Constituencies

AWS ap-south-1

Telugu Bot

THE DECISION IN FRONT OF THE PARTY

Show up with a database –or show up with a *complaint*.

SIR 2026 will run whether BRS participates or not. The only question is whether to have a database and an alarm system ready –or discover the deletions after the roll is final.

- Day 0 Verbal greenlight from BRS senior leadership
- Day 1 Authorisation letter from party leadership
- Day 2 SciEncephalon begins AWS provisioning
- Day 3 Team begins VPO identification in GHMC-edge pilot seats
- Day 7 First Telugu WhatsApp bot live
- Day 30 Pilot review -go/no-go for statewide

contact@sciencephalon.com

https://www.sciencephalon.com