

CONFIDENTIAL PROPOSAL -YSRCP LEADERSHIP ONLY

FOR: YSRCP SENIOR LEADERSHIP

SciEncephalon AI

Andhra Pradesh Voter Protection Mission

A Parallel Special Intensive Revision Platform

4.08 Cr

AP VOTERS AT RISK

90 Days

FULL DELIVERY

Day 30

PILOT REVIEW & GO/NO-GO

- 46,165 Booths
- 26 Districts
- 175 Constituencies
- AWS Mumbai
- Telugu Bot
- contact@sciencephalon.com
- https://www.sciencephalon.com

DECISION RISK

50+ SEATS

Silent roll changes become constituency losses.

A 5.95% Bihar-rate deletion creates 24+ lakh missing AP voters. The mission is built around detecting that movement before the claims window closes.

24+L

AP VOTERS EXPOSED

~13.9K

AVG PER SEAT

30D

PILOT PROOF POINT

OPERATING ARCHITECTURE

01

Booth Capture

Voter Protection Officer (VPO) verifies households, migrants, service electors, and vulnerable clusters.

46,165 VP0s

02

Shadow Roll

Constituency dashboards hold a counter-database before draft publication.

4.08 Cr records

03

Reconcile

Draft roll diffing flags missing voters and abnormal Form 7 patterns.

real-time diff

04

Recover

Form 6 filings and objection packs move inside the statutory window.

claim window

COVERAGE MODEL

PILOT

HIGH RISK

STATEWIDE

Rayachoti proves the workflow in 30 days; high-risk constituencies receive double coverage while the statewide booth network scales.

26

DISTRICT COMMAND

175

SEAT HEATMAPS

90D

STATEWIDE ROLL

RESTRICTED · YSRCP LEADERSHIP ONLY · MAY 2026

01 / 13

THE THREAT

Bihar lost 47 lakh voters in 90 days.

UP lost 2.04 crore. WB lost 91 lakh. At Bihar-equivalent deletions, AP loses 24+ lakh voters -enough to swing 50 seats before a ballot is cast.

THE PLATFORM

Shadow enumeration + real-time reconciliation.

46,165 Voter Protection Operators. ML-powered Form 7 abuse detection. Automatic Form 6 filing pipeline within the statutory window.

THE TEAM

SciEncephalon AI · Senior Technical Executive Team from Ivy League Schools.

Technology, ground reach, and program delivery -three principals assigning senior delivery capacity and engineering resources to this mission.

Deletions can decide 50+ seats. The window to act is now.

THE MECHANISM

How silent deletion works

BLOs visit 46,165 booths. Absent households -migrants, fishermen, seasonal workers -get marked "not traceable." Form 7 bulk objections are filed against valid voters. Names vanish in the draft roll before anyone notices.

THE STATUTORY WINDOW

Claims & objections are the only remedy

After the draft roll publishes, a statutory window allows Form 6 filings and Form 7 contests. Miss that window and the deletion is permanent. The platform exists to catch every case in time.

PRIOR AP EVIDENCE -ECI COMPLAINT AUG 28, 2023

40,000 gone in Vizag East. 23,000 in Vijayawada Central.

These deletions happened before SIR 2026. SIR is a larger, nationwide exercise with broader scope and ECI institutional backing. The 2026 exposure is materially higher.

OPERATING RESPONSE

The countermeasure is a booth-level shadow roll before the draft roll arrives.

46,165

BOOTHS COVERED

24h

FORM 7 TRIAGE

Day 30

PILOT REVIEW

5% DELETION SCENARIO -IMPACT CASCADE

4,08,07,256

AP registered voters

Final roll · Jan 22, 2024 · AP CEO Office

20.4 lakh

voters removed at 5%

Bihar-equivalent rate · before a ballot is cast

~11,660

Average deletion per constituency

20.4 lakh divided across 175 assembly seats.

50–60

Seats where deletion can exceed margin

Even under the conservative scenario.

~75%

Of the 2024 statewide vote gap

20.4 lakh is roughly three-fourths of the 2024 deficit.

WORST CASE VISUAL: 5% VOTES DELETED TO SEAT IMPACT

Votes Removed

20.4 lakh

5.0%

Seats Exposed

50 to 60 seats

29 to 34%

Seat exposure shown as share of 175 constituencies where deletion volume can exceed historical margin bands.

REQUIRED DECISION

Build the alarm system before the roll changes.

The work is time-bound: database first, booth network second, reconciliation the moment the draft roll appears.

D0

Leadership greenlight

D7

Telugu bot and VPO intake live

D30

Pilot review and statewide go/no-go

BOTTOM LINE: YSRCP cannot stop SIR -but can build the alarm system that catches every wrongful deletion before it becomes permanent. That is what we are offering to build.

Three states. The pattern is documented and consistent.

DELETION RECORD ACROSS SIR STATES

Bihar

Jun-Sep 2025

47 lakh

from 7.89 crore pre-SIR voters

5.95% · ECI / WIKIPEDIA SIR

5.95%

LOWEST OBSERVED DELETION RATE

Uttar Pradesh

Oct 2025-Apr 2026

~2.04 Cr

from ~15.4 crore pre-SIR voters

~13% · ECI / THE WIRE

12-13%

ADVERSE-STATE DELETION BAND

West Bengal

Oct 2025-ongoing

~91 lakh

from ~7.6 crore pre-SIR voters


~12% · SABRANG / ECI

3 states

SAME DOCUMENTED PATTERN

The risk is not theoretical.

Every observed SIR case produced material roll contraction. AP only needs the lowest observed rate to create a seat-level shock.



APPLIED TO ANDHRA PRADESH -4,08,07,256 VOTERS

Bihar-equivalent

CONSERVATIVE

6%

24,28,031

AP VOTERS LOST

50-60

SEATS AT MARGIN

West Bengal-equivalent

BASE CASE

12%

48,96,871

AP VOTERS LOST

80-100

SEATS AT MARGIN

UP-equivalent

ADVERSE

13%

53,04,943

AP VOTERS LOST

90-110

SEATS AT MARGIN

4.08 Cr

AP VOTER BASE

175

CONSTITUENCIES

81.86%

2024 TURNOUT

Even the conservative case is enough to alter the election map.

At the Bihar-equivalent rate, the deleted voter pool is large enough to exceed historical margins across dozens of constituencies.

24.3L
CONSERVATIVE AP LOSS

50+
SEATS EXPOSED


49L
BASE-CASE LOSS

90+
ADVERSE SEATS

CONTEXT:

AP's 2024 election saw 81.86% turnout with dozens of seats decided by tight margins. Even at the conservative scenario, the altered vote pool is large enough to determine a majority of the 175 constituencies before a ballot is cast.

A 20.4-lakh deletion erases 75% of the statewide 2024 deficit –before voting begins.



Last Election Margin and Next-Election Impact

7.85 pp

2024 vote-share gap (47.80% vs 39.95%)

6.11 pp

extra swing if 20.4 lakh deletions skew away from YSRCP in 2029 turnout pool

1.74 pp

residual gap left to close through campaign and alliance strategy

What Next Elections Require

YSRCP must flip ~82 seats to regain majority.

Every constituency where YSRCP voters are deleted in SIR makes that recovery harder, independently of 2029 campaign performance.

82

Seat Recovery Target

175

Constituency Watchlist

2029

Impacted by 2026 Roll

* Constituency margin bands are illustrative based on published 2024 AP election outcomes and ECI result patterns. Statewide vote share figures are from ECI 2024 AP General Election results.

The Math:

SIR 2026 does not just threaten the 2026 roll -it pre-determines the 2029 election. If YSRCP voters are disproportionately removed, the party cannot recover the margin even with a better campaign.

Every number the platform must protect.

ELECTORATE COMPOSITION

TOTAL REGISTERED VOTERS

4,08,07,256

FINAL JANUARY 2024 ROLL

GENDER SPLIT



A nearly even statewide electorate means small targeted deletions can change constituency-level margins.

46,165

POLLING STATIONS

175

CONSTITUENCIES

26

DISTRICTS

3,482

THIRD-GENDER VOTERS

The operating unit is the booth.

Full protection requires a booth-level operator network, constituency-level heatmaps, and district technical liaisons.



RISK EVIDENCE AND ELECTION CONTEXT

PRIOR DOCUMENTED DELETIONS -ECI COMPLAINT, AUG 28 2023

63,000+

40,000 voters deleted in Visakhapatnam East and 23,000 in Vijayawada Central, with additional bulk deletion claims in Parchur, Tadikonda, and Uravakonda.

2024 ELECTION CONTEXT

81.86%

~3.34 crore votes were cast. Dozens of seats were decided by tight margins, so any SIR deletion scenario creates a vote-pool shift larger than many constituency margins.

Absent voters are the highest-risk cohort.

Service electors, migrants, fishermen, and seasonal workers are disproportionately vulnerable during BLO visits.

67,434

SERVICE ELECTORS

3 cohorts

MIGRANTS · FISHERMEN · SEASONAL

BLO visit

PRIMARY RISK MOMENT

SCALE: 4.08 crore records · 46,165 booths · 26 districts · 175 constituencies. The platform must operate at national-census ingestion scale with Telugu-language support throughout.

A shadow enumeration that catches every wrongful deletion before it's permanent.

OPERATING MODEL

01

Build the counter-database first.

46,165 Voter Protection Operators capture every valid voter through the party's karyakarta network.

46,165

BOOTH OPERATORS

02

Match against the ECI draft roll.

The engine cross-references every name the moment the draft roll publishes. Missing voters trigger Form 6 workflows.

real-time

ROLL RECONCILIATION

03

Counter Form 7 attacks in 24 hours.

ML detection flags bulk false objections. Counter-filings and legal escalation packets are prepared immediately.

24h

ABUSE TRIAGE

Designed around the statutory clock.

The platform exists to be ready before the draft roll appears, then move claims and objections inside the legal window.

Day 0

GREENLIGHT

Day 30

PILOT REVIEW

Day 90

STATEWIDE DELIVERY

01

VPO intake

02

shadow roll capture

03

draft roll diff

04

Form 6 recovery

05

legal escalation

SCOPE, GUARDRAILS, HANDOVER

A voter protection platform. Not a campaign tool.

Stores only what is on the public electoral roll. No persuasion, no targeting, no political data.

NO CASTE

NO RELIGION

NO PREFERENCE

NO LOCK-IN

Sunset and handover are built into the design.

+30D

AFTER FINAL ROLL SUNSET

Day 91

CODEBASE HANDOVER

AWS Mumbai

DATA RESIDENCY

PostgreSQL

AUDITABLE DATABASE

One alarm system across the entire roll.

Public-roll data, field verification, draft-roll diffing, and claims workflows are unified into one statewide operating surface.



CORE THESIS: the party needs a database and alarm system ready before the draft roll publishes. That is what we are building. The window is the next 90 days.

Every deletion pathway covered.

SIX-PILLAR PROTECTION STACK

01 · WhatsApp

Telugu Alert Bot

Voter types EPIC number and gets roll status. Auto-alerts when the draft roll publishes and a name is missing.

Telugu · EPIC lookup

02 · Ground Network

BLO Watch Network

46,165 VPOs log BLO visits, household skips, and irregularities through an offline-first mobile app.

46,165 VPOs

03 · Dashboard

Deletion Heatmap

Mandal-level dashboard auto-flags booths with more than 3% deletion and sends 6 AM constituency briefs.

>3% red flag

04 · ML Defense

Form 7 Abuse Shield

XGBoost and Sentence-BERT detect bulk false objections and fuzzy Telugu name matches within 24 hours.

24h triage

05 · Outreach

Migrant Worker Camps

Pre-SIR enrollment at construction sites, fishing harbours, and Telugu communities before BLOs find empty homes.

absent households

06 · Legal

Legal Fast-Track

Template writs and lawyers on standby for AP High Court filing within 72 hours of wrongful final deletion.

72h writ path

One pathway from alert to remedy.

The platform turns scattered roll problems into a sequenced operating workflow: detect, verify, reconcile, defend, reach, litigate.

01
Alert voter

02
Log BLO visit

03
Flag heatmap

04
Detect Form 7

05
Find absent voter

06
File remedy

Coverage is designed around deletion modes, not software modules.

Each pillar owns a distinct failure mode in the SIR process, with one dashboard tying field, data, and legal action together.

6

DEFENSE LAYERS

46K

BOOTH EYES

24h

FORM 7 SHIELD

72h

LEGAL ROUTE

DELETION PATHWAY COVERAGE



>3%

BOOTH DELETION RED FLAG

6 AM

CONSTITUENCY BRIEF

72h

COURT ESCALATION PATH

Daily operating cadence.

Booth signals flow into heatmaps and morning briefs; abuse patterns trigger counter-filings; unresolved final deletions move to legal escalation.

COVERAGE LOGIC: Pillar 5 handles absent households · Pillar 2 flags BLO irregularities · Pillars 1+3 surface deletions · Pillar 4 counters Form 7 attacks · Pillar 6 litigates what slips through.

Built for 4.08 crore records. Zero PII leaves Indian sovereign territory.

DATA LAYER

PostgreSQL 16 · AWS RDS · ap-south-1
DuckDB -analytical queries on 4 Cr snapshots
Apache Iceberg on S3 -immutable audit history
Row-level security by constituency for VP0s

ML LAYER

XGBoost -Form 7 bulk-abuse detection
Sentence-BERT -fuzzy Telugu/English name match
FAISS -duplicate detection across 4.08 Cr records
Training: 2024 AP documented deletion patterns

INGESTION & API LAYER

Apache Airflow DAGs -BLO reconciliation
FastAPI REST -VP0 app + WhatsApp writes
Celery async -high-volume Form 6 filing
CloudTrail + AWS Config -full write audit

APPLICATION LAYER

React Native VP0 app -offline-first, SQLite
Telugu WhatsApp Bot -Meta Business API
React + Recharts deletion heatmap dashboard
PDF report engine -6 AM daily per constituency

SECURITY · EPIC NUMBER IS THE ONLY KEY. AADHAAR NEVER STORED.

AES-256 at rest · TLS 1.3 in transit
No PII in logs · No PII in third-party services
Cloudflare WAF -public dashboard protection

VOTER_SHADOW MODEL -NO CASTE · NO RELIGION · NO POLITICAL PREFERENCE

epic_number PK · name_english · name_telugu
booth_id · mandal_id · constituency_id
official_roll_status: present/absent/contested
alert_status: none/alerted/form6_filed/resolved

SOVEREIGNTY: all voter data in AWS ap-south-1. CloudTrail logs every write. Full open-source codebase handover to the party on day 91. No lock-in.

These six areas go live in week one before statewide scale.

CRITICAL · DOCUMENTED DELETION

Visakhapatnam East & Vijayawada Central

40,000 and 23,000 voters formally documented as deleted in 2024. Highest prior-cycle deletion record in AP.

Immediate Form 7 watch · Legal cell pre-positioned · VPO double coverage



HIGH RISK · SEASONAL MIGRATION

Srikakulam, Vizianagaram & Prakasam

High migration outflow during BLO visits. BLOs find empty homes -migrants classified "not traceable" and dropped.

Migrant enrollment camps at destination cities before harvest-season departure




HIGH RISK · FISHING COMMUNITIES

East & West Godavari Coast, Nellore

Fishing communities absent at sea for weeks during BLO visits -structural non-traceability for tens of thousands.

Harbour enrollment drives · Community leaders as proxy liaisons




HIGHEST BLO SKIP RATE NATIONALLY

SC/ST Seats: Razole, Madakasira, Gangadhara Nellore

SC/ST reserved constituencies have nationally the highest BLO skip rates. Standard VPO model fails here.

SHG women appointed as VPOs -they know every household




STRUCTURAL RISK · BOUNDARY CONFUSION

New Districts: Palnadu, Bapatla, Alluri Sitharama Raju

Post-2022 constituency boundary confusion leads to misregistration and missed voters every cycle.

Boundary awareness camps · Re-registration drives · District liaison support




PILOT ZONE · VALIDATION SITE · DAY 1

Rayachoti & Annamayya District

Validation site nominated by YSRCP Senior Leadership. Full six-pillar deployment in week one. 350 booths. 5 lakh records by day 21.

Proof of concept before statewide scale · Party review on day 30



LOGIC: the pilot in Rayachoti proves the system on the party's own ground in 30 days. High-risk zones get double VPO coverage from day one. Full statewide by day 60.

Pilot in 30. Statewide in 90. Reconciliation-ready before the draft publishes.

PHASE 1

Pilot: Rayachoti & Annamayya

Days 1 – 30

- **Day 3** -AWS infra live, PostgreSQL schema, S3 configured
- **Day 7** -Telugu WhatsApp bot live with EPIC lookup
- **Day 14** -VPO mobile app on 350 booths
- **Day 21** -First 5 lakh records enumerated & shadowed
- **Day 25** -Deletion heatmap live for Annamayya
- **Day 28** -Form 7 abuse model deployed
- **Day 30** -Pilot review with party leadership

PHASE 2

Statewide Rollout

Days 31 – 90

- **Day 45** -All 26 district liaisons trained
- **Day 60** -VPO app on all 46,165 booths
- **Day 60** -Migrant camps live in Bengaluru, Hyderabad, Mumbai
- **Day 75** -4.08 crore shadow database complete
- **Day 80** -Reconciliation engine ready for draft roll
- **Day 85** -Legal pipeline with template writs operational
- **Day 90** -Full statewide go-live confirmed

PHASE 3

Reconciliation & Recovery

Day 90 → Final Roll Publication

- Every BLO visit logged in real time
- Every household skip flagged for re-verification
- Every Form 7 objection parsed within 4 hours
- Automatic Form 6 for every name missing from draft roll
- AP High Court writ within 72 hours of any final deletion
- **Day 91** -Full data control transferred to YSRCP
- Platform sunsets within 30 days of final roll


COMMITMENT: SciEncephalon builds the platform, field operations mobilise 46,165 VPOs, and program leadership manages delivery. Three workstreams. One 90-day commitment.

Platform engineering, ground operations, and program delivery -fully resourced.

SCIENCEPHALON AI

Platform Engineering


- Full-stack engineering team for the 90-day build
- AWS ap-south-1 production infrastructure
- ML model development and training
- WhatsApp Business API integration & Telugu bot
- React Native VPO mobile app
- Full open-source codebase handover on day 91



FIELD OPERATIONS PARTNER

Ground Operations


- 46,165 Voter Protection Operators -one per booth
- District-level coordinator network across 26 districts
- Migrant enrollment camps in Bengaluru, Hyderabad, Mumbai
- Fishing harbour outreach -Godavari and Nellore coasts
- SHG women VPO appointments for SC/ST constituencies



PROGRAM DELIVERY LEAD

Program Delivery

- 90-day delivery oversight across all three workstreams
- Party stakeholder alignment and MLA office liaison
- 26-district technical liaison onboarding by day 45
- Legal cell coordination for statutory filing windows
- Pilot review with party leadership on day 30



INFRASTRUCTURE & DATA SOVEREIGNTY

All voter data resides in **AWS ap-south-1 (Mumbai)**. Full administrative control transfers to a YSRCP-designated custodian on day 91. No data leaves Indian sovereign territory.

PLATFORM LIFECYCLE

Platform sunsets within **30 days of final roll publication**. All voter PII purged. Full open-source codebase handover -no lock-in. Aggregated analytical insights retained for the next SIR cycle.

THE COMMITMENT: SciEncephalon assigning senior engineering, operations, and program delivery capacity -so that no valid YSRCP voter is silently deleted before the final roll publishes.

Six coordination items to launch the 90-day mission.

Access to 175 Constituency WhatsApp Networks

Bot reaches every karyakarta in week one. Without network access, the alert system has no reach.

One Technical Liaison Per District -26 People

Telugu-speaking local contact per district. Does not need to code. Coordinates VPO onboarding and escalation.

MLA Office Buy-In at All 175 Offices

Heatmap flags become MLA office action items. Without this link, the dashboard-to-filing pipeline breaks.

Authorisation Letter From Party Leadership

Engineering and field teams need sanctioned standing before any deployment begins.

Pilot Greenlight for Rayachoti & Annamayya

The pilot district nominated by YSRCP Senior Leadership is the 30-day proof of concept before statewide commitment.

Legal Cell Coordination

Counter-filings within the statutory window and AP High Court writs require party legal infrastructure and standing.

PILOT GUARDRAIL: the first 30 days operate with defined success criteria, after which statewide scale-up proceeds only on leadership approval.

SciEncephalon

AI

ANDHRA PRADESH VOTER PROTECTION MISSION · SIR 2026

4.08 Cr

VOTERS PROTECTED

90 Days

FULL DELIVERY

46,165

BOOTHS COVERED

26 Districts

175 Constituencies

AWS ap-south-1

Telugu Bot

THE DECISION IN FRONT OF THE PARTY

Show up with a database –or show up with a *complaint*.

SIR 2026 will run whether YSRCP participates or not. The only question is whether to have a database and an alarm system ready –or discover the deletions after the roll is final.

Day 0 Verbal greenlight from YSRCP Senior Leadership

Day 1 Authorisation letter from party leadership

Day 2 SciEncephalon begins AWS provisioning

Day 3 Team begins VPO identification in Rayachoti

Day 7 First Telugu WhatsApp bot live

Day 30 Pilot review -go/no-go for statewide

contact@sciencephalon.com

https://www.sciencephalon.com