```
1 . use "/Users/michaelodonnell/Dropbox/Research/Stanford – Ostracism/Stanford_Wave_3_Ostracism_incomplete&a
  > ttention_drops&demographic_coded.dta"

2 . do "/var/folders/jg/24l23cq53cq2m6d8dbn69rx80000gn/T//SD83608.000000"

3 . preserve

4 . keep if wave_2==0
  (893 observations deleted)

5 . reg dv condition_ost female female_miss hispanic hisp_miss black other_race race_missing hs_grad some_co
  > llege college_grad edu_miss inc_30_to_50 inc_50_to_75 inc_75_to_100 inc_100_plus inc_missing region_mw r
  > egion_south region_west region_missing
  note: female_miss omitted because of collinearity
  note: hisp_miss omitted because of collinearity
  note: race_missing omitted because of collinearity
  note: edu_miss omitted because of collinearity
  note: inc_missing omitted because of collinearity
```

Source	SS	df	MS		
Model	3.69640141	16	.231025088	Number of obs =	926
Residual	36.8628214	909	.040553159	F(16, 909) =	5.70
				Prob > F =	0.0000
				R-squared =	0.0911
				Adj R-squared =	0.0751
Total	40.5592229	925	.043847808	Root MSE =	.20138

dv	Coef.	Std. Err.	t	P>|t|	[95% Conf. Interval]	
condition_ostracized	-.0974594	.0133675	-7.29	0.000	-.1236942	-.0712246
female	-.0163379	.0134154	-1.22	0.224	-.0426667	.0099909
female_miss	0	(omitted)				
hispanic	.0347781	.0202584	1.72	0.086	-.0049807	.0745368
hisp_miss	0	(omitted)				
black	-.0087015	.0197545	-0.44	0.660	-.0474711	.0300682
other_race	-.0199187	.0207632	-0.96	0.338	-.0606681	.0208306
race_missing	0	(omitted)				
hs_grad	.0250724	.054935	0.46	0.648	-.0827418	.1328866
some_college	.0259946	.0543706	0.48	0.633	-.0807119	.1327011
college_grad	.0402639	.0535292	0.75	0.452	-.0647912	.145319
edu_miss	0	(omitted)				
inc_30_to_50	.0184105	.0203032	0.91	0.365	-.0214361	.0582571
inc_50_to_75	.0318344	.0200126	1.59	0.112	-.0074418	.0711106
inc_75_to_100	.0808918	.0226271	3.57	0.000	.0364843	.1252992
inc_100_plus	.0711242	.0214976	3.31	0.001	.0289335	.1133148
inc_missing	0	(omitted)				
region_mw	.0260775	.0207793	1.25	0.210	-.0147035	.0668585
region_south	.0210373	.0188745	1.11	0.265	-.0160052	.0580799
region_west	-.0070021	.0203953	-0.34	0.731	-.0470295	.0330252
region_missing	-.0166555	.1449182	-0.11	0.909	-.3010686	.2677576
_cons	.5160673	.0553789	9.32	0.000	.407382	.6247526

```
6 . ttest dv, by(condition)
```

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	491	.5918194	.0083351	.184693	.5754425	.6081963
1	435	.4908046	.0106694	.2225274	.4698345	.5117747
combined	926	.5443664	.0068813	.2093987	.5308617	.5578712

```
────────────────────────────────────────────────────────────────────────────
      diff │       .1010148       .013389                .0747385     .1272912
────────────────────────────────────────────────────────────────────────────

      diff = mean(0) - mean(1)                                   t =    7.5446
   Ho: diff = 0                              degrees of freedom =       924

      Ha: diff < 0                  Ha: diff != 0                  Ha: diff > 0
   Pr(T < t) = 1.0000       Pr(|T| > |t|) = 0.0000       Pr(T > t) = 0.0000
```

7 . esize twosample dv, by(cond) all

Effect size based on mean comparison

```
                              Obs per group:
                    condition_ostracized==0 =         491
                    condition_ostracized==1 =         435

────────────────────────────────────────────────────────────────
        Effect Size │   Estimate      [95% Conf. Interval]
────────────────────┼───────────────────────────────────────────
          Cohen's d │   .4967723      .3656167      .6276666
         Hedges's g │   .4963689      .3653199       .627157
     Glass's Delta 1│   .5469336      .4131555      .6801885
     Glass's Delta 2│   .4539434      .3211576      .5862321
     Point-Biserial r│  .2408908      .1796976      .2992291
────────────────────────────────────────────────────────────────
```

8 . restore

9 .
10 . preserve

11 . keep if wave_2==1
   (940 observations deleted)

12 . reg dv condition_ost female female_miss hispanic hisp_miss black other_race race_missing hs_grad some_co
   > llege college_grad edu_miss inc_30_to_50 inc_50_to_75 inc_75_to_100 inc_100_plus inc_missing region_mw r
   > egion_south region_west region_missing
   note: female_miss omitted because of collinearity
   note: hisp_miss omitted because of collinearity
   note: race_missing omitted because of collinearity
   note: edu_miss omitted because of collinearity
   note: inc_miss omitted because of collinearity

```
      Source │       SS           df       MS      Number of obs   =        883
─────────────┼──────────────────────────────────   F(16, 866)      =       5.08
       Model │ 3.07775294         16  .192359559   Prob > F        =     0.0000
    Residual │ 32.8176323        866  .037895649   R-squared       =     0.0857
─────────────┼──────────────────────────────────   Adj R-squared   =     0.0689
       Total │ 35.8953853        882  .040697716   Root MSE        =     .19467
```

```
──────────────────────────────────────────────────────────────────────────────────
                  dv │      Coef.   Std. Err.      t    P>|t|     [95% Conf. Interval]
─────────────────────┼────────────────────────────────────────────────────────────
condition_ostracized │  -.0818054   .0132378    -6.18   0.000    -.1077875   -.0558234
              female │   -.000259   .0132802    -0.02   0.984    -.0263242    .0258062
         female_miss │          0  (omitted)
            hispanic │   .0225154   .0209978     1.07   0.284    -.0186973     .063728
           hisp_miss │          0  (omitted)
               black │  -.0305229   .0198135    -1.54   0.124    -.0694111    .0083653
          other_race │  -.0284364    .021098    -1.35   0.178    -.0698457    .0129728
        race_missing │          0  (omitted)
             hs_grad │  -.0496829   .0508601    -0.98   0.329    -.1495063    .0501406
        some_college │  -.0356939   .0498901    -0.72   0.475    -.1336135    .0622257
```

college_grad	-.0501699	.0490276	-1.02	0.306	-.1463968	.0460569
edu_miss	0	(omitted)				
inc_30_to_50	-.0041817	.0200641	-0.21	0.835	-.0435617	.0351982
inc_50_to_75	.0415459	.0200158	2.08	0.038	.0022607	.080831
inc_75_to_100	.0429236	.0214874	2.00	0.046	.0007502	.0850969
inc_100_plus	.0929346	.0213487	4.35	0.000	.0510333	.1348358
inc_missing	0	(omitted)				
region_mw	.043522	.0209434	2.08	0.038	.0024161	.0846278
region_south	.0388327	.0194373	2.00	0.046	.000683	.0769824
region_west	.0525276	.0211036	2.49	0.013	.0111075	.0939478
region_missing	.0431849	.1973387	0.22	0.827	-.3441332	.430503
_cons	.5817633	.0514412	11.31	0.000	.4807994	.6827273

13 . ttest dv, by(condition)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	454	.6000367	.0084543	.180138	.5834222	.6166512
1	429	.516317	.0103449	.2142672	.4959838	.5366502
combined	883	.559362	.006789	.2017367	.5460376	.5726865
diff		.0837197	.0132952		.0576257	.1098137

diff = mean(0) – mean(1)   t =   6.2970
Ho: diff = 0   degrees of freedom =   881

    Ha: diff < 0   Ha: diff != 0   Ha: diff > 0
 Pr(T < t) = 1.0000   Pr(|T| > |t|) = 0.0000   Pr(T > t) = 0.0000

14 . esize twosample dv, by(cond) all

Effect size based on mean comparison

                              Obs per group:
                    condition_ostracized==0 =   454
                    condition_ostracized==1 =   429

Effect Size	Estimate	[95% Conf. Interval]	
Cohen's d	.4239904	.2904274	.5573179
Hedges's g	.4236294	.2901801	.5568433
Glass's Delta 1	.464753	.3291162	.5999012
Glass's Delta 2	.3907256	.2559674	.5250439
Point-Biserial r	.2075317	.1438096	.2686144

15 . restore

16 .
17 .
18 . reg dv condition_ost female female_miss hispanic hisp_miss black other_race race_missing hs_grad some_co
   > llege college_grad edu_miss inc_30_to_50 inc_50_to_75 inc_75_to_100 inc_100_plus inc_missing region_mw r
   > egion_south region_west region_missing
   note: female_miss omitted because of collinearity
   note: hisp_miss omitted because of collinearity
   note: race_missing omitted because of collinearity
   note: edu_miss omitted because of collinearity
   note: inc_missing omitted because of collinearity

```
      Source |       SS           df       MS       Number of obs   =      1,809
-------------+----------------------------------   F(16, 1792)     =       9.87
       Model |  6.19959063         16  .387474414   Prob > F        =     0.0000
    Residual |  70.3566562      1,792  .039261527   R-squared       =     0.0810
-------------+----------------------------------   Adj R-squared   =     0.0728
       Total |  76.5562469      1,808  .042343057   Root MSE        =     .19815
```

```
                 dv |      Coef.   Std. Err.      t    P>|t|     [95% Conf. Interval]
--------------------+----------------------------------------------------------------
condition_ostracized |  -.0893164    .009358    -9.54   0.000    -.1076701   -.0709627
              female |  -.0095618   .0094213    -1.01   0.310    -.0280398    .0089161
         female_miss |          0  (omitted)
            hispanic |   .0290178   .0145108     2.00   0.046     .0005578    .0574777
           hisp_miss |          0  (omitted)
               black |  -.0191287   .0139427    -1.37   0.170    -.0464745     .008217
          other_race |  -.0278779   .0147217    -1.89   0.058    -.0567514    .0009956
        race_missing |          0  (omitted)
             hs_grad |   -.017908   .0372706    -0.48   0.631    -.0910065    .0551904
        some_college |   -.008537   .0367435    -0.23   0.816    -.0806015    .0635275
        college_grad |  -.0084718   .0361396    -0.23   0.815    -.0793519    .0624083
            edu_miss |          0  (omitted)
          inc_30_to_50 |   .0078926   .0142508     0.55   0.580    -.0200572    .0358425
          inc_50_to_75 |   .0358304   .0141194     2.54   0.011     .0081381    .0635227
         inc_75_to_100 |   .0615857   .0155614     3.96   0.000     .0310653    .0921061
          inc_100_plus |     .08116   .0151183     5.37   0.000     .0515085    .1108114
         inc_missing |          0  (omitted)
           region_mw |   .0353055   .0146676     2.41   0.016      .006538    .0640729
        region_south |   .0302916   .0134617     2.25   0.025     .0038894    .0566938
         region_west |   .0218739   .0145847     1.50   0.134    -.0067309    .0504788
      region_missing |   .0083145   .1159672     0.07   0.943    -.2191307    .2357597
               _cons |   .5536291   .0376155    14.72   0.000     .4798542    .6274039
```

19 . ttest dv, by(condition)

Two-sample t test with equal variances

```
   Group |     Obs        Mean    Std. Err.   Std. Dev.   [95% Conf. Interval]
---------+--------------------------------------------------------------------
       0 |     945    .5957672    .0059357    .1824686    .5841185    .6074159
       1 |     864    .5034722    .0074407    .2187112    .4888682    .5180762
---------+--------------------------------------------------------------------
combined |   1,809     .551686    .0048381    .2057743    .5421972    .5611748
---------+--------------------------------------------------------------------
    diff |              .092295    .0094421                .0737764    .1108136
```

```
    diff = mean(0) - mean(1)                                   t =   9.7748
Ho: diff = 0                                   degrees of freedom =     1807

    Ha: diff < 0                 Ha: diff != 0                 Ha: diff > 0
 Pr(T < t) = 1.0000      Pr(|T| > |t|) = 0.0000          Pr(T > t) = 0.0000
```

20 . esize twosample dv, by(cond) all

Effect size based on mean comparison

```
                            Obs per group:
                 condition_ostracized==0 =        945
                 condition_ostracized==1 =        864
```

```
     Effect Size |    Estimate      [95% Conf. Interval]
-----------------+
```

Cohen's *d*	.4601034	.3665739	.5535087
Hedges's *g*	.4599124	.3664217	.5532789
Glass's Delta 1	.5058128	.4106515	.6007209
Glass's Delta 2	.4219947	.3274987	.5162567
Point-Biserial r	.2240997	.1802052	.2666165

```
21 .
   end of do-file

22 .
```