

A Markdown Interpreter for T_EX

Vít Starý Novotný, Andrej Genčur
witiko@mail.muni.cz

Version 3.16.0-0-g4d0fb773
2026-06-17

Contents

1	Introduction	1	3	Implementation	182
1.1	Requirements	2	3.1	Lua Implementation . . .	182
1.2	Feedback	6	3.2	Plain T _E X Implementation	429
1.3	Acknowledgements	7	3.3	L ^A T _E X Implementation . .	476
2	Interfaces	7	3.4	ConT _E Xt Implementation	523
2.1	Lua Interface	7			
2.2	Plain T _E X Interface	57			
2.3	L ^A T _E X Interface	168			
2.4	ConT _E Xt Interface	177			
				References	534
				Index	536

List of Figures

1	A block diagram of the Markdown package	8
2	A sequence diagram of typesetting a document using the T _E X interface . .	53
3	A sequence diagram of typesetting a document using the Lua CLI	54
4	An example directed graph	83
5	An example mindmap	84
6	An example UML sequence diagram	85
7	The banner of the Markdown package	86
8	A pushdown automaton that recognizes T _E X comments	303

1 Introduction

The Markdown package¹ converts CommonMark² markup to T_EX commands. The functionality is provided both as a Lua module and as plain T_EX, L^AT_EX, and ConT_EXt macro packages that can be used to directly typeset T_EX documents containing markdown markup. Unlike other converters, the Markdown package does not require any external programs, and makes it easy to redefine how each and every markdown element is rendered. Creative abuse of the markdown syntax is encouraged. 😊

This document is a technical documentation for the Markdown package. It consists of three sections. This section introduces the package and outlines its prerequisites.

¹See <https://ctan.org/pkg/markdown>.

²See <https://commonmark.org/>.