

dvisvgm Manual

dvisvgm — converts DVI, EPS, and PDF files to the XML-based SVG format

Contents

dvisvgm Manual	1
Synopsis	1
Description	1
Options	2
Supported Specials	13
Examples	16
Environment	17
Files	18
See also	18
Resources	18
Bugs	18
Author	18
Copying	18

Synopsis

dvisvgm [*options*] *file* [.dvi]

dvisvgm --eps [*options*] *file1* [.eps] *file2* [.eps] ...

dvisvgm --pdf [*options*] *file* [.pdf]

Description

The command-line utility **dvisvgm** converts DVI files, as generated by TeX/LaTeX, to the XML-based scalable vector graphics format SVG. It supports the classic DVI version 2 as well as version 3 (created by pTeX in vertical mode), and the XeTeX versions 5 to 7 which are also known as XDV. Besides the basic DVI commands, dvisvgm also evaluates many so-called *specials* which heavily extend the capabilities of the plain DVI format. For a more detailed overview, see section **Supported Specials** below.

Since the current SVG standard 1.1 doesn't specify multi-page graphics, dvisvgm creates separate SVG files for each DVI page. Because of compatibility reasons, only the first page is converted by default. In order to select a different page or arbitrary page sequences, use option **-p** which is described below.

SVG is a vector-based graphics format and therefore dvisvgm tries to convert the glyph outlines of all fonts referenced in a DVI page section to scalable path descriptions. The fastest way to achieve this is to extract the path information from vector-based font files available in PFB, TTF, or OTF format. If dvisvgm is able to find such a file, it extracts all necessary outline information about the glyphs from it.

However, TeX's former main source for font descriptions is Metafont, which produces bitmap output in terms of GF files. That's why not all obtainable TeX fonts are available in a scalable format. In these cases, dvisvgm tries to