

The GFSBODONI font family

Antonis Tsolomitis
Laboratory of Digital Typography
and Mathematical Software
Department of Mathematics
University of the Aegean

19 March 2006

1 Introduction

The Bodoni family of the Greek Font Society was made available for free in autumn 2005. This font existed with a commercial license for many years before. Support for LaTeX and the babel package was prepared several years ago by the author and I. Vasilogiorgakis. With the free availability of the fonts I have modified the original package so that it reflects the changes occurred in the latest releases by GFS.

The package supports three encodings: OT1, T1 and LGR to the extend that the font themselves cover these. OT1 and LGR should be fairly complete. The greek part is to be used with the greek option of the Babel package.

The fonts are loaded with

```
\usepackage{gfsdidot} or \usepackage[default]{gfsdidot}.
```

The latter one sets Bodoni as the default document font. The former defines the environment `bodoni` and the command `\textbodoni`. For example, while in Greek language

```
\textbodoni{dokim'h}
```

produces

δοκιμή.

x-height is adjusted so that it matches with the x-height of the `txfonts` package. This is done to help with documents requiring mathematics. In this case load `txfonts` *but before* `gfsbodoni.sty`.

2 Installation

Copy the contents of the subdirectory `afm` in `texmf/fonts/afm/GFS/Bodoni/`

Copy the contents of the subdirectory `doc` in `texmf/doc/latex/GFS/Bodoni/`