Reliable ML systems

SciPy Latam 2019, Bogotá

<u>Javier Mansilla - javier.mansilla@mercadolibre.com</u>


Bogotá, 2019



One ecosystem



Large-scale operations



Introduction and assumptions what is this talk about?

Introduction and assumptions what is this talk about?

Imagine a system serving 500k predictions per minute.

8 milliseconds per request.

Re-trained reguraly.

Introduction and assumptions what is this talk about?


Imagine a system serving 500k predictions per minute.

8 milliseconds per request.


Re-trained reguraly.

Pro tip: be kind with the one that's on call at night.

A machine-learning based system



A machine-learning based system





When I say "testing"...

- Infrastructure
- Data
- Logging
- Metrics
- Monitoring



Code is code

Software engineering best-practices apply

ML IS CODE

Open your mind to testing



In sync with the industry Let's not reinvent the wheel



What's your ML Test Score? A rubric for ML production systems

Eric Breck, Shanqing Cai, Eric Nielsen, Michael Salib, D. Sculley

Proposes practices divided in 4 areas:

- Features & Data
- Model Development
- Infrastructure
- Monitoring



- 1. Feature Distribution Expectations
- 2. Feature relationship with target or pairwise
- 3. Worth paying cost per feature
- 4. Easy & Stable Feature deprecation
- 5. Privacy across Pipeline
- 6. Calendar time for create & add new feature to prod
- 7. Usual testing practices for features code

- 1. Feature Distribution Expectations
- 2. Feature relationship with target or pairwise
- 3. Worth paying cost per feature
- 4. Easy & Stable Feature deprecation
- 5. Privacy across Pipeline
- 6. Calendar time for create & add new feature to prod
- 7. Usual testing practices for features code

- 1. Feature Distribution Expectations
- 2. Feature relationship with target or pairwise
- 3. Worth paying cost per feature
- 4. Easy & Stable Feature deprecation
- 5. Privacy across Pipeline
- 6. Calendar time for create & add new feature to prod
- 7. Usual testing practices for features code



Model Development

- 1. Code review model specifications
- 2. Relationship between proxy & actual metrics
- 3. Explore hyperparameters
- 4. Effect of model staleness
- 5. Compare with simpler baseline
- 6. Quality on relevant data slices
- 7. Presence of implicit bias

Model Development

- 1. Code review model specifications
- 2. Relationship between proxy & actual metrics
- 3. Explore hyperparameters
- 4. Effect of model staleness
- 5. Compare with simpler baseline
- 6. Quality on relevant data slices
- 7. Presence of implicit bias

Model Development

- 1. Code review model specifications
- 2. Relationship between proxy & actual metrics
- 3. Explore hyperparameters
- 4. Effect of model staleness
- 5. Compare with simpler baseline
- 6. Quality on relevant data slices
- 7. Presence of implicit bias



Infrastructure

- 1. Reproducibility of training
- 2. Integration test model specification code
- 3. Integration test full pipeline
- 4. QA before serving
- 5. Incremental training
- 6. Server vs model sync (Canary deploy)
- 7. Roll back to previous version

Infrastructure

- 1. Reproducibility of training
- 2. Integration test model specification code
- 3. Integration test full pipeline
- 4. QA before serving
- 5. Incremental training
- 6. Server vs model sync (Canary deploy)
- 7. Roll back to previous version

Infrastructure

- 1. Reproducibility of training
- 2. Integration test model specification code
- 3. Integration test full pipeline
- 4. QA before serving
- 5. Incremental training
- 6. Server vs model sync (Canary deploy)
- 7. Roll back to previous version



Monitoring

- 1. Upstream instability in features (in train & serving)
- 2. Data invariants hold (train & serving)
- 3. Features compute the same in train & serving
- 4. Model staleness status
- 5. Invalid data in t & s (NaN, Infinite, etc)
- 6. Bare metal peaks or leaks
- 7. Quality regressions on served predictions

Monitoring

- 1. Upstream instability in features (in train & serving)
- 2. Data invariants hold (train & serving)
- 3. Features compute the same in train & serving
- 4. Model staleness status
- 5. Invalid data in t & s (NaN, Infinite, etc)
- 6. Bare metal peaks or leaks
- 7. Quality regressions on served predictions

Monitoring

- 1. Upstream instability in features (in train & serving)
- 2. Data invariants hold (train & serving)
- 3. Features compute the same in train & serving
- 4. Model staleness status
- 5. Invalid data in t & s (NaN, Infinite, etc)
- 6. Bare metal peaks or leaks
- 7. Quality regressions on served predictions

Implementation

What do we do with our teams?



Project's stages

1. Research Only projects / Discovery:

the team is working towards validating feasibility, or discovering opportunities

2. Production in the Roadmap


the team is working focused on reaching production in the short-mid range

3. Already in production

the team is maintaining, upgrading and monitoring an initiative that's already in production



What practices make sense in each stage?



Thank you!

Questions?

