aircraft

Tight Rope v0.6

3rd December 2015

1 ID Files

1.1 MissionIds

 ${\bf section}\ {\it MissionIds}\ {\bf parents}\ {\it scj_prelude}, {\it MissionId}$

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$

1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj_prelude, Schedulable Id$

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of FID,\ Take Off Monitor ID,$

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID \rangle$

1.3 ThreadIds

 ${\bf section}\ ThreadIds\ {\bf parents}\ scj_prelude, GlobalTypes$

1.4 ObjectIds

section ObjectIds **parents** scj_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$

 $Land Mission Object ID:\ Object ID$

 $\label{lem:condition} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$

2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
         Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
         Framework Chan, Safelet Chan
channelset \ TerminateSync ==
         \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
         \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
{\bf channel set} \ \mathit{TierSync} = =
         \{| start\_mission., done\_mission., \}
         done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
         \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet \}
channelset SchedulablesSync ==
         \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW|\}
channelset AppSync ==
         \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \}
         MTAppSync, OSEHSync, APEHSync,
         \{|getSequencer, end\_mission\_app, end\_managedThread\_app, | end\_managed
         set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
         terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ObjectSync ==
         \{ \mid \}
{f channel set} \ \mathit{ThreadSync} ==
         \{ \mid \mid \}
channelset \ LockingSync ==
         \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify \} 
channelset Tier0Sync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW,
start_mission., done_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..
```

```
SchedulableId, SchedulableIds, MissionChan, SchedulableMethChan, MissionFW,
       SafeletFW, TopLevelMissionSequencerFW, NetworkChannels, ManagedThreadFW,
       Schedulable {\it Mission Sequencer FW}, Periodic {\it Event Handler FW}, One {\it Shot Event Hand
       AperiodicEventHandlerFW, ObjectFW, ThreadFW,
       ACSafeletApp, MainMissionSequencerApp, MainMissionApp, ACModeChangerApp, ControlHandlerApp,
       Communications Handler App, Environment Monitor App, Flight Sensors Monitor App,
       Aperiodic Simulator App, Take Off Mission App, Landing Gear Handler Take Off App, Take Off Failure Handler App,
       TakeOffMonitorApp, CruiseMissionApp, BeginLandingHandlerApp, NavigationMonitorApp
       , LandMissionApp, LandingGearHandlerLandApp, SafeLandingHandlerApp, GroundDistanceMonitorApp,
       InstrumentLandingSystemMonitorApp
process ControlTier \stackrel{\frown}{=}
   SafeletFW
           [ControlTierSync]
   TopLevelMissionSequencerFW(MainMissionSequencer)
process Tier0 =
   MissionFW(MainMissionID)
           [MissionSync]
        Schedulable Mission Sequencer FW(ACMode Changer ID)
              [SchedulablesSync]
           AperiodicEventHandlerFW(ControlHandlerID,(time(10,0),null))
                  [SchedulablesSync]
           Aperiodic Event Handler FW (Communications Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
           PeriodicEventHandlerFW (EnvironmentMonitorID, (time(10,0), NULL, NULL, nullSchedulableId))
                  [SchedulablesSync]
           PeriodicEventHandlerFW (FlightSensorsMonitorID, (time(10,0), NULL, NULL, nullSchedulableId))
                  [SchedulablesSync]
           PeriodicEventHandlerFW(AperiodicSimulatorID, (time(10,0), NULL, NULL, nullSchedulableId))
process Tier1 =
   MissionFW(TakeOffMissionID)
           [MissionSync]
           Aperiodic Event Handler FW (Landing Gear Handler Take Off ID, (NULL, null Schedulable Id))
                  [SchedulablesSync]
           Aperiodic Event Handler FW (Take Off Failure Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
        PeriodicEventHandlerFW(TakeOffMonitorID,(time(0,0),time(500,0),NULL,nullSchedulableId))
        [ClusterSync]
   MissionFW(CruiseMissionID)
           [MissionSync]
        Aperiodic Event Handler FW (Begin Landing Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
        Periodic Event Handler FW (Navigation Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
        [ClusterSync]
   MissionFW(LandMissionID)
           [MissionSync]
           Aperiodic Event Handler FW(Landing Gear Handler Land ID, (NULL, null Schedulable Id))
                  [SchedulablesSync]
           AperiodicEventHandlerFW(SafeLandingHandlerID, (NULL, nullSchedulableId))
              [SchedulablesSync]
           PeriodicEventHandlerFW(GroundDistanceMonitorID, (time(0,0), time(10,0), NULL, nullSchedulableId))
                  [SchedulablesSync]
           Periodic Event Handler FW (Instrument Landing System Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
```

section Program parents scj_prelude, MissionId, MissionIds,

```
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
  ControlTier
      [\![\mathit{TierSync}]\!]
        [Tier0Sync]
\mathbf{process} Application \cong
  ACS a felet App
  Main Mission Sequencer App
  MainMissionApp
  ACModeChangerApp(MainMissionID)
  Control Handler App \\
  Communications Handler App
  EnvironmentMonitorApp(MainMissionID)
  FlightSensorsMonitorApp(MainMissionID)
  AperiodicSimulatorApp(controlHandlerID)
  Take Off Mission App
  Landing Gear Handler Take Off App (\ Take Off Mission ID)
  {\it Take Off Failure Handler App (Take Off Mission ID, 10.0)}
  Take Off Monitor App(Take Off Mission ID, 10.0, landing Gear Handler ID)
  Cruise Mission App
  BeginLandingHandlerApp(CruiseMissionID)
  NavigationMonitorApp(CruiseMissionID)
  Land Mission App
  Landing Gear Handler Land App (Land Mission ID)
  SafeLandingHandlerApp(LandMissionID, 10.0)
  GroundDistanceMonitorApp(LandMissionID)
 InstrumentLandingSystemMonitorApp(LandMissionID)
```

$Threads \stackrel{\frown}{=}$

```
ThreadFW(SafeLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(ACModeChangerThreadID, 5)
   [ThreadSync]
ThreadFW (TakeOffFailureHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(InstrumentLandingSystemMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(FlightSensorsMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(TakeOffMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(AperiodicSimulatorThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerLandThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerTakeOffThreadID, 5)
   [ThreadSync]
ThreadFW(GroundDistanceMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(ControlHandlerThreadID, 5)
   [ThreadSync]
ThreadFW (Communications Handler Thread ID, 5)
   [ThreadSync]
ThreadFW(BeginLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(NavigationMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(EnvironmentMonitorThreadID, 5)
```

```
Objects =
  ObjectFW(ACSafeletObjectID)
     [ObjectSync]
  ObjectFW(MainMissionObjectID)
     [ObjectSync]
  ObjectFW(ACModeChangerObjectID)
     [ObjectSync]
  ObjectFW(EnvironmentMonitorObjectID)
     [ObjectSync]
  ObjectFW(ControlHandlerObjectID)
     [ObjectSync]
  ObjectFW(FlightSensorsMonitorObjectID)
     [ObjectSync]
  ObjectFW(CommunicationsHandlerObjectID)
     [ObjectSync]
  ObjectFW(AperiodicSimulatorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMissionObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerTakeOffObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMonitorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffFailureHandlerObjectID)
     [ObjectSync]
  ObjectFW(CruiseMissionObjectID)
     [ObjectSync]
  ObjectFW(BeginLandingHandlerObjectID)
     [ObjectSync]
  ObjectFW(NavigationMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandMissionObjectID)
     [ObjectSync]
  ObjectFW(GroundDistanceMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerLandObjectID)
     [ObjectSync]
  ObjectFW(InstrumentLandingSystemMonitorObjectID)
     [ObjectSync]
  ObjectFW(SafeLandingHandlerObjectID)
```

 $Locking \stackrel{\frown}{=} Threads \parallel \mid Objects$

 $\mathbf{process} \ Program \ \widehat{=} \ (Framework \ \llbracket \ AppSync \ \rrbracket \ Application) \ \llbracket \ LockingSync \ \rrbracket \ LockingSync \ \rrbracket$

3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

4 Top Level Mission Sequencer

 $\begin{array}{c} \textbf{section} \ \textit{MainMissionSequencerApp} \ \textbf{parents} \ \textit{TopLevelMissionSequencerChan}, \\ \textit{MissionIds}, \textit{MissionIds}, \textit{SchedulableId}, \textit{MainMissionSequencerClass} \end{array}$

 $process MainMissionSequencerApp \stackrel{\frown}{=} begin$

```
State = \\ this: \mathbf{ref}\ MainMissionSequencerClass}
\mathbf{state}\ State
-Init = \\ State' = \\ this' = \mathbf{new}\ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \; \mathit{Methods} \end{array}
```

ullet (Init; Methods) \triangle (end_sequencer_app. MainMissionSequencer \longrightarrow **Skip**)

end

$\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
state State

returnedMission: B

state State

initial Init

State'

returnedMission' = false
```

```
\begin{array}{l} \textbf{protected sync } getNextMission \ \widehat{=} \ \textbf{var } ret : MissionID \ \bullet \\ \begin{pmatrix} \textbf{if } (\neg \ returnedMission = \textbf{True}) \longrightarrow \\ (this. \ returnedMission := true; \\ ret := MainMission \\ \boxed{ \ \ } \neg \ (\neg \ returnedMission = \textbf{True}) \longrightarrow \\ (ret := nullMissionId) \\ \end{pmatrix} \\ \textbf{fi} \end{array}
```

• Skip

5 Missions


5.1 MainMission

Skip

```
section MainMissionApp parents sci_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Class
    , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
  State
   this: {\bf ref}\ Main Mission Class
{f state}\ State
  Init
   State'
   this' = \mathbf{new} \ Main Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . MainMission \longrightarrow
  register! ACModeChanger! MainMission \longrightarrow
  register! EnvironmentMonitor! MainMission-
  register! ControlHandler! MainMission \longrightarrow
  register! FlightSensorsMonitor! MainMission \longrightarrow
  register \,! \, Communications Handler \,! \, Main Mission-
  register! AperiodicSimulator! MainMission \longrightarrow
  initializeRet. MainMission \longrightarrow
  Skip
CleanupPhase =
  clean up {\it MissionRet} \ . \ Main {\it Mission!} \ {\bf True} -
 Skip
getAirSpeedSyncMeth = \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired . MainMissionObject . thread \longrightarrow
    ret := this.getAirSpeed();
     end Sync Meth.\ Main Mission Object.\ thread-
     getAirSpeedRet \ . \ MainMission \ ! \ thread \ ! \ ret-
    Skip
getAltitudeSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired\;.\;MainMissionObject\;.\;thread {\longrightarrow}
    ret := this.getAltitude();
     endSyncMeth.\ MainMissionObject.\ thread \longrightarrow
     getAltitudeRet \ . \ MainMission \ ! \ thread \ ! \ ret-
```

```
qetCabinPressureSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
    getCabinPressureCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getCabinPressure();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         get Cabin Pressure Ret \ . \ Main Mission \ ! \ thread \ ! \ ret - thread \ " \ ret - t
getEmergencyOxygenSyncMeth \stackrel{\frown}{=} \mathbf{var}\ ret: double \ ullet
    getEmergencyOxygenCall. MainMission? thread \longrightarrow
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getEmergencyOxygen();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         getEmergencyOxygenRet.\ MainMission\ !\ thread\ !\ ret
getFuelRemainingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   \ 'getFuelRemainingCall . MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getFuelRemaining();
         endSyncMeth. MainMissionObject. thread-
         getFuelRemainingRet. MainMission! thread! ret
qetHeadingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   'getHeadingCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread –
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getHeading();
         end Sync Meth\ .\ Main Mission Object\ .\ thread
          getHeadingRet . MainMission! thread! ret-
setAirSpeedSyncMeth \stackrel{\frown}{=}
    \ 'setAirSpeedCall . MainMission ? thread ? airSpeed-
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAirSpeed(airSpeed);
         endSyncMeth. MainMissionObject. thread
         setAirSpeedRet . MainMission . thread-
         Skip
setAltitudeSyncMeth =
    \ 'setAltitudeCall . MainMission ? thread ? altitude-
         'startSyncMeth . MainMissionObject . thread-
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAltitude(altitude);
         endSyncMeth . MainMissionObject . thread
         setAltitudeRet . MainMission . thread \longrightarrow
```

```
setCabinPressureSyncMeth \stackrel{\frown}{=}
  set Cabin Pressure Call. Main Mission? thread? cabin Pressure-
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread-
    this.setCabinPressure(cabinPressure);
    endSyncMeth. MainMissionObject. thread
    set Cabin Pressure Ret . Main Mission . thread-
setEmergencyOxygenSyncMeth \triangleq
  setEmergencyOxygenCall. MainMission? thread? emergencyOxygen \longrightarrow 0
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setEmergencyOxygen(emergencyOxygen);
    endSyncMeth.\, MainMissionObject.\, thread {\longrightarrow}
    setEmergencyOxygenRet . MainMission . thread
setFuelRemainingSyncMeth =
  setFuelRemainingCall. MainMission? thread? fuelRemaining \longrightarrow
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setFuelRemaining(fuelRemaining);
    endSyncMeth. MainMissionObject. thread
    set Fuel Remaining Ret.\ Main Mission.\ thread-
    Skip
setHeadingSyncMeth \stackrel{\frown}{=}
  startSyncMeth. MainMissionObject. thread-
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setHeading(heading);
    endSyncMeth . MainMissionObject . thread-
    setHeadingRet . MainMission . thread \longrightarrow
    Skip
```



ullet (Init; Methods) \triangle (end_mission_app. MainMission \longrightarrow **Skip**)

```
\mathbf{state}\,\mathit{State}\,.
   ALTITUDE\_READING\_ON\_GROUND: double
   test: \mathbb{Z}
   cabinPressure: double
   emergency Oxygen: double\\
   fuel Remaining: double
   altitude:double
   airSpeed:double
   heading: double\\
\mathbf{state}\,\mathit{State}
   initial Init
   State'
   ALTITUDE\_READING\_ON\_GROUND' = 0.0
   test' = 0
public sync getAirSpeed = var ret : double \bullet
(ret := airSpeed)
public sync getAltitude = var ret : double \bullet
(ret := altitude)
public sync getCabinPressure = \mathbf{var} \ ret : double \bullet
(ret := cabinPressure)
public sync getEmergencyOxygen \cong \mathbf{var}\ ret: double \bullet
(ret := emergencyOxygen)
public sync getFuelRemaining = var ret : double \bullet
(ret := fuelRemaining)
public sync getHeading = var ret : double \bullet
(ret := heading)
public sync setAirSpeed \stackrel{\frown}{=}
(this.this.airSpeed := airSpeed)
public sync setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public sync setCabinPressure =
(this.this.cabinPressure := cabinPressure)
\mathbf{public\ sync}\ \mathit{setEmergencyOxygen}\ \widehat{=}
(this.this.emergencyOxygen := emergencyOxygen)
```

```
public sync setFuelRemaining \stackrel{\frown}{=}  (this.this.fuelRemaining := fuelRemaining)

public sync setHeading \stackrel{\frown}{=}  (this.this.heading := heading)
```

• Skip

5.2 Schedulables of MainMission

 $\begin{array}{c} \textbf{section} \ A C Mode Changer App \ \textbf{parents} \ Top Level Mission Sequencer Chan, \\ Mission Id, Mission Ids, Schedulable Id, A C Mode Changer Class \end{array}$

```
\mathbf{process} A CMode Changer App \cong
     controlling Mission: Mission ID \bullet \mathbf{begin}
GetNextMission \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getNextMissionCall . ACModeChanger-
  ret := this.getNextMission();
  getNextMissionRet \ . \ ACModeChanger \ ! \ ret
advanceModeMeth \stackrel{\frown}{=}
  advance Mode Call. ACMode Changer-
    if (modesLeft = 3) \longrightarrow
           modesLeft := modesLeft - 1;
           change To(launch Mode)
    if (modesLeft = 2) —
          (modesLeft := modesLeft - 1;
           change To(cruise Mode)
    if (modesLeft = 1) \longrightarrow
           modesLeft := modesLeft - 1;
           change To(land Mode)
       \neg (modesLeft = 1) -
         (change To(\mathbf{null}))
    fi
    fi
  advance Mode Ret.\ ACMode Changer
  Skip
change To Sync Meth \cong
  'change To Call . ACMode Changer ? thread ? newMode-
    'startSyncMeth . ACModeChangerObject . thread \longrightarrow
    lockAcquired. ACModeChangerObject. thread \longrightarrow
    (this.currentMode := newMode);
    endSyncMeth . ACModeChangerObject . thread-
    change To Ret \:.\: ACMode Changer \:.\: thread {\longrightarrow}
Methods \stackrel{\frown}{=}
  GetNextMission
  Methods
  advance Mode Meth
  change To Sync Meth
```

• $(Methods) \triangle (end_sequencer_app . ACModeChanger \longrightarrow \mathbf{Skip})$

$\mathbf{class}\,ACModeChangerClass \,\,\widehat{=}\,\,\mathbf{begin}$

 ${f state}\ State$

 $protected sync getNextMission = var ret : MissionID \bullet$

```
'if (modesLeft = 3) \longrightarrow
      (modesLeft := modesLeft - 1;
      \ \ ret := TakeOffMission
[] \neg (modesLeft = 3) \longrightarrow
     if (modesLeft = 2) \longrightarrow
      (modesLeft := modesLeft - 1;
      \ \ ret := CruiseMission
[] \neg (modesLeft = 2) \longrightarrow
     if (modesLeft = 1) \longrightarrow
      (modesLeft := modesLeft - 1;)
     [] \neg (\dot{modesLeft} = 1) \longrightarrow
     (ret := nullMissionId)
fi
fi
fi
```

• Skip

end

${\bf section}\ A CMode Changer Meth Chan\ {\bf parents}\ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{array}{l} \textbf{channel} \ advance Mode Call: Schedulable ID \\ \textbf{channel} \ advance Mode Ret: Schedulable ID \\ \end{array}$

 $\mathbf{channel}\ change\ To\ Call:\ Schedulable\ ID\times\ Thread\ ID\times\ Mode$

 $\textbf{channel} \ change To Ret: Schedulable ID \times Thread ID$

 ${\bf section}\ \ Control Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

 $\mathbf{process} \ \mathit{ControlHandlerApp} \ \widehat{=} \ \mathbf{begin}$

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Control Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right); \\ handle A sync Event Ret \; . \; Control Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

```
Methods = (handlerAsyncEvent); Methods
```

 $\bullet \; (\mathit{Methods}) \; \triangle \; (\mathit{end}_\mathit{app} \; . \; \mathit{ControlHandler} \longrightarrow \mathbf{Skip})$

 ${\bf section}\ \ Communications Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

 $process Communications Handler App \stackrel{\frown}{=} \mathbf{begin}$

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Communications Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right); \\ handle A sync Event Ret \; . \; Communications Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

 $\begin{array}{l} \textit{Methods} \; \widehat{=} \\ \left(\textit{handlerAsyncEvent} \right) \; ; \; \; \textit{Methods} \end{array}$

ullet (Methods) \triangle (end_app . CommunicationsHandler \longrightarrow **Skip**)

 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Main Mission Meth Chan$

```
\begin{array}{l} \textit{mainMission}: \textit{MissionID} \bullet \mathbf{begin} \\ \\ \textit{handlerAsyncEvent} \, \widehat{=} \\ \begin{pmatrix} \textit{handleAsyncEventCall} \cdot \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setCabinPressureCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setCabinPressureRet} \cdot \textit{controllingMission} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setEmergencyOxygenCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setEmergencyOxygenRet} \cdot \textit{controllingMission} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setFuelRemainingCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setFuelRemainingRet} \cdot \textit{controllingMission} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setFuelRemainingRet} \cdot \textit{controllingMission} \longrightarrow \\ \mathbf{Skip} \\ \textit{handleAsyncEventRet} \cdot \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip} \\ \end{pmatrix}
```

 $\mathbf{process} \ Environment Monitor App \ \widehat{=}$

(handlerAsyncEvent); Methods

• $(Methods) \triangle (end_periodic_app . EnvironmentMonitor \longrightarrow \mathbf{Skip})$

 ${\bf section}\ Flight Sensors Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Main Mission Meth Chan$

```
\begin{array}{c} \mathbf{process} \ FlightSensorsMonitorApp \ \widehat{=} \\ mainMission : MissionID \ \bullet \ \mathbf{begin} \end{array}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Flight Sensors Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set A ir Speed Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set A ir Speed Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set A ltitude Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set A ltitude Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Heading Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set Heading Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Flight Sensors Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

 $\bullet \ (\mathit{Methods}) \ \triangle \ (\mathit{end_periodic_app} \ . \ \mathit{FlightSensorsMonitor} \longrightarrow \mathbf{Skip})$

```
\begin{array}{l} \mathbf{process}\,AperiodicSimulatorApp} \, \cong \\ aperiodicEvent: SchedulableID \bullet \mathbf{begin} \\ \\ handlerAsyncEvent \, \cong \\ \begin{pmatrix} handleAsyncEventCall \, . \, AperiodicSimulator \longrightarrow \\ \mathbf{Skip}; \\ releaseCall \, . \, event \longrightarrow \\ releaseRet \, . \, event? \, release \longrightarrow \\ \mathbf{Skip} \\ handleAsyncEventRet \, . \, AperiodicSimulator \longrightarrow \\ \mathbf{Skip} \\ \\ Methods \, \cong \\ \begin{pmatrix} handlerAsyncEvent \end{pmatrix}; \,\, Methods \\ \\ \bullet \,\, (Methods) \, \triangle \,\, (end\_periodic\_app \, . \, AperiodicSimulator \longrightarrow \mathbf{Skip}) \\ \end{array}
```

end

5.3 TakeOffMission

```
section TakeOffMissionApp parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
    , \, Take Off Mission Meth Chan
process\ TakeOffMissionApp\ \widehat{=}
     controlling Mission: Mission ID \bullet \mathbf{begin}
   this: {f ref}\ Take Off Mission Class
state State
  Init
   State'
   this' = \mathbf{new} \; TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  initializeCall. TakeOffMission \longrightarrow
  register! LandingGearHandlerTakeOff! TakeOffMission
  register! TakeOffMonitor! TakeOffMission \longrightarrow
  register! TakeOffFailureHandler! TakeOffMission \longrightarrow
  initializeRet. TakeOffMission \longrightarrow
  Skip
CleanupPhase =
  cleanup {\it MissionRet}\:.\: Take {\it Off Mission}\:!\: {\bf True}
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call. Take Off Mission-
  (this.landingGearDeployed := true);
  deploy Landing Gear Ret.\ Take Off Mission
  Skip
abortSyncMeth \stackrel{\frown}{=}
  startSyncMeth . TakeOffMissionObject . thread-
    lockAcquired. TakeOffMissionObject. thread—
    this.abort();
    end Sync Meth.\ Take Off Mission Object\ .\ thread
     abortRet.\ Take O\!f\!f\!Mission.\ thread-
    Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  startSyncMeth. TakeOffMissionObject. thread
    lockAcquired. TakeOffMissionObject. thread \longrightarrow
    ret := this.getControllingMission();
    endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     getControlling {\it MissionRet} \;. \; Take {\it OffMission!thread!ret}
    Skip
```

```
setControllingMissionSyncMeth =
  setControllingMissionCall. TakeOffMission? thread? controllingMission \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread—
     this.setControllingMission(controllingMission);
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     set Controlling Mission Ret . Take Off Mission . thread
clean Up SyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  clean Up Call. Take Off Mission? thread \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread
    lockAcquired. TakeOffMissionObject. thread-
    ret := this. clean Up();
     end Sync Meth.\ Take Off Mission Object\ .\ thread-
     clean UpRet . Take Off Mission \,! \, thread \,! \, ret \longrightarrow
    Skip
stowLandingGearSyncMeth \stackrel{\frown}{=}
  stowLandingGearCall. TakeOffMission? thread\longrightarrow
     startSyncMeth . TakeOffMissionObject . thread—
     lockAcquired\;.\;TakeOffMissionObject\;.\;thread {\longrightarrow}
     this.stowLandingGear();
     endSyncMeth. TakeOffMissionObject. thread-
     stow Landing Gear Ret.\ Take O\!f\!f\!Mission\ .\ thread-
    Skip
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  isLandingGearDeployedCall. TakeOffMission? thread \longrightarrow
    startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread \longrightarrow
    ret := this.isLandingGearDeployed();
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     is Landing Gear Deployed Ret.\ Take Off Mission \ !\ thread \ !\ ret
     Skip
               Initialize Phase
               П
                CleanupPhase
                deployLandingGearMeth
                abortSyncMeth
Methods \stackrel{\frown}{=}
                                                          ; Methods
               getControllingMissionSyncMeth \\
                setControllingMissionSyncMeth
                clean Up Sync Meth
                stowLandingGearSyncMeth
                is Landing Gear Deployed Sync Meth
• (Init; Methods) \triangle (end_mission_app. TakeOffMission \longrightarrow Skip)
```

class TakeOffMissionClass =begin

abort' = false

• Skip

end

${\bf section}\ \ Take Off Mission Meth Chan\ \ {\bf parents}\ \ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 ${\bf channel}\ deploy Landing Gear Call: Schedulable ID \\ {\bf channel}\ deploy Landing Gear Ret: Schedulable ID$

 $\begin{cal}{c} {\bf channel} \ abortCall: Schedulable ID \times Thread ID \\ {\bf channel} \ abortRet: Schedulable ID \times Thread ID \\ \end{cal}$

 $\textbf{channel} \ getControllingMissionCall: SchedulableID \times ThreadID$

 $\textbf{channel} \ getControllingMissionRet: SchedulableID \times ThreadID \times MissionID$

 $\textbf{channel} \ setControllingMissionCall: Schedulable ID \times Thread ID \times Mission ID$

 $\textbf{channel} \ setControllingMissionRet: SchedulableID \times \ ThreadID$

 $\begin{array}{l} \textbf{channel} \ clean Up Call : Schedulable ID \times Thread ID \\ \textbf{channel} \ clean Up Ret : Schedulable ID \times Thread ID \times \mathbb{B} \end{array}$

 $\begin{cal}{c} {\bf channel} \ stowLandingGearCall: SchedulableID \times ThreadID \\ {\bf channel} \ stowLandingGearRet: SchedulableID \times ThreadID \\ \end{cal}$

 $\begin{tabular}{l} {\bf channel} \ is Landing Gear Deployed Call: Schedulable ID \times Thread ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Schedulable ID \times Thread ID \times \mathbb{B} \\ \end{tabular}$

5.4 Schedulables of TakeOffMission

end

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Take Off Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Take Off App \cong
                             mission: MissionID \bullet \mathbf{begin}
 handlerAsyncEvent =
            'handle A sync Event Call . Landing Gear Handler Take Off \longrightarrow
                          Skip;
                           isLandingGearDeployedCall. mission \longrightarrow
                          is Landing Gear Deployed Ret . mission? is Landing Gear Deployed \longrightarrow
                           \mathbf{var}\ landing \textit{GearIsDeployed}: \mathbb{B} \bullet \textit{landing GearIsDeployed} := \textit{isLanding GearDeployed}
                          \mathbf{if} \ \mathit{landingGearIsDeployed} = \mathbf{True} \longrightarrow
                                                               ^{'}stow Landing Gear Call . mission —
                                                               stow Landing Gear Ret\ .\ mission-
                                                               Skip
                           [] \neg landingGearIsDeployed = True -
                                                               \begin{subarray}{l} deploy Landing Gear Call \ . \ mission \ . \ Landing Gear Handler Take Off Thread-part Call \ . \ mission \ . \ Landing Gear Handler Take Off Thread-part Call \ . \ Mark Call \ . \ Mar
                                                                deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-polynomial Control of the Control of
                         fi
              handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
            Skip
 Methods \stackrel{\frown}{=}
 (handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_app . LandingGearHandlerTakeOff \longrightarrow Skip)
```

 ${\bf section} \ \, Take Off Failure Handler App \ \, {\bf parents} \ \, Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \\$

```
process TakeOffFailureHandlerApp \stackrel{\frown}{=}
      take off Mission: Mission ID,
threshold: Double ullet begin
handlerAsyncEvent =
  'handle A sync Event Call . Take Off Failure Handler \longrightarrow
     (getControllingMissionCall\ .\ takeoffMission.getControllingMission() \longrightarrow (getControllingMissionCall\ .\ takeoffMission.getControllingMission() )
     getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission()?
     \mathbf{var}\ currentSpeed: double ullet currentSpeed:= getAirSpeed
     if(currentSpeed < threshold) \longrightarrow
              Skip;
              abortCall. takeoffMission \longrightarrow
              abortRet\ .\ takeoffMission {\longrightarrow}
              request Termination Call\:.\: take of \!\!f\!Mission \!\longrightarrow
              request Termination Ret.\ take off Mission\ ?\ request Termination-
     [] \neg (currentSpeed < threshold) \longrightarrow
           (Skip)
   \dot{handle} A sync Event Ret. Take Off Failure Handler \longrightarrow
  Skip
Methods \mathrel{\widehat{=}}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_app . TakeOffFailureHandler \longrightarrow \mathbf{Skip})
```

$\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

$__$ state $\mathit{State} ___$			
threshold: double			
$\mathbf{state}\mathit{State}$			
initial Init			
State'			
2000			

 \bullet Skip

 $\begin{array}{l} \textbf{section} \ \ Take Off Monitor App \ \ \textbf{parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \end{array}$

```
process TakeOffMonitorApp \cong
     take off Mission: Mission ID,
takeOffAltitude: double,
landing Gear Handler: Schedulable ID \bullet \mathbf{begin}
handlerAsyncEvent =
  'handle A sync Event Call . Take Off Monitor \longrightarrow
    Skip;
     getControllingMissionCall\ .\ takeoffMission.getControllingMission() {\longrightarrow}
     getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission().
     \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
    if (altitude > takeOffAltitude) \longrightarrow
            Skip;
            release Call\:.\: landing Gear Handler {\longrightarrow}
            releaseRet. landingGearHandler? release \longrightarrow
            request Termination Call. take off Mission \longrightarrow
            request Termination Ret\ .\ take off Mission\ ?\ request Termination-
    Skip
  handle A sync Event Ret \;.\; Take Off Monitor {\longrightarrow}
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . TakeOffMonitor \longrightarrow \mathbf{Skip})
```

end

$\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

take Off Altitude: determined the state of	ouble		
${f state}\ State$			
initial Init			

• Skip

5.5 CruiseMission

```
section CruiseMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class
     , {\it Cruise Mission Meth Chan}
process CruiseMissionApp \cong
      controlling Mission: Mission ID \bullet \mathbf{begin}
   State_{-}
    this: {f ref} \ Cruise Mission Class
{f state}\ State
   Init .
    State'
    this' = \mathbf{new} \ CruiseMissionClass()
InitializePhase \stackrel{\frown}{=}
  'initializeCall . CruiseMission \longrightarrow
   register! BeginLandingHandler! CruiseMission \longrightarrow
   register \,!\, Navigation Monitor \,!\, Cruise Mission {\longrightarrow}
   initializeRet \;.\; CruiseMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  {\it cleanup Mission Ret} : Cruise {\it Mission} \: ! \: \mathbf{True} \longrightarrow
  Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getControllingMissionCall. CruiseMission? thread\longrightarrow
     'startSyncMeth. CruiseMissionObject. thread \longrightarrow
     lockAcquired. CruiseMissionObject. thread \longrightarrow
     ret := this.getControllingMission();
     endSyncMeth.\ CruiseMissionObject.\ thread {\longrightarrow}
      getControlling Mission Ret.\ Cruise Mission \ !\ thread \ !\ ret
Methods \stackrel{\widehat{=}}{=} \begin{pmatrix} InitializePhase \\ \square \\ CleanupPhase \\ \square \\ getControllingMissionSyncMethology
```

end

• (Init; Methods) \triangle (end_mission_app. CruiseMission \longrightarrow Skip)

 $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$

 $\begin{array}{l} \mathbf{public\ sync\ } getControllingMission\ \widehat{=}\ \mathbf{var}\ ret: MissionID\ \bullet \\ \big(ret:=controllingMission\big) \end{array}$

• Skip

 $\quad \mathbf{end} \quad$

5.6 Schedulables of CruiseMission

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

```
 \begin{aligned} & \textbf{process } \textit{BeginLandingHandlerApp} \; \widehat{=} \\ & \textit{controllingMission} : \textit{MissionID} \; \bullet \; \textbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \begin{pmatrix} \mathbf{Skip}; \\ \textit{requestTerminationCall} \; . \; \textit{controllingMission} \longrightarrow \\ & \textit{requestTerminationRet} \; . \; \textit{controllingMission} \; ? \; \textit{requestTermination} \longrightarrow \\ & \mathbf{Skip} \\ & \textit{handleAsyncEventRet} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \mathbf{Skip} \\ \end{aligned} \right) \\ & \textit{Methods} \; \widehat{=} \\ & (\textit{handlerAsyncEvent}) \; ; \; \textit{Methods} \end{aligned} \\ & \bullet \; (\textit{Methods}) \; \triangle \; (\textit{end\_app} \; . \; \textit{BeginLandingHandler} \longrightarrow \; \mathbf{Skip}) \\ \\ & \text{end} \\ \end{aligned}
```

 ${\bf section}\ Navigation Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Cruise Mission Meth Chan$

```
\mathbf{process} \ Navigation Monitor App \ \widehat{=} \ 
                mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       handle A sync Event Call . Navigation Monitor \longrightarrow
              (getControllingMissionCall \ . \ mission.getControllingMission() \longrightarrow (getControllingMission() \longrightarrow (getControllingMission() ) )
               getControllingMissionRet.\ mission.getControllingMission()?\ getControllingMission
               \mathbf{var}\ heading: double \bullet heading:= getHeading
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
               getControllingMissionRet. mission.getControllingMission()? getControllingMission-
               \mathbf{var}\ airSpeed: double \bullet\ airSpeed:=\ getAirSpeed
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
               getControllingMissionRet\ .\ mission.getControllingMission()\ ?\ getControllingMission-property and the property of the prop
               \mathbf{var}\; altitude: double \bullet altitude:=\; getAltitude
              Skip
        handle A sync Event Ret. Navigation Monitor \longrightarrow
       Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . NavigationMonitor \longrightarrow \mathbf{Skip})
```

end

5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
    , Land Mission Meth Chan
process LandMissionApp =
     controlling Mission: Mission ID \bullet \mathbf{begin}
  State
   this: \mathbf{ref}\ Land Mission Class
{f state}\ State
  Init.
   State'
   this' = \mathbf{new} \ Land Mission Class()
InitializePhase =
  initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register! LandingGearHandlerLand! LandMission \longrightarrow
  register \,! \, Instrument Landing System Monitor \,! \, Land Mission {\longrightarrow}
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet. LandMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  cleanup Mission Ret . Land Mission! True-
 \ Skip
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call . Land Mission -
  (this.landingGearDeployed := true);
  deploy Landing Gear Ret\ .\ Land Mission
  Skip
stowLandingGearSyncMeth \stackrel{\frown}{=}
  ^{'}stowLandingGearCall . LandMission ? thread \longrightarrow
    startSyncMeth. LandMissionObject. thread-
    lockAcquired. LandMissionObject. thread \longrightarrow
    this.stowLandingGear();
     end Sync Meth.\ Land Mission Object.\ thread
     stow Landing Gear Ret\ .\ Land Mission\ .\ thread
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call . Land Mission ? thread \longrightarrow
    startSyncMeth. LandMissionObject. thread \longrightarrow
    lockAcquired. LandMissionObject. thread \longrightarrow
    ret := this.isLandingGearDeployed();
     endSyncMeth . LandMissionObject . thread \longrightarrow
     is Landing Gear Deployed Ret\ .\ Land Mission\ !\ thread\ !\ ret
     Skip
```

```
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  'startSyncMeth . LandMissionObject . thread \longrightarrow
    lockAcquired. LandMissionObject. thread \longrightarrow
    ret := this.getControllingMission();
    endSyncMeth. LandMissionObject. thread-
    getControlling Mission Ret.\ Land Mission \ !\ thread \ !\ ret
abortSyncMeth \mathrel{\widehat{=}}
  'abortCall . LandMission? thread \longrightarrow
    startSyncMeth . LandMissionObject . thread-
    lock Acquired\ .\ Land Mission Object\ .\ thread-
    this.abort();
    end Sync Meth.\ Land Mission Object.\ thread-
    abortRet.\ LandMission.\ thread {\longrightarrow}
clean Up SyncMeth \cong \mathbf{var} \ ret : \mathbb{B} \bullet
  'startSyncMeth . LandMissionObject . thread-
    lock Acquired . Land Mission Object . thread—
    ret := this \cdot clean Up();
    end Sync Meth\ .\ Land Mission Object\ .\ thread
    clean \textit{UpRet} . \textit{LandMission} ! \textit{thread} ! \textit{ret} -
               Initialize Phase \\
               CleanupPhase
               deploy Landing Gear Meth \\
               stowLandingGearSyncMeth \\
                                                        ; Methods
Methods \stackrel{\frown}{=}
               is Landing Gear Deployed Sync Meth
               getControllingMissionSyncMeth
               abortSyncMeth
               clean Up Sync Meth \\
```

• (Init; Methods) \triangle (end_mission_app. LandMission \longrightarrow **Skip**)

end

$\mathbf{class}\,\mathit{LandMissionClass} \,\, \widehat{=} \,\, \mathbf{begin}$

```
 \begin{array}{c} \textbf{state } State \\ SAFE\_LANDING\_ALTITUDE: double \\ abort: \mathbb{B} \\ landingGearDeployed: \mathbb{B} \end{array}
```

 $\mathbf{state}\,\mathit{State}$

```
\begin{array}{c} \textbf{initial } Init \\ State' \\ \hline SAFE\_LANDING\_ALTITUDE' = 10.0 \\ abort' = false \end{array}
```

```
public sync stowLandingGear = (this . landingGearDeployed := false)

public sync isLandingGearDeployed = \mathbf{var} \ ret : \mathbb{B} \bullet (ret := landingGearDeployed = \mathbf{True})

public sync getControllingMission = \mathbf{var} \ ret : MissionID \bullet (ret := controllingMission)

public sync abort = (this . abort := true)

public sync cleanUp = \mathbf{var} \ ret : \mathbb{B} \bullet (\mathbf{Skip}; ret := (\neg \ abort = \mathbf{True}))
```

• Skip

${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{tabular}{l} {\bf channel}\ deploy Landing Gear Call: Schedulable ID \\ {\bf channel}\ deploy Landing Gear Ret: Schedulable ID \\ \end{tabular}$

 $\begin{cal}{\bf channel}\ stowLandingGearCall: SchedulableID \times ThreadID\\ {\bf channel}\ stowLandingGearRet: SchedulableID \times ThreadID\\ \end{cal}$

 $\textbf{channel} \ is Landing Gear Deployed Call: Schedulable ID \times Thread ID \\ \textbf{channel} \ is Landing Gear Deployed Ret: Schedulable ID \times Thread ID \times \mathbb{B}$

 $\mathbf{channel} \ getControllingMissionCall: SchedulableID \times ThreadID$

 $\textbf{channel} \ getControllingMissionRet: SchedulableID \times ThreadID \times MissionID$

 $\begin{calce} {\bf channel}\ abortCall: Schedulable ID \times Thread ID \\ {\bf channel}\ abortRet: Schedulable ID \times Thread ID \\ \end{calceled}$

 $\begin{array}{l} \textbf{channel} \ clean Up Call : Schedulable ID \times Thread ID \\ \textbf{channel} \ clean Up Ret : Schedulable ID \times Thread ID \times \mathbb{B} \end{array}$

5.8 Schedulables of LandMission

end

 ${\bf section}\ Landing Gear Handler Land App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Land Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Land App \stackrel{\frown}{=}
      mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
  ^{'}handle A sync Event Call . Landing Gear Handler Land \longrightarrow
     Skip;
     isLandingGearDeployedCall. mission \longrightarrow
     is Landing Gear Deployed Ret . mission? is Landing Gear Deployed \longrightarrow
     \mathbf{var}\ landing \textit{GearIsDeployed}: \mathbb{B} \bullet \textit{landing GearIsDeployed} := \textit{isLanding GearDeployed}
     \mathbf{if} \ \mathit{landingGearIsDeployed} = \mathbf{True} \longrightarrow
             ^{'}stow Landing Gear Call . mission-
              stow Landing Gear Ret\ .\ mission-
             Skip
     \ 'deploy Landing Gear Call . mission . Landing Gear Handler Land Thread –
              deployLandingGearRet.\ mission.\ LandingGearHandlerLandThread {\longrightarrow}
     fi
   handle Async Event Ret. Landing Gear Handler Land \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
\bullet \; (\mathit{Methods}) \; \triangle \; (\mathit{end}\_\mathit{app} \; . \; \mathit{LandingGearHandlerLand} \; \longrightarrow \mathbf{Skip})
```

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \ \ Land Mission Meth Chan$

```
 \begin{aligned} & \textbf{process SafeLandingHandlerApp} \, \cong \\ & \textbf{landMission} : \textit{MissionID}, \\ & \textbf{threshold} : \textit{Double} \bullet \textbf{begin} \end{aligned}   \begin{aligned} & \textbf{handlerAsyncEvent} \, \cong \\ & \textbf{(handleAsyncEventCall : SafeLandingHandler \longrightarrow)} \\ & \textbf{(getControllingMissionCall : landMission.getControllingMission() \longrightarrow)} \\ & \textbf{getControllingMissionRet : landMission.getControllingMission()?getControllingMission \longrightarrow)} \\ & \textbf{var altitude : double} \bullet \textbf{altitude} := \textbf{getAltitude} \\ & \textbf{if (altitude < threshold)} \longrightarrow \\ & \textbf{(Skip)} \\ & \textbf{(Skip)} \\ & \textbf{(Skip)} \\ & \textbf{(Skip)} \\ & \textbf{fi} \end{aligned}   \begin{aligned} & \textbf{(Skip)} \\ & \textbf{handleAsyncEventRet : SafeLandingHandler} \longrightarrow \\ & \textbf{Skip} \end{aligned}   \end{aligned}   \begin{aligned} & \textbf{Methods} \, \cong \\ & \textbf{(Methods)} \, \triangle \, (\textbf{end\_app : SafeLandingHandler} \longrightarrow \textbf{Skip}) \end{aligned}
```

end

46

$\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

$__$ state $\mathit{State} ___$			
threshold: double			
$\mathbf{state}\mathit{State}$			
initial Init			
State'			
2000			

• Skip

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Land Mission Meth Chan$

```
\mathbf{process}\ Ground Distance Monitor App\ \widehat{=}\ 
     landMission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent \triangleq
  getControllingMissionCall\:.\:mission.getControllingMission() {\longrightarrow}
     getControllingMissionRet..mission.getControllingMission()?\ getControllingMission()?
     \mathbf{var}\ distance: double \bullet\ distance:=\ getAltitude
    if (distance = readingOnGround) \longrightarrow
            Skip;
            request Termination Call. mission \longrightarrow
            request Termination Ret.\ mission\ ?\ request Termination
     \llbracket \neg (\hat{distance} = readingOnGround) \longrightarrow \mathbf{Skip} \rrbracket
    fi;
    Skip
  \dot{handle} A sync Event Ret. Ground Distance Monitor \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
```

• $(Methods) \triangle (end_periodic_app . GroundDistanceMonitor \longrightarrow \mathbf{Skip})$

$\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

$\begin{array}{c} \textbf{state } State \\ \hline reading On Ground: double \end{array}$	2		
$\mathbf{state}\mathit{State}$			
initial Init			
State'			

 \bullet Skip

```
\begin{aligned} & \textbf{process } \textit{InstrumentLandingSystemMonitorApp} \; \widehat{=} \\ & \textit{mission} : \textit{MissionID} \bullet \mathbf{begin} \end{aligned} \begin{aligned} & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall . InstrumentLandingSystemMonitor} \longrightarrow \\ & \left( \mathbf{Skip} \right) \; ; \\ & \textit{handleAsyncEventRet . InstrumentLandingSystemMonitor} \longrightarrow \\ & \mathbf{Skip} \end{aligned} \end{aligned} \begin{aligned} & \textit{Methods} \; \widehat{=} \\ & \left( \textit{handlerAsyncEvent} \right) \; ; \; \textit{Methods} \end{aligned} \bullet \; (\textit{Methods}) \; \triangle \; (\textit{end\_periodic\_app . InstrumentLandingSystemMonitor} \longrightarrow \mathbf{Skip}) \end{aligned} end
```