aircraft

Tight Rope v0.6

27th November 2015

1 ID Files

1.1 MissionIds

 ${\bf section}\ {\it MissionIds}\ {\bf parents}\ {\it scj_prelude}, {\it MissionId}$

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$

1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj_prelude, Schedulable Id$

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of\! FID, \ Take Of\! FMonitor ID,$

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID \rangle$

1.3 ThreadIds

 ${\bf section}\ ThreadIds\ {\bf parents}\ scj_prelude, GlobalTypes$

1.4 ObjectIds

section ObjectIds **parents** scj_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$

 $Land Mission Object ID:\ Object ID$

 $\label{lem:cond} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$

2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
         Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
         Framework Chan, Safelet Chan
channelset \ TerminateSync ==
         \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
         \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
{\bf channel set} \ \mathit{TierSync} = =
         \{| start\_mission., done\_mission., \}
         done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
         \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet \}
channelset SchedulablesSync ==
         \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW|\}
channelset AppSync ==
         \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \}
         MTAppSync, OSEHSync, APEHSync,
         \{|getSequencer, end\_mission\_app, end\_managedThread\_app, | end\_managed
         set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
         terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ObjectSync ==
         \{ \mid \}
{f channel set} \ \mathit{ThreadSync} ==
         \{ \mid \mid \}
channelset \ LockingSync ==
         \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify \} 
channelset Tier0Sync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW,
start_mission., done_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..
```

```
section Program parents scj_prelude, MissionId, MissionIds,
    SchedulableId, SchedulableIds, MissionChan, SchedulableMethChan, MissionFW,
    Safe let FW, Top Level Mission Sequencer FW, Network Channels, Managed Thread FW,
    Schedulable Mission Sequencer FW, Periodic Event Handler FW, One Shot Event Handler FW,
    Aperiodic Event Handler FW, ACS afelet App, Main Mission Sequencer App, \\
    ObjectFW, ThreadFW,
                               MainMissionApp, ACModeChangerApp, ControlHandlerApp, CommunicationsHandlerApp
process ControlTier =
  SafeletFW
      [ControlTierSync]
  TopLevel Mission Sequencer FW (Main Mission Sequencer)
process Tier0 =
  MissionFW(MainMission)
      [MissionSync]
    Schedulable Mission Sequencer FW (ACMode Changer)
        [SchedulablesSync]
      Aperiodic Event Handler FW (Control Handler)
          [SchedulablesSync]
      Aperiodic Event Handler FW (Communications Handler)
        [SchedulablesSync]
      PeriodicEventHandlerFW(EnvironmentMonitor)
          [SchedulablesSync]
      Periodic Event Handler FW (Flight Sensors Monitor)
          [SchedulablesSync]
      PeriodicEventHandlerFW(AperiodicSimulator)
process Tier1 =
  MissionFW (TakeOffMission)
      [MissionSync]
      Aperiodic Event Handler FW (Landing Gear Handler Take Off)
          [SchedulablesSync]
      Aperiodic Event Handler FW (Take Off Failure Handler)
        [SchedulablesSync]
    PeriodicEventHandlerFW(TakeOffMonitor)
    [ClusterSync]
  MissionFW(CruiseMission)
      [MissionSync]
    Aperiodic Event Handler FW (Begin Landing Handler)
        [SchedulablesSync]
    Periodic Event Handler FW (Navigation Monitor)
    [ClusterSync]
  MissionFW(LandMission)
      [MissionSync]
      Aperiodic Event Handler FW (Landing Gear Handler Land)
          [SchedulablesSync]
      Aperiodic Event Handler FW (Safe Landing Handler)
        [SchedulablesSync]
      Periodic Event Handler FW (Ground Distance Monitor)
          [SchedulablesSync]
      Periodic Event Handler FW (Instrument Landing System Monitor)
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
  ControlTier
      [TierSync]
```

```
\mathbf{process} Application =
     ACSafeletApp
     Main Mission Sequencer App
     MainMissionApp
     ACModeChangerApp(MainMissionID)
     ControlHandlerApp((NULL, nullSchedulableId))
     Communications Handler App((NULL, nullSchedulable Id))
     EnvironmentMonitorApp((10, 0, NULL, nullSchedulableId), MainMissionID)
     FlightSensorsMonitorApp((10, 0, NULL, nullSchedulableId), MainMissionID)
     Aperiodic Simulator App((10,0,NULL,nullSchedulable Id),control Handler ID,(10,0,NULL,nullSchedulable Id),comms Handler ID,(10,0,NULL,nullSchedulable Id),comms Handler ID,(10,0,NULL,nullSchedulable Id),control Handler ID,(10,0,NULL,nullSchedulab
     Take Off Mission App
     Landing Gear Handler Take Off App((NULL, nullSchedulable Id), Take Off Mission ID)
     Take Off Failure Handler App((NULL, null Schedulable Id), Take Off Mission ID, 10.0)
     TakeOffMonitorApp((0,0,NULL,nullSchedulableId),TakeOffMissionID,10.0,landingGearHandlerID)
     Cruise Mission App
     BeginLandingHandlerApp((NULL, nullSchedulableId), CruiseMissionID)
     NavigationMonitorApp((0,0,NULL,nullSchedulableId),CruiseMissionID)
     LandMissionApp
     LandingGear Handler LandApp((NULL, nullSchedulable Id), LandMission ID)
     Safe Landing Handler App ((NULL, null Schedulable Id), Land Mission ID, 10.0) \\
     GroundDistanceMonitorApp((0, 0, NULL, nullSchedulableId), LandMissionID)
    InstrumentLandingSystemMonitorApp((0,0,NULL,nullSchedulableId),LandMissionID)
```

$Threads \stackrel{\frown}{=}$

```
ThreadFW(SafeLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(ACModeChangerThreadID, 5)
   [ThreadSync]
ThreadFW ( Take Off Failure Handler Thread ID, 5)
   [ThreadSync]
ThreadFW(InstrumentLandingSystemMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(FlightSensorsMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(TakeOffMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(AperiodicSimulatorThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerLandThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerTakeOffThreadID, 5)
   [ThreadSync]
ThreadFW(GroundDistanceMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(ControlHandlerThreadID, 5)
   [ThreadSync]
ThreadFW (Communications Handler Thread ID, 5)
   [ThreadSync]
ThreadFW(BeginLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(NavigationMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(EnvironmentMonitorThreadID, 5)
```

```
Objects =
  ObjectFW(ACSafeletObjectID)
     [ObjectSync]
  ObjectFW(MainMissionObjectID)
     [ObjectSync]
  ObjectFW(ACModeChangerObjectID)
     [ObjectSync]
  ObjectFW(EnvironmentMonitorObjectID)
     [ObjectSync]
  ObjectFW(ControlHandlerObjectID)
     [ObjectSync]
  ObjectFW(FlightSensorsMonitorObjectID)
     [ObjectSync]
  ObjectFW(CommunicationsHandlerObjectID)
     [ObjectSync]
  ObjectFW(AperiodicSimulatorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMissionObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerTakeOffObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMonitorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffFailureHandlerObjectID)
     [ObjectSync]
  ObjectFW(CruiseMissionObjectID)
     [ObjectSync]
  ObjectFW(BeginLandingHandlerObjectID)
     [ObjectSync]
  ObjectFW(NavigationMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandMissionObjectID)
     [ObjectSync]
  ObjectFW(GroundDistanceMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerLandObjectID)
     [ObjectSync]
  ObjectFW (InstrumentLandingSystemMonitorObjectID)
     [ObjectSync]
  ObjectFW(SafeLandingHandlerObjectID)
```

 $Locking \stackrel{\frown}{=} Threads \parallel \mid Objects$

 $\mathbf{process}$ $Program \cong Framework \ \llbracket \ AppSync \ \rrbracket \ Application \ \llbracket \ LockingSync \ \rrbracket \ Locking$

3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

4 Top Level Mission Sequencer

 $\begin{array}{c} \textbf{section} \ \textit{MainMissionSequencerApp} \ \textbf{parents} \ \textit{TopLevelMissionSequencerChan}, \\ \textit{MissionIds}, \textit{MissionIds}, \textit{SchedulableId}, \textit{MainMissionSequencerClass} \end{array}$

 $process MainMissionSequencerApp \stackrel{\frown}{=} begin$

```
State = \\ this: \mathbf{ref}\ MainMissionSequencerClass}
\mathbf{state}\ State
-Init = \\ State' = \\ this' = \mathbf{new}\ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \; \mathit{Methods} \end{array}
```

ullet (Init; Methods) \triangle (end_sequencer_app. MainMissionSequencer \longrightarrow **Skip**)

$\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
 \begin{array}{l} \mathbf{protected} \ \ qetNextMission \ \widehat{=} \ \mathbf{var} \ ret : MissionID \bullet \\ \begin{pmatrix} \mathbf{if} \ (\neg \ returnedMission = \mathbf{True}) \longrightarrow \\ (this. \ returnedMission := true; \\ ret := MainMission \\ \boxed{\mid \neg \ (\neg \ returnedMission = \mathbf{True}) \longrightarrow \\ (ret := nullMissionId) \\ \end{pmatrix} \\ \mathbf{fi} \end{array}
```

• Skip

 ${\bf section}\ {\it Main Mission Sequencer Meth Chan}\ {\bf parents}\ {\it scj_prelude}, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{tabular}{ll} {\bf channel} \ getNextMissionCall: SchedulableID \\ {\bf channel} \ getNextMissionRet: SchedulableID \times MissionID \\ \end{tabular}$

5 Missions

5.1 MainMission

```
section MainMissionApp parents scj_prelude, MissionId, MissionIds,
            Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Classian Classian Classian Change and Computer Change and Computer Change Chan
            , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
       State_{-}
         this: {f ref}\ Main Mission Class
\mathbf{state}\,\mathit{State}
      Init
         State'
         this' = \mathbf{new} \, MainMissionClass()
InitializePhase \stackrel{\frown}{=}
     'initializeCall . MainMission {\longrightarrow}
      register! ACModeChanger! MainMission \longrightarrow
      register \,!\, Environment Monitor \,!\, Main Mission-
      register \,! \, Control Handler \,! \, Main Mission {\longrightarrow}
      register \,!\, Flight Sensors Monitor \,!\, Main Mission -
      register! CommunicationsHandler! MainMission-
      register! AperiodicSimulator! MainMission \longrightarrow
      initializeRet \;.\; MainMission {\longrightarrow}
     Skip
CleanupPhase \stackrel{\frown}{=}
     cleanup Mission Ret . Main Mission! True-
     Skip
getAirSpeedMeth \cong \mathbf{var}\ ret: double \bullet
     ret := this.getAirSpeed();
      getAirSpeedRet \ . \ MainMission \ ! \ ret
getAltitudeMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
     'getAltitudeCall . MainMission \longrightarrow
     ret := this.getAltitude();
      getAltitudeRet \ . \ MainMission \ ! \ ret
     Skip
getCabinPressureMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
     ret := this.getCabinPressure();
      get Cabin Pressure Ret \ . \ Main Mission \ ! \ ret
     Skip
```

```
getEmergencyOxygenMeth = \mathbf{var}\ ret: double \bullet
  getEmergencyOxygenCall. MainMission \longrightarrow
  ret := this.getEmergencyOxygen();
  getEmergencyOxygenRet.\ MainMission \ !\ ret
  Skip
getFuelRemainingMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
  ret := this.getFuelRemaining();
  getFuelRemainingRet\ .\ MainMission\ !\ ret
getHeadingMeth = \mathbf{var} \ ret : double \bullet
  getHeadingCall. MainMission \longrightarrow
  ret := this.getHeading();
  getHeadingRet . MainMission! ret
  Skip
setAirSpeedMeth \stackrel{\frown}{=}
  'setAirSpeedCall . MainMission? airSpeed—
  this.setAirSpeed(airSpeed);
  setAirSpeedRet . MainMission
 Skip
setAltitudeMeth \triangleq
  \ 'set Altitude Call . Main Mission? altitude-
  this.setAltitude(altitude);
  setAltitudeRet . MainMission-
  Skip
setCabinPressureMeth \stackrel{\frown}{=}
  set Cabin Pressure Call. Main Mission? cabin Pressure-
  this.setCabinPressure(cabinPressure);
  set Cabin Pressure Ret . Main Mission-
  Skip
setEmergencyOxygenMeth \stackrel{\frown}{=}
  this.\ setEmergencyOxygen (emergencyOxygen);
  setEmergencyOxygenRet: MainMission {\longrightarrow}
 Skip
setFuelRemainingMeth \stackrel{\frown}{=}
  \ 'setFuelRemainingCall . MainMission? fuelRemaining-
  this . setFuelRemaining(fuelRemaining);
  setFuelRemainingRet. MainMission \longrightarrow
 Skip
setHeadingMeth \stackrel{\frown}{=}
  \ 'set Heading Call . Main Mission? heading-
  this.setHeading(heading);
  setHeadingRet. MainMission-
 Skip
```



ullet (Init; Methods) \triangle (end_mission_app. MainMission \longrightarrow **Skip**)

```
\mathbf{state}\,\mathit{State}\,.
    ALTITUDE\_READING\_ON\_GROUND: double
    cabin Pressure: double\\
    emergency Oxygen: double
   fuel Remaining: double
    altitude:double\\
    air Speed: double\\
    heading:double
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    ALTITUDE\_READING\_ON\_GROUND' = 0.0
public getAirSpeed \cong \mathbf{var}\ ret : double \bullet
(ret := airSpeed)
public getAltitude \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
(ret := altitude)
public getCabinPressure \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
(ret := cabinPressure)
public getEmergencyOxygen \cong \mathbf{var}\ ret: double \bullet
(ret := emergencyOxygen)
\mathbf{public}\ \mathit{getFuelRemaining}\ \widehat{=}\ \mathbf{var}\ \mathit{ret}: \mathit{double}\ \bullet
(ret := fuelRemaining)
public getHeading = \mathbf{var} \ ret : double \bullet
(ret := heading)
public setAirSpeed =
(this.this.airSpeed := airSpeed)
public setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public setCabinPressure =
(this.this.cabinPressure := cabinPressure)
public setEmergencyOxygen   =
```

(this.this.emergencyOxygen := emergencyOxygen)

```
\begin{array}{l} \textbf{public} \ setFuelRemaining} \ \widehat{=} \\ \big( \textit{this.this.fuelRemaining} := \textit{fuelRemaining} \big) \\ \\ \textbf{public} \ setHeading} \ \widehat{=} \\ \big( \textit{this.this.heading} := \textit{heading} \big) \end{array}
```

• Skip

 $\quad \mathbf{end} \quad$

$section\ MainMissionMethChan\ parents\ scj_prelude,\ GlobalTypes,\ MissionId,\ SchedulableId$

 ${f channel}\ getAirSpeedCall: MissionID$

 $\textbf{channel} \ getAirSpeedRet: MissionID \times double$

 ${\bf channel}\ getAltitudeCall: MissionID$

channel $getAltitudeRet: MissionID \times double$

 ${\bf channel}\ get Cabin Pressure Call: Mission ID$

 $\mathbf{channel} \ getCabinPressureRet: \mathit{MissionID} \times \mathit{double}$

 ${\bf channel}\ getEmergency Oxygen Call: Mission ID$

 $\textbf{channel} \ \textit{getEmergencyOxygenRet} : \textit{MissionID} \times \textit{double}$

 ${\bf channel}\ getFuelRemainingCall: MissionID$

channel $getFuelRemainingRet: MissionID \times double$

 ${\bf channel}\ get Heading Call: Mission ID$

 $\textbf{channel} \ getHeadingRet: \textit{MissionID} \times \textit{double}$

 $\textbf{channel} \ setAirSpeedCall: MissionID \times double$

 ${\bf channel}\, setAirSpeedRet: MissionID$

 $\textbf{channel} \ setAltitudeCall: MissionID \times double$

 ${\bf channel}\ set Altitude Ret: Mission ID$

 $\textbf{channel} \ set Cabin Pressure Call: Mission ID \times double$

 ${\bf channel}\ set Cabin Pressure Ret: Mission ID$

channel $setEmergencyOxygenCall: MissionID \times double$

 ${\bf channel}\ set Emergency Oxygen Ret: Mission ID$

 $\textbf{channel} \ setFuelRemainingCall} : \textit{MissionID} \times \textit{double}$

 ${\bf channel}\ setFuelRemainingRet: MissionID$

 $\textbf{channel} \ setHeadingCall: MissionID \times double$

 ${\bf channel}\ set Heading Ret: Mission ID$

5.2 Schedulables of MainMission

section ACModeChangerApp parents TopLevelMissionSequencerChan, MissionId, MissionIds, SchedulableId, ACModeChangerClass

```
\mathbf{process} A CMode Changer App \cong
    : MainMissionID \bullet \mathbf{begin}
GetNextMission \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getNextMissionCall. ACModeChanger \longrightarrow
  ret := this.getNextMission();
  getNextMissionRet \ . \ ACModeChanger \ ! \ ret
change To Meth \triangleq
  (this.currentMode := newMode);
  change To Ret.\ ACMode Changer -
 Skip
advanceModeSyncMeth \stackrel{\frown}{=}
  advanceModeCall. ACModeChanger? thread \longrightarrow
    startSyncMeth . ACModeChangerObject . thread-
    lockAcquired. ACModeChangerObject. thread \longrightarrow
      Skip;
      if (modesLeft = 3) \longrightarrow
            modesLeft := modesLeft - 1;
            change To(launch Mode)
      if (modesLeft = 2) \longrightarrow
           (modesLeft := modesLeft - 1;
           if (modesLeft = 1) \longrightarrow
            modesLeft := modesLeft - 1;
            change To(land Mode)
       (change To(\mathbf{null}))
      fi
      fi
    end Sync Meth.\ ACMode\ Changer\ Object.\ thread-
    advanceModeRet . ACModeChanger . thread \longrightarrow
Methods \stackrel{\frown}{=}
  GetNextMission
  Methods
  change To Meth
  advance Mode Sync Meth
```

• $(Methods) \triangle (end_sequencer_app . ACModeChanger \longrightarrow \mathbf{Skip})$

$\mathbf{class}\,ACModeChangerClass \,\,\widehat{=}\,\,\mathbf{begin}$

```
state State

modesLeft: Z

ref currentModeClass: ModeClass

ref launchModeClass: ModeClass

ref cruiseModeClass: ModeClass

ref landModeClass: ModeClass
```

 ${f state}\ State$

```
protected getNextMission = var ret : MissionID \bullet
  'if (modesLeft = 3) \longrightarrow
       (modesLeft := modesLeft - 1;)
       \ \ ret := TakeOffMission
  [] \neg (modesLeft = 3) \longrightarrow
      if (modesLeft = 2) \longrightarrow
       (modesLeft := modesLeft - 1;
       [] \neg (modesLeft = 2) \longrightarrow
      if (modesLeft = 1) \longrightarrow
       (modesLeft := modesLeft - 1;)
       [] \neg (\dot{modesLeft} = 1) \longrightarrow
       (ret := nullMissionId)
  fi
  fi
 fi
```

• Skip

${\bf section}\ A CMode Changer Meth Chan\ {\bf parents}\ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{ll} {\bf channel} \ change To Call: Schedulable ID \times \\ {\bf channel} \ change To Ret: Schedulable ID \\ \end{tabular}$

 $\begin{calce} {\bf channel} \ advance Mode Call: Schedulable ID \times Thread ID \\ {\bf channel} \ advance Mode Ret: Schedulable ID \times Thread ID \\ \end{calce}$

```
process ControlHandlerApp \widehat{=}
    AperiodicParameters : ● begin

handlerAsyncEvent \widehat{=}
    \begin{pmatrix} handleAsyncEventCall \cdot ControlHandler \longrightarrow \\ (Skip); \\ handleAsyncEventRet \cdot ControlHandler \longrightarrow \\ Skip \end{pmatrix}

Methods \widehat{=}
    \begin{pmatrix} handlerAsyncEvent \\ handlerAsyncEvent \\
```

 $\mathbf{class}\; Control Handler Class\; \widehat{=}\; \mathbf{begin}$

• Skip

 ${\bf section}\ \ Control Handler Meth Chan\ \ {\bf parents}\ \ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

```
 process \ Communications Handler App \triangleq \\ Aperiodic Parameters : \bullet \ begin 
 handler Async Event \triangleq \\  \left( \begin{array}{c} handle Async Event Call \cdot Communications Handler \longrightarrow \\  (\mathbf{Skip}) \ ; \\ handle Async Event Ret \cdot Communications Handler \longrightarrow \\  \mathbf{Skip} \end{array} \right) 
 Methods \triangleq \\  \left( \begin{array}{c} handler Async Event Ret \cdot Communications Handler \longrightarrow \\  \mathbf{Skip} \end{array} \right) 
 \bullet \ (Methods) \triangle \ (end\_app \cdot Communications Handler \longrightarrow \mathbf{Skip}) 
end
```

 $\mathbf{class}\ Communications Handler Class\ \widehat{=}\ \mathbf{begin}$

• Skip



 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Main Mission Meth Chan$

```
\mathbf{process} \ Environment Monitor App \ \widehat{=}
     Periodic Parameters:,
     : \mathit{MainMissionID} \bullet \mathbf{begin}
handlerAsyncEvent =
  'handle A sync Event Call . Environment Monitor \longrightarrow
     Skip;
     setCabinPressureCall\:.\:controllingMission\:!\:0 \longrightarrow
     setCabinPressureRet\:.\:controllingMission {\longrightarrow}
     setEmergency Oxygen Call\ .\ controlling Mission\ !\ 0-
     setEmergencyOxygenRet . controllingMission \longrightarrow
     setFuelRemainingCall . controllingMission! 0 \longrightarrow
     setFuelRemainingRet.controllingMission {\longrightarrow}
    Skip
   \dot{handle} A sync Event Ret . Environment Monitor \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
```

 $\bullet \ (\mathit{Methods}) \ \triangle \ (\mathit{end_periodic_app} \ . \ \mathit{EnvironmentMonitor} \longrightarrow \mathbf{Skip})$

 $\mathbf{class}\,\textit{EnvironmentMonitorClass} \,\, \widehat{=}\,\, \mathbf{begin}$

• Skip

 ${\bf section}\ Flight Sensors Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Main Mission Meth Chan$

```
\begin{array}{c} \mathbf{process} \ FlightSensorsMonitorApp \ \widehat{=} \\ PeriodicParameters :, \\ : MainMissionID \ \bullet \ \mathbf{begin} \end{array}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Flight Sensors Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set A ir Speed Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ir Speed Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set A ltitude Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ltitude Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Heading Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Heading Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Flight Sensors Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

ullet (Methods) \triangle (end_periodic_app . FlightSensorsMonitor \longrightarrow **Skip**)

 $\mathbf{class}\,\mathit{FlightSensorsMonitorClass}\,\,\widehat{=}\,\,\mathbf{begin}$

• Skip

```
process AperiodicSimulatorApp \widehat{=} PeriodicParameters:, controlHandlerID:, PeriodicParameters:, commsHandlerID:, PeriodicParameters:, beginLandingHandlerID:• begin

handlerAsyncEvent \widehat{=} \left(\begin{array}{c} \text{handle}AsyncEvent \cap\\ \text{Skip}; \\ \text{releaseCall.event} \cap\\ \text{Skip} \end{array}\right); releaseRet.event? release \longrightarrow ; \left(\begin{array}{c} \text{Skip}; \\ \text{releaseRet.event} \cap\\ \text{Skip} \end{array}\right); \left(\begin{array}{c} \text{Skip}; \\ \text{releaseRet.event} \cap\\ \text{Skip} \end{array}\right) \left(\begin{array}{c} \text{Methods} \cap\\ \text{Methods} \cap\\ \text{Skip} \end{array}\right) \left(\begin{array}{c} \text{Methods} \cap\\ \text{Methods} \cap\\ \text{Skip} \end{array}\right) \left(\begin{array}{c} \text{Methods} \cap\\ \text{Methods}
```

 ${\bf class}\, Aperiodic Simulator Class \ \widehat{=}\ {\bf begin}$

• Skip

5.3 TakeOffMission

```
{\bf section}\ \ Take Off Mission App\ \ {\bf parents}\ \ scj\_prelude, Mission Id, Mission Ids,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
     , \, Take Off Mission Meth Chan
process TakeOffMissionApp \stackrel{\frown}{=} \mathbf{begin}
   State_{-}
    this: {f ref}\ Take Off Mission Class
{f state}\ State
   Init
    State'
    this' = \mathbf{new} \ TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  'initializeCall . TakeOffMission \longrightarrow
  register \,!\, Landing Gear Handler Take Off \,!\, Take Off Mission-
   register! TakeOffMonitor! TakeOffMission \longrightarrow
  register \ ! \ Take Off Failure Handler \ ! \ Take Off Mission -
   initializeRet \;.\; TakeOffMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  cleanup {\it Mission Ret} : Take {\it Off Mission !} {\bf True} -
  Skip
abortMeth \stackrel{\frown}{=}
  'abortCall. TakeOffMission \longrightarrow
  this.\ abort();
   abortRet.\ Take O\!f\!f\!Mission-
  Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  ret := this.getControllingMission();
   get Controlling {\it MissionRet} \;. \; Take O\!f\!f Mission \;! \; ret
  Skip
setControllingMissionMeth \stackrel{\frown}{=}
  \ 'set Controlling Mission Call . Take Off Mission? controlling Mission-
  this.setControllingMission(controllingMission);
   setControllingMissionRet. TakeOffMission \longrightarrow
  Skip
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  \'clean Up Call . Take Off Mission —
  ret := this \cdot clean Up();
   clean \textit{UpRet} . \textit{TakeOffMission} ! \textit{ret} -
  Skip
```

```
stowLandingGearMeth \stackrel{\frown}{=}
  stowLandingGearCall. TakeOffMission-
  this.stowLandingGear();
  stowLandingGearRet . TakeOffMission
  Skip
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  \ 'is Landing Gear Deployed Call . Take Off Mission -
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret \;.\; Take O\!f\!f\!Mission \;!\; ret
deployLandingGearSyncMeth \stackrel{\frown}{=}
  startSyncMeth. TakeOffMissionObject. thread-
    lockAcquired. TakeOffMissionObject. thread \longrightarrow
    (this.landingGearDeployed := true);
    \stackrel{\cdot}{end} SyncMeth \;.\; Take Off Mission Object \;.\; thread \longrightarrow
    deploy Landing Gear Ret.\ Take Off Mission\ .\ thread-
    Skip
               Initialize Phase \\
               CleanupPhase
               abortMeth
               getControllingMissionMeth
Methods \stackrel{\frown}{=}
               set Controlling {\it Mission Meth}
                                                   ; Methods
               clean\,UpMeth
               stow Landing Gear Meth \\
               is Landing Gear Deployed Meth
               deploy Landing Gear Sync Meth \\
```

 $\bullet \; (\mathit{Init} \; ; \; \mathit{Methods}) \; \triangle \; (\mathit{end_mission_app} \; . \; \mathit{TakeOffMission} \longrightarrow \mathbf{Skip})$

class TakeOffMissionClass =begin

```
state State
   SAFE\_AIRSPEED\_THRESHOLD: double
    TAKEOFF\_ALTITUDE: double
   abort: \mathbb{B}
   landing Gear Deployed: \mathbb{B}
\mathbf{state}\,\mathit{State}
   initial Init
   State'
   SAFE\_AIRSPEED\_THRESHOLD' = 10.0
    TAKEOFF\_ALTITUDE' = 10.0
    abort' = false
public abort \stackrel{\frown}{=}
(this.abort := true)
public getControllingMission = \mathbf{var} \ ret : MissionID \bullet
(ret := controllingMission)
\mathbf{public}\ setControllingMission\ \widehat{=}
(this.this.controllingMission := controllingMission)
public cleanUp = \mathbf{var} \ ret : \mathbb{B} \bullet
 /Skip;
\setminus ret := (\neg abort = \mathbf{True})
public stowLandingGear \stackrel{\frown}{=}
```

• Skip

(this.landingGearDeployed := false)

(ret := landingGearDeployed = True)

public $isLandingGearDeployed <math>\widehat{=} \mathbf{var} \ ret : \mathbb{B} \bullet$

${\bf section}\ \textit{TakeOffMissionMethChan}\ {\bf parents}\ \textit{scj_prelude}, \textit{GlobalTypes}, \textit{MissionId}, \textit{SchedulableId}$

 $\begin{array}{l} \textbf{channel} \ abortCall: MissionID \\ \textbf{channel} \ abortRet: MissionID \end{array}$

 ${\bf channel}\ getControllingMissionCall:MissionID$

 $\mathbf{channel}\ getControllingMissionRet: MissionID \times MissionID$

 $\mathbf{channel}\ setControllingMissionCall: MissionID \times MissionID$

 ${\bf channel}\ set Controlling {\it Mission Ret}\ : {\it Mission ID}$

 $\begin{array}{l} \textbf{channel} \ clean Up Call: Mission ID \\ \textbf{channel} \ clean Up Ret: Mission ID \times \mathbb{B} \end{array}$

 $\begin{array}{l} \textbf{channel} \ stowLandingGearCall: MissionID} \\ \textbf{channel} \ stowLandingGearRet: MissionID} \end{array}$

 $\begin{tabular}{l} {\bf channel} \ is Landing Gear Deployed Call: Mission ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Mission ID \times \mathbb{B} \\ \end{tabular}$

 $\begin{tabular}{l} {\bf channel} \ deployLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ deployLandingGearRet: MissionID \times ThreadID \\ \end{tabular}$

5.4 Schedulables of TakeOffMission

end

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Take Off Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Take Off App \cong
                Aperiodic Parameters:
               : \mathit{TakeOffMissionID} \bullet \mathbf{begin}
handlerAsyncEvent =
      'handle A sync Event Call . Landing Gear Handler Take Off \longrightarrow
               Skip;
               is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
               isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
               \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
              if landingGearIsDeployed = True \longrightarrow
                                    'stowLandingGearCall. mission \longrightarrow
                                    stowLandingGearRet\ .\ mission-
                                    Skip
               ^{'}deploy Landing Gear Call . mission . Landing Gear Handler Take Off Thread
                                    deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-points and the following Ge
                                    Skip
       handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_app . LandingGearHandlerTakeOff \longrightarrow \mathbf{Skip})
```

 $\mathbf{class}\,\mathit{LandingGearHandlerTakeOffClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

$\textbf{section} \ \ Landing Gear Handler Take Off Meth Chan \ \ \textbf{parents} \ \ scj_prelude, Global Types, Mission Id, Schedulable to the state of the s$	eId

 ${\bf section} \ \, Take Off Failure Handler App \ \, {\bf parents} \ \, Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \\$

```
process TakeOffFailureHandlerApp \stackrel{\frown}{=}
     Aperiodic Parameters:
     : Take Off Mission ID,
     SAFE\_AIRSPEED\_THRESHOLD: double ullet \mathbf{begin}
handlerAsyncEvent =
  'handle A sync Event Call . Take Off Failure Handler {\longrightarrow}
     getControllingMissionCall\ .\ takeoffMission.getControllingMission() {\longrightarrow}
     getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission
     \mathbf{var}\ currentSpeed: double \bullet currentSpeed:= getAirSpeed
     if(currentSpeed < threshold) \longrightarrow
            abortCall. takeoffMission \longrightarrow
            abortRet\ .\ takeoffMission {\longrightarrow}
            Skip;
            request Termination Call. take of fMission \longrightarrow
            request Termination Ret\ .\ take off Mission\ ?\ request Termination-
     (Skip)
  \dot{handle} A sync Event Ret. Take Off Failure Handler \longrightarrow
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_app . TakeOffFailureHandler \longrightarrow Skip)
```

end

43

$\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

$__$ state $\mathit{State} ___$			
threshold: double			
$\mathbf{state}\mathit{State}$			
initial Init			
State'			
2000			

 \bullet Skip



 $\begin{array}{l} \textbf{section} \ \ Take Off Monitor App \ \ \textbf{parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan \end{array}$

```
process\ TakeOffMonitorApp\ \widehat{=}
     Periodic Parameters:,
     : TakeOffMissionID,
     TAKEOFF\_ALTITUDE: double,
     landingGearHandlerID: ullet \ \mathbf{begin}
handlerAsyncEvent =
  Skip;
    getControllingMissionCall. takeoffMission.getControllingMission() \longrightarrow
    getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission
    \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
    if (altitude > takeOffAltitude) \longrightarrow
           Skip;
           releaseCall. landingGearHandler \longrightarrow
           releaseRet. landingGearHandler? release \longrightarrow
           request Termination Call\:.\: take of \!\!f\!Mission \!\longrightarrow
           request Termination Ret\ .\ take off Mission\ ?\ request Termination
    fi:
    Skip
  handle A sync Event Ret. Take Off Monitor \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . TakeOffMonitor \longrightarrow \mathbf{Skip})
```

end

46

$\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

take Off Altitude: determined the state of	ouble		
${f state}\ State$			
initial Init			

• Skip

5.5 CruiseMission

 $\begin{array}{l} \textbf{section} \ \ Cruise Mission App \ \textbf{parents} \ scj_prelude, Mission Id, Mission Ids, \\ Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class, \\ Cruise Mission Meth Chan \end{array}$

 $process CruiseMissionApp \cong begin$

```
\begin{array}{c} \textit{State} \\ \textit{this}: \mathbf{ref} \ \textit{CruiseMissionClass} \\ \\ \hline \textit{Init} \\ \hline \textit{State'} \\ \hline \textit{this'} = \mathbf{new} \ \textit{CruiseMissionClass}() \\ \\ \\ \textit{InitializePhase} \ \widehat{=} \\ \begin{pmatrix} \textit{initializePhase} \ \widehat{=} \\ \textit{initializeCall} \ . \ \textit{CruiseMission} \longrightarrow \\ \textit{register} \ ! \ \textit{BeginLandingHandler} \ ! \ \textit{CruiseMission} \longrightarrow \\ \textit{register} \ ! \ \textit{NavigationMonitor} \ ! \ \textit{CruiseMission} \longrightarrow \\ \textit{initializeRet} \ . \ \textit{CruiseMission} \longrightarrow \\ \textit{Skip} \\ \\ \hline \end{array}
```

```
 \begin{array}{l} getControllingMissionMeth \ \widehat{=}\ \mathbf{var}\ ret: MissionID \ \bullet \\ getControllingMissionCall \ . \ CruiseMission \longrightarrow \\ ret:= this \ . \ getControllingMission(); \\ getControllingMissionRet \ . \ CruiseMission \ ! \ ret \longrightarrow \\ \mathbf{Skip} \end{array}
```

$$Methods \cong \begin{pmatrix} InitializePhase & & & \\ \Box & & & \\ CleanupPhase & & \\ \Box & & \\ getControllingMissionMeth \end{pmatrix}; Methods$$

• (Init; Methods) \triangle (end_mission_app. CruiseMission \longrightarrow **Skip**)

 $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$

 $\begin{array}{l} \mathbf{public} \ \ getControllingMission \ \ \widehat{=} \ \mathbf{var} \ ret : MissionID \ \bullet \\ \left(ret := controllingMission \right) \end{array}$

• Skip

 $\quad \mathbf{end} \quad$

${\bf section}\ \ Cruise Mission Meth Chan\ \ {\bf parents}\ \ scj_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{l} {\bf channel} \ getControllingMissionCall: MissionID \\ {\bf channel} \ getControllingMissionRet: MissionID \times MissionID \\ \end{tabular}$

5.6 Schedulables of CruiseMission

end

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$

 $\mathbf{class}\,\mathit{BeginLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

• Skip



 ${\bf section}\ Navigation Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Cruise Mission Meth Chan$

```
\mathbf{process} \ Navigation Monitor App \ \widehat{=}
                PeriodicParameters:
                : CruiseMissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       'handle A sync Event Call. Navigation Monitor \longrightarrow
              (getControllingMissionCall . mission.getControllingMission() \longrightarrow (getControllingMission() )
               getControllingMissionRet.\ mission.getControllingMission()?\ getControllingMission-properties and the properties of th
               \mathbf{var}\ heading: double \bullet heading:= getHeading
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
               getControllingMissionRet. mission.getControllingMission()? getControllingMission-
              \mathbf{var} \ \mathit{airSpeed} : \mathit{double} \bullet \mathit{airSpeed} := \ \mathit{getAirSpeed}
               getControllingMissionCall. mission.getControllingMission() \longrightarrow
              getControllingMissionRet. mission.getControllingMission()? getControllingMission-
              \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
        handle A sync Event Ret . Navigation Monitor \longrightarrow
       Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . NavigationMonitor \longrightarrow \mathbf{Skip})
```

 $\mathbf{class}\,\mathit{NavigationMonitorClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
     , Land Mission Meth Chan
process Land Mission App \stackrel{\frown}{=} begin
   State
    this: \mathbf{ref}\ Land Mission Class
state State
   Init
   State'
   this' = \mathbf{new} \ Land Mission Class()
InitializePhase \stackrel{\frown}{=}
  'initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register \,! \, Landing Gear Handler Land \,! \, Land Mission {\longrightarrow}
  register! InstrumentLandingSystemMonitor! LandMission-
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet . LandMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  clean up {\it Mission Ret} : Land {\it Mission !} \textbf{True-}
  Skip
stowLandingGearMeth \stackrel{\frown}{=}
  \ 's tow Landing Gear Call . Land Mission-
  this.stowLandingGear();
  stow Landing Gear Ret\ .\ Land Mission
  Skip
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call . Land Mission \longrightarrow
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret \ . \ Land Mission \ ! \ ret
  Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  ret := this.getControllingMission();
  get Controlling {\it MissionRet}\ .\ Land {\it Mission!}\ ret
  Skip
```

```
abortMeth \stackrel{\frown}{=}
  abort Call\ .\ Land Mission-
  this.abort();
  abort Ret\ .\ Land Mission
  Skip
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  ^{'}clean Up Call . Land Mission-
  ret := this.cleanUp();
  clean Up Ret\ .\ Land Mission\ !\ ret
deployLandingGearSyncMeth \stackrel{\frown}{=}
  startSyncMeth. LandMissionObject. thread \longrightarrow
    lockAcquired\;.\; LandMissionObject\;.\; thread {\longrightarrow}
     (this.landingGearDeployed := true);
     endSyncMeth.\ LandMissionObject.\ thread {\longrightarrow}
     deploy Landing Gear Ret\ .\ Land Mission\ .\ thread-
    Skip
               Initialize Phase \\
               CleanupPhase
               stow Landing Gear Meth \\
               is Landing Gear Deployed Meth
Methods \stackrel{\frown}{=}
                                                    ; Methods
               get Controlling Mission Meth \\
               abortMeth
               clean\,UpMeth
               deployLandingGearSyncMeth
```

ullet (Init; Methods) \triangle (end_mission_app.LandMission \longrightarrow **Skip**)

$\mathbf{class}\,\mathit{LandMissionClass} \,\, \widehat{=} \,\, \mathbf{begin}$

```
{f state}\ State
    SAFE\_LANDING\_ALTITUDE: double
    abort: \mathbb{B}
    landing Gear Deployed: \mathbb{B}
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    SAFE\_LANDING\_ALTITUDE' = 10.0
    abort'=\mathit{false}
public stowLandingGear \stackrel{\frown}{=}
(this.landingGearDeployed := false)
\mathbf{public} \ \mathit{isLandingGearDeployed} \ \widehat{=} \ \mathbf{var} \ \mathit{ret} : \mathbb{B} \bullet
(ret := landingGearDeployed = True)
\mathbf{public}\ \mathit{getControllingMission}\ \widehat{=}\ \mathbf{var}\ \mathit{ret}: \mathit{MissionID}\ \bullet
(ret := controllingMission)
public abort \stackrel{\frown}{=}
(this.abort := true)
public clean Up \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
```

• Skip

${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{array}{l} \textbf{channel} \ stowLandingGearCall: MissionID} \\ \textbf{channel} \ stowLandingGearRet: MissionID} \end{array}$

channel isLandingGearDeployedCall: MissionIDchannel $isLandingGearDeployedRet: MissionID \times \mathbb{B}$

 ${\bf channel}\ getControlling Mission Call: Mission ID$

 $\mathbf{channel} \ getControllingMissionRet: MissionID \times MissionID$

 $\begin{array}{l} \textbf{channel} \ abort Call: Mission ID \\ \textbf{channel} \ abort Ret: Mission ID \end{array}$

 $\begin{array}{l} \textbf{channel} \ clean Up Call : \textit{MissionID} \\ \textbf{channel} \ clean Up Ret : \textit{MissionID} \times \mathbb{B} \end{array}$

 $\begin{cal}{c} {\bf channel} \ deployLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ deployLandingGearRet: MissionID \times ThreadID \\ \end{cal}$

5.8 Schedulables of LandMission

end

 ${\bf section}\ Landing Gear Handler Land App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Land Mission Meth Chan, Object Ids, Thread Ids$

```
process Landing Gear Handler Land App \stackrel{\frown}{=}
                 Aperiodic Parameters:
                : LandMissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       ^{'}handle A sync Event Call . Landing Gear Handler Land \longrightarrow
                Skip;
                is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
                isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
                \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
               if landingGearIsDeployed = True \longrightarrow
                                     \ 'stow Landing Gear Call . mission-
                                      stow Landing Gear Ret\ .\ mission-
                                     Skip
                \c G deploy L and in g G ear C all \c G is in ission . Landing G ear H and L and L hread-
                                      deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Land Thread-polynomial Control of the Control of Co
                                     Skip
        handle A sync Event Ret \ . \ Landing Gear Handler Land \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_app . LandingGearHandlerLand \longrightarrow Skip)
```

 $\mathbf{class}\,\mathit{Landing}\mathit{GearHandlerLandClass} \; \widehat{=} \; \mathbf{begin}$

• Skip

$\textbf{section} \ \ Landing Gear Handler Land Meth Chan \ \ \textbf{parents} \ \ scj_prelude, \ Global Types, \ Mission Ideal Chandler Land Meth Chandler L$	l, Schedulable Id

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \ \ Land Mission Meth Chan$

```
\mathbf{process} \, \mathit{SafeLandingHandlerApp} \, \, \widehat{=} \,
      Aperiodic Parameters:
      : LandMissionID,
      SAFE\_LANDING\_ALTITUDE: double \bullet \mathbf{begin}
handlerAsyncEvent =
  'handle A sync Event Call . Safe Landing Handler \longrightarrow
     (getControllingMissionCall\:.\: landMission.getControllingMission() \longrightarrow (getControllingMissionCall\:.\: landMission.getControllingMission() )
     getControllingMissionRet. landMission.getControllingMission()? getControllingMission\longrightarrow
      \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
     if (altitude < threshold) \longrightarrow
     [] \neg (altitude < threshold) \longrightarrow
            (Skip)
   \dot{handle} A sync Event Ret . Safe Landing Handler \longrightarrow
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
ullet (Methods) \triangle (end_app . SafeLandingHandler \longrightarrow Skip)
```

$\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

$\underline{}$ state $State$ $\underline{}$ $threshold: double$			
${f state} State$			
initial Init State '			

• Skip

 ${\bf section}\ Safe Landing Handler Meth Chan\ {\bf parents}\ scj_prelude, Global Types, Mission Id, Schedulable Id$

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Land Mission Meth Chan$

```
\mathbf{process}\ Ground Distance Monitor App\ \widehat{=}\ 
      Periodic Parameters:,
      : \mathit{LandMissionID} \bullet \mathbf{begin}
handlerAsyncEvent =
  'handle A sync Event Call . Ground Distance Monitor {\longrightarrow}
     Skip;
     getControllingMissionCall\:.\:mission.getControllingMission() {\longrightarrow}
     getControllingMissionRet. mission.getControllingMission()? getControllingMission-
     \mathbf{var}\ distance: double \bullet\ distance:=\ getAltitude
     if (distance = readingOnGround) \longrightarrow
             request Termination Call \ . \ mission {\longrightarrow}
             request Termination Ret\ .\ mission\ ?\ request Termination
     [] \neg (\mathit{distance} = \mathit{readingOnGround}) \longrightarrow \mathbf{Skip}
     fi;
     Skip
   handle A sync Event Ret: Ground Distance Monitor {\longrightarrow}
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_periodic\_app . GroundDistanceMonitor \longrightarrow \mathbf{Skip})
```

$\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

state State		
reading On Ground: double		
${f state}\ State$		
initial Init		
State'		

• Skip

```
 \begin{aligned} & \operatorname{PeriodicParameters}:, \\ & : \operatorname{LandMissionID} \bullet \mathbf{begin} \end{aligned} \\ & \operatorname{handlerAsyncEvent} \, \widehat{=} \\ & \left( \begin{aligned} & \operatorname{handlerAsyncEvent} \, \widehat{=} \\ & \left( \begin{aligned} & \operatorname{handleAsyncEvent} \, \operatorname{Call} \cdot \operatorname{InstrumentLandingSystemMonitor} \longrightarrow \right) \\ & \left( \begin{aligned} & \operatorname{Skip} \right); \\ & \operatorname{handleAsyncEventRet} \cdot \operatorname{InstrumentLandingSystemMonitor} \longrightarrow \\ & \operatorname{Skip} \end{aligned} \end{aligned} \right) \\ & \operatorname{Methods} \, \widehat{=} \\ & \left( \operatorname{handlerAsyncEvent} \right); \quad \operatorname{Methods} \end{aligned} \\ & \bullet \quad (\operatorname{Methods}) \, \triangle \left( \operatorname{end\_periodic\_app} \cdot \operatorname{InstrumentLandingSystemMonitor} \longrightarrow \operatorname{Skip} \right) \end{aligned} \\ & \operatorname{end} \end{aligned}
```

 $\mathbf{class} \, \mathit{InstrumentLandingSystemMonitorClass} \, \, \widehat{=} \, \mathbf{begin} \,$

• Skip