# aircraft

## Tight Rope v0.6

## $30 \mathrm{th}$ November 2015

# 1 ID Files

## 1.1 MissionIds

 ${\bf section}\ {\it MissionIds}\ {\bf parents}\ {\it scj\_prelude}, {\it MissionId}$ 

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$ 

### 1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj\_prelude, Schedulable Id$ 

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$ 

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$ 

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$ 

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of FID,\ Take Off Monitor ID,$ 

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID \rangle$ 

# 1.3 ThreadIds

 ${\bf section}\ ThreadIds\ {\bf parents}\ scj\_prelude, GlobalTypes$ 

### 1.4 ObjectIds

#### **section** ObjectIds **parents** scj\_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$ 

 $Land Mission Object ID:\ Object ID$ 

 $\label{lem:cond} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$ 

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$ 

## 2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
         Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
         Framework Chan, Safelet Chan
channelset \ TerminateSync ==
         \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
         \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
{\bf channel set} \ \mathit{TierSync} = =
         \{| start\_mission., done\_mission., \}
         done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
         \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet
channelset SchedulablesSync ==
         \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW|\}
channelset AppSync ==
         \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \}
         MTAppSync, OSEHSync, APEHSync,
         \{|getSequencer, end\_mission\_app, end\_managedThread\_app, | end\_managed
         set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
         terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ObjectSync ==
         \{ \mid \}
{f channel set} \ \mathit{ThreadSync} ==
         \{ \mid \mid \}
channelset \ LockingSync ==
         \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify \} 
channelset Tier0Sync ==
         \{|done\_toplevel\_sequencer, done\_safeletFW,
start_mission., done_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..,
start\_mission., done\_mission.,
         initializeRet., requestTermination..
```

```
section Program parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Mission FW,
    Safe let FW, Top Level Mission Sequencer FW, Network Channels, Managed Thread FW,
    Schedulable Mission Sequencer FW, Periodic Event Handler FW, One Shot Event Handler FW,
    Aperiodic Event Handler FW, ACS afelet App, Main Mission Sequencer App, \\
    ObjectFW, ThreadFW,
                               MainMissionApp, ACModeChangerApp, ControlHandlerApp, CommunicationsHandlerApp
process ControlTier =
  SafeletFW
      [ControlTierSync]
  TopLevelMissionSequencerFW(MainMissionSequencer)
process Tier0 =
  MissionFW(MainMissionID)
      [MissionSync]
    Schedulable Mission Sequencer FW(ACMode Changer ID)
        [SchedulablesSync]
      Aperiodic Event Handler FW(Control Handler ID, (time (10, 0), null))
          [SchedulablesSync]
      Aperiodic Event Handler FW (Communications Handler ID, (NULL, null Schedulable Id))
        [SchedulablesSync]
      Periodic Event Handler FW (Environment Monitor ID, (time (10,0), NULL, NULL, null Schedulable Id))
          [SchedulablesSync]
      Periodic Event Handler FW (Flight Sensors Monitor ID, (time (10, 0), NULL, NULL, null Schedulable Id))
          [SchedulablesSync]
      PeriodicEventHandlerFW(AperiodicSimulatorID, (time(10,0), NULL, NULL, nullSchedulableId))
process Tier1 =
  MissionFW(TakeOffMissionID)
      [MissionSync]
      Aperiodic Event Handler FW (Landing Gear Handler Take Off ID, (NULL, null Schedulable Id))
          [SchedulablesSync]
      Aperiodic Event Handler FW (Take Off Failure Handler ID, (NULL, null Schedulable Id))
        [SchedulablesSync]
    PeriodicEventHandlerFW(TakeOffMonitorID, (time(0,0), time(500,0), NULL, nullSchedulableId))
    [ClusterSync]
  MissionFW(CruiseMissionID)
      [MissionSync]
    Aperiodic Event Handler FW (Begin Landing Handler ID, (NULL, null Schedulable Id))
        [SchedulablesSync]
    Periodic Event Handler FW (Navigation Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id))
    [ClusterSync]
  MissionFW(LandMissionID)
      [MissionSync]
      Aperiodic Event Handler FW (Landing Gear Handler Land ID, (NULL, null Schedulable Id))
          [SchedulablesSync]
      Aperiodic Event Handler FW (Safe Landing Handler ID, (NULL, null Schedulable Id))
        [SchedulablesSync]
      Periodic Event Handler FW (Ground Distance Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id))
          [SchedulablesSync]
      Periodic Event Handler FW (Instrument Landing System Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
  ControlTier
      [TierSync]
```

```
\mathbf{process} Application \cong
  ACS a felet App
  Main Mission Sequencer App
  MainMissionApp
  ACModeChangerApp(MainMissionID) \\
  Control Handler App
  Communications Handler App
  EnvironmentMonitorApp(MainMissionID)
  FlightSensorsMonitorApp(MainMissionID)
  Aperiodic Simulator App(control Handler ID)
  Take Off Mission App
  Landing Gear Handler Take Off App (\ Take Off Mission ID)
  Take Off Failure Handler App (Take Off Mission ID, 10.0)
  Take Off Monitor App(Take Off Mission ID, 10.0, landing Gear Handler ID)
  Cruise Mission App
  BeginLandingHandlerApp(CruiseMissionID)
  NavigationMonitorApp(CruiseMissionID)
  Land Mission App \\
  Landing Gear Handler Land App (Land Mission ID)
  Safe Landing Handler App (Land Mission ID, 10.0)
  Ground Distance Monitor App (Land Mission ID) \\
 InstrumentLandingSystemMonitorApp(LandMissionID)
```

#### $Threads \stackrel{\frown}{=}$

```
ThreadFW(SafeLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(ACModeChangerThreadID, 5)
   [ThreadSync]
ThreadFW ( Take Off Failure Handler Thread ID, 5)
   [ThreadSync]
ThreadFW(InstrumentLandingSystemMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(FlightSensorsMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(TakeOffMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(AperiodicSimulatorThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerLandThreadID, 5)
   [ThreadSync]
ThreadFW(LandingGearHandlerTakeOffThreadID, 5)
   [ThreadSync]
ThreadFW(GroundDistanceMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(ControlHandlerThreadID, 5)
   [ThreadSync]
ThreadFW (Communications Handler Thread ID, 5)
   [ThreadSync]
ThreadFW(BeginLandingHandlerThreadID, 5)
   [ThreadSync]
ThreadFW(NavigationMonitorThreadID, 5)
   [ThreadSync]
ThreadFW(EnvironmentMonitorThreadID, 5)
```

```
Objects =
  ObjectFW(ACSafeletObjectID)
     [ObjectSync]
  ObjectFW(MainMissionObjectID)
     [ObjectSync]
  ObjectFW(ACModeChangerObjectID)
     [ObjectSync]
  ObjectFW(EnvironmentMonitorObjectID)
     [ObjectSync]
  ObjectFW(ControlHandlerObjectID)
     [ObjectSync]
  ObjectFW(FlightSensorsMonitorObjectID)
     [ObjectSync]
  ObjectFW(CommunicationsHandlerObjectID)
     [ObjectSync]
  ObjectFW(AperiodicSimulatorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMissionObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerTakeOffObjectID)
     [ObjectSync]
  ObjectFW(TakeOffMonitorObjectID)
     [ObjectSync]
  ObjectFW(TakeOffFailureHandlerObjectID)
     [ObjectSync]
  ObjectFW(CruiseMissionObjectID)
     [ObjectSync]
  ObjectFW(BeginLandingHandlerObjectID)
     [ObjectSync]
  ObjectFW(NavigationMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandMissionObjectID)
     [ObjectSync]
  ObjectFW(GroundDistanceMonitorObjectID)
     [ObjectSync]
  ObjectFW(LandingGearHandlerLandObjectID)
     [ObjectSync]
  ObjectFW(InstrumentLandingSystemMonitorObjectID)
     [ObjectSync]
  ObjectFW(SafeLandingHandlerObjectID)
```

 $Locking \stackrel{\frown}{=} Threads \parallel \mid Objects$ 

 $\mathbf{process} \ Program \ \widehat{=} \ (Framework \ \llbracket \ AppSync \ \rrbracket \ Application) \ \llbracket \ LockingSync \ \rrbracket \ LockingSync \ \rrbracket$ 

# 3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj\_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$ 

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

# 4 Top Level Mission Sequencer

 $\begin{array}{c} \textbf{section} \ \textit{MainMissionSequencerApp} \ \textbf{parents} \ \textit{TopLevelMissionSequencerChan}, \\ \textit{MissionIds}, \textit{MissionIds}, \textit{SchedulableId}, \textit{MainMissionSequencerClass} \end{array}$ 

 $process MainMissionSequencerApp \stackrel{\frown}{=} begin$ 

```
State = \\ this: \mathbf{ref}\ MainMissionSequencerClass}
\mathbf{state}\ State
-Init = \\ State' = \\ this' = \mathbf{new}\ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \; \mathit{Methods} \end{array}
```

ullet (Init; Methods)  $\triangle$  (end\_sequencer\_app. MainMissionSequencer  $\longrightarrow$  **Skip**)

## $\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
state State

returnedMission: B

state State

initial Init

State'
```

• Skip

 ${\bf section}\ {\it Main Mission Sequencer Meth Chan}\ {\bf parents}\ {\it scj\_prelude}, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$ 

 $\begin{tabular}{ll} {\bf channel} \ getNextMissionCall: SchedulableID \\ {\bf channel} \ getNextMissionRet: SchedulableID \times MissionID \\ \end{tabular}$ 


### 5 Missions

#### 5.1 MainMission

```
section MainMissionApp parents sci_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Class
    , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
  State_{\perp}
   this: {\bf ref}\ Main Mission Class
{f state}\ State
  Init
   State'
   this' = \mathbf{new} \ Main Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . MainMission \longrightarrow
  register! ACModeChanger! MainMission \longrightarrow
  register! EnvironmentMonitor! MainMission-
  register! ControlHandler! MainMission \longrightarrow
  register! FlightSensorsMonitor! MainMission \longrightarrow
  register \,! \, Communications Handler \,! \, Main Mission-
  register! AperiodicSimulator! MainMission \longrightarrow
  initializeRet. MainMission \longrightarrow
  Skip
CleanupPhase =
  clean up {\it MissionRet} \ . \ Main {\it Mission!} \ {\bf True} -
 Skip
getAirSpeedSyncMeth = \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired . MainMissionObject . thread \longrightarrow
    ret := this.getAirSpeed();
     end Sync Meth\ .\ Main Mission Object\ .\ thread-
     getAirSpeedRet \ . \ MainMission \ ! \ thread \ ! \ ret-
    Skip
getAltitudeSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
  'startSyncMeth . MainMissionObject . thread –
    lockAcquired\;.\;MainMissionObject\;.\;thread {\longrightarrow}
    ret := this.getAltitude();
     endSyncMeth.\ MainMissionObject.\ thread \longrightarrow
     getAltitudeRet \ . \ MainMission \ ! \ thread \ ! \ ret-
     Skip
```

```
qetCabinPressureSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
    getCabinPressureCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getCabinPressure();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         get Cabin Pressure Ret \ . \ Main Mission \ ! \ thread \ ! \ ret - thread \ " \ ret - t
getEmergencyOxygenSyncMeth \stackrel{\frown}{=} \mathbf{var}\ ret: double \ ullet
    getEmergencyOxygenCall. MainMission? thread \longrightarrow
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getEmergencyOxygen();
         endSyncMeth. MainMissionObject. thread \longrightarrow
         getEmergencyOxygenRet.\ MainMission\ !\ thread\ !\ ret
getFuelRemainingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   'getFuelRemainingCall . MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getFuelRemaining();
         endSyncMeth. MainMissionObject. thread-
         getFuelRemainingRet. MainMission! thread! ret
qetHeadingSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : double \bullet
   'getHeadingCall. MainMission? thread \longrightarrow
         'startSyncMeth . MainMissionObject . thread –
         lockAcquired. MainMissionObject. thread \longrightarrow
         ret := this.getHeading();
         end Sync Meth\ .\ Main Mission Object\ .\ thread
          getHeadingRet . MainMission! thread! ret-
         Skip
setAirSpeedSyncMeth \stackrel{\frown}{=}
    \ 'setAirSpeedCall . MainMission ? thread ? airSpeed-
         startSyncMeth. MainMissionObject. thread \longrightarrow
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAirSpeed(airSpeed);
         endSyncMeth. MainMissionObject. thread
         setAirSpeedRet . MainMission . thread-
         Skip
setAltitudeSyncMeth \stackrel{\frown}{=}
    \ 'setAltitudeCall . MainMission ? thread ? altitude-
         'startSyncMeth . MainMissionObject . thread-
         lockAcquired. MainMissionObject. thread \longrightarrow
         this . setAltitude(altitude);
         endSyncMeth . MainMissionObject . thread
          setAltitudeRet . MainMission . thread \longrightarrow
```

```
setCabinPressureSyncMeth \stackrel{\frown}{=}
  set Cabin Pressure Call. Main Mission? thread? cabin Pressure-
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread-
    this.setCabinPressure(cabinPressure);
    endSyncMeth. MainMissionObject. thread
    set Cabin Pressure Ret . Main Mission . thread-
setEmergencyOxygenSyncMeth \triangleq
  setEmergencyOxygenCall. MainMission? thread? emergencyOxygen \longrightarrow 0
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setEmergencyOxygen(emergencyOxygen);
    endSyncMeth.\, MainMissionObject.\, thread {\longrightarrow}
    setEmergencyOxygenRet . MainMission . thread
setFuelRemainingSyncMeth \stackrel{\frown}{=}
  setFuelRemainingCall. MainMission? thread? fuelRemaining \longrightarrow
    startSyncMeth. MainMissionObject. thread \longrightarrow
    lockAcquired. MainMissionObject. thread \longrightarrow
    this.setFuelRemaining(fuelRemaining);
    endSyncMeth. MainMissionObject. thread
    set Fuel Remaining Ret.\ Main Mission.\ thread-
    Skip
setHeadingSyncMeth \stackrel{\frown}{=}
  startSyncMeth. MainMissionObject. thread-
    lockAcquired . MainMissionObject . thread \longrightarrow
    this.setHeading(heading);
    endSyncMeth . MainMissionObject . thread-
    setHeadingRet . MainMission . thread \longrightarrow
    Skip
```



ullet (Init; Methods)  $\triangle$  (end\_mission\_app. MainMission  $\longrightarrow$  **Skip**)

```
\mathbf{state}\,\mathit{State}\,.
   ALTITUDE\_READING\_ON\_GROUND: double
   test: \mathbb{Z}
   cabinPressure: double
   emergency Oxygen: double\\
   fuel Remaining: double
   altitude:double
   air Speed: double\\
   heading: double\\
\mathbf{state}\,\mathit{State}
   initial Init
   State'
   ALTITUDE\_READING\_ON\_GROUND' = 0.0
   test' = 0
public sync getAirSpeed = var ret : double \bullet
(ret := airSpeed)
public sync getAltitude = var ret : double \bullet
(ret := altitude)
public sync getCabinPressure = \mathbf{var} \ ret : double \bullet
(ret := cabinPressure)
public sync getEmergencyOxygen \cong \mathbf{var}\ ret: double \bullet
(ret := emergencyOxygen)
public sync getFuelRemaining = var ret : double \bullet
(ret := fuelRemaining)
public sync getHeading = var ret : double \bullet
(ret := heading)
public sync setAirSpeed \stackrel{\frown}{=}
(this.this.airSpeed := airSpeed)
public sync setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public sync setCabinPressure =
(this.this.cabinPressure := cabinPressure)
\mathbf{public\ sync}\ \mathit{setEmergencyOxygen}\ \widehat{=}
(this.this.emergencyOxygen := emergencyOxygen)
```

```
public sync setFuelRemaining \cong (this.this.fuelRemaining := fuelRemaining)

public sync setHeading \cong (this.this.heading := heading)
```

• Skip

 $\quad \mathbf{end} \quad$ 

 $section \ Main Mission Meth Chan \ parents \ scj\_prelude, \ Global Types, \ Mission Id, \ Schedulable Id$ 

 $\mathbf{channel}\ getAirSpeedCall: \mathit{MissionID} \times \mathit{ThreadID}$ 

 $\textbf{channel} \ getAirSpeedRet: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\mathbf{channel}\ getAltitudeCall: \mathit{MissionID} \times \mathit{ThreadID}$ 

 $\mathbf{channel}\ getAltitudeRet: \mathit{MissionID} \times \mathit{ThreadID} \times \mathit{double}$ 

 $\mathbf{channel}\, getCabinPressureCall: \mathit{MissionID} \times \mathit{ThreadID}$ 

 $\textbf{channel} \ getCabinPressureRet: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\textbf{channel} \ getEmergencyOxygenCall: MissionID \times ThreadID$ 

 $\textbf{channel} \ getEmergencyOxygenRet: MissionID \times ThreadID \times double$ 

 $\mathbf{channel} \ getFuelRemainingCall: \mathit{MissionID} \times \mathit{ThreadID}$ 

 $\textbf{channel} \ getFuelRemainingRet: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\mathbf{channel}\ getHeadingCall: MissionID \times ThreadID$ 

 $\textbf{channel} \ getHeadingRet: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\textbf{channel} \ setAirSpeedCall: MissionID \times ThreadID \times double$ 

 $\mathbf{channel}\,\mathit{setAirSpeedRet}:\mathit{MissionID}\times\mathit{ThreadID}$ 

 $\textbf{channel} \ setAltitudeCall: MissionID \times ThreadID \times double$ 

 $\mathbf{channel}\ setAltitudeRet: MissionID imes\ ThreadID$ 

 $\textbf{channel} \ setCabinPressureCall: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\mathbf{channel}\, setCabinPressureRet: \mathit{MissionID} \times \mathit{ThreadID}$ 

**channel**  $setEmergencyOxygenCall: MissionID \times ThreadID \times double$ 

 ${\bf channel}\ setEmergencyOxygenRet: MissionID imes ThreadID$ 

 $\textbf{channel} \ setFuelRemainingCall: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

**channel**  $setFuelRemainingRet : MissionID \times ThreadID$ 

 $\textbf{channel} \ setHeadingCall: \textit{MissionID} \times \textit{ThreadID} \times \textit{double}$ 

 $\mathbf{channel}\ setHeadingRet: MissionID imes ThreadID$ 

### 5.2 Schedulables of MainMission

section ACModeChangerApp parents TopLevelMissionSequencerChan, MissionId, MissionIds, SchedulableId, ACModeChangerClass

 $\operatorname{\mathbf{process}} ACModeChangerApp \stackrel{\frown}{=} \operatorname{\mathbf{begin}}$ 

```
GetNextMission = \mathbf{var} \ ret : MissionID \bullet
  getNextMissionCall. ACModeChanger-
  ret := this.getNextMission();
  getNextMissionRet . ACModeChanger! ret
  Skip
advanceModeMeth \stackrel{\frown}{=}
  ^{'}advance Mode Call . ACMode Changer-
    Skip;
    if (modesLeft = 3) \longrightarrow
           modesLeft := modesLeft - 1;
           change To(launch Mode)
    if (modesLeft = 2) –
           modesLeft := modesLeft - 1;
          change To(cruise Mode)
    if (modesLeft = 1) \longrightarrow
          modesLeft := modesLeft - 1;
           change To(land Mode)
    [] \neg (modesLeft = 1) \longrightarrow
         (change To(\mathbf{null}))
    fi
    fi
    fi
  advance Mode Ret\:.\:AC Mode Changer
  Skip
change To Sync Meth \cong
 'change To Call . ACMode Changer ? thread ? newMode-
    startSyncMeth. ACModeChangerObject. thread \longrightarrow
    lockAcquired. ACModeChangerObject. thread \longrightarrow
    (this.currentMode := newMode);
    end Sync Meth.\ ACMode\ Changer\ Object\ .\ thread-
    change \, To Ret \, . \, ACMode \, Changer \, . \, thread \longrightarrow
    Skip
Methods \stackrel{\frown}{=}
  GetNextMission
  advance Mode Meth
  change\ To\ Sync\ Meth
• (Methods) \triangle (end\_sequencer\_app . ACModeChanger \longrightarrow \mathbf{Skip})
```

#### $\mathbf{class}\,ACModeChangerClass \,\,\widehat{=}\,\,\mathbf{begin}$

 ${f state}\ State$ 

**protected sync**  $getNextMission = \mathbf{var} \ ret : MissionID \bullet$ 

```
'if (modesLeft = 3) \longrightarrow
     (modesLeft := modesLeft - 1;
     \ \ ret := TakeOffMission
[] \neg (modesLeft = 3) \longrightarrow
    if (modesLeft = 2) \longrightarrow
      (modesLeft := modesLeft - 1;
     [] \neg (modesLeft = 2) \longrightarrow
    if (modesLeft = 1) \longrightarrow
     (modesLeft := modesLeft - 1;)
     [] \neg (\dot{modesLeft} = 1) \longrightarrow
     (ret := nullMissionId)
fi
fi
fi
```

• Skip

## ${\bf section}\ A CMode Changer Meth Chan\ {\bf parents}\ scj\_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{ll} {\bf channel} & advance Mode Call: Schedulable ID \\ {\bf channel} & advance Mode Ret: Schedulable ID \\ \end{tabular}$ 

 $\begin{cal}{c} {\bf channel} \ change To Call: Schedulable ID \times Thread ID \times \\ {\bf channel} \ change To Ret: Schedulable ID \times Thread ID \\ \end{cal}$ 

 ${\bf section}\ \ Control Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

 $\mathbf{process} \ \mathit{ControlHandlerApp} \ \widehat{=} \ \mathbf{begin}$ 

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Control Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right) \; ; \\ handle A sync Event Ret \; . \; Control Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

```
Methods = (handlerAsyncEvent); Methods
```

 $\bullet \; (Methods) \; \triangle \; (end\_app \; . \; ControlHandler \longrightarrow \mathbf{Skip})$ 

 $\mathbf{class}\; Control Handler Class\; \widehat{=}\; \mathbf{begin}$ 

• Skip

 ${\bf section}\ \ Control Handler Meth Chan\ \ {\bf parents}\ \ scj\_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$ 

 ${\bf section}\ \ Communications Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

 $process Communications Handler App \stackrel{\frown}{=} begin$ 

(handlerAsyncEvent); Methods

```
\begin{array}{l} handlerAsyncEvent \; \widehat{=} \\ \left( \begin{array}{l} handleAsyncEventCall \, . \, CommunicationsHandler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right); \\ handleAsyncEventRet \, . \, CommunicationsHandler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \\ Methods \; \widehat{=} \end{array}
```

•  $(Methods) \triangle (end\_app . Communications Handler \longrightarrow \mathbf{Skip})$ 

 $\mathbf{class}\ Communications Handler Class\ \widehat{=}\ \mathbf{begin}$ 

• Skip



 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Main Mission Meth Chan$ 

 $\mathbf{process} \, \mathit{EnvironmentMonitorApp} \, \, \widehat{=} \, \, \mathbf{begin}$ 

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Environment Monitor \longrightarrow \\ \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set Cabin Pressure Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set Cabin Pressure Ret \; . \; controlling Mission \longrightarrow \\ \\ \mathbf{Skip}; \\ set Emergency O xygen Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set Emergency O xygen Ret \; . \; controlling Mission \longrightarrow \\ \\ \mathbf{Skip}; \\ set Fuel Remaining Call \; . \; controlling Mission \; ! \; 0 \longrightarrow \\ set Fuel Remaining Ret \; . \; controlling Mission \longrightarrow \\ \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Environment Monitor \longrightarrow \\ \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . EnvironmentMonitor  $\longrightarrow$  **Skip**)

 $\mathbf{class}\,\textit{EnvironmentMonitorClass} \,\, \widehat{=}\,\, \mathbf{begin}$ 

• Skip

 ${\bf section}\ Flight Sensors Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Main Mission Meth Chan$ 

 $\mathbf{process}$   $FlightSensorsMonitorApp \cong \mathbf{begin}$ 

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Flight Sensors Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set Air Speed Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Air Speed Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Altitude Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Altitude Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Heading Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Heading Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Flight Sensors Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods \cong (handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . FlightSensorsMonitor  $\longrightarrow$  **Skip**)

 $\mathbf{class}\,\mathit{FlightSensorsMonitorClass}\,\,\widehat{=}\,\,\mathbf{begin}$ 

• Skip

 ${\bf section}\ Aperiodic Simulator App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

 $\mathbf{process} A periodic Simulator App \stackrel{\frown}{=} \mathbf{begin}$ 

```
\begin{array}{l} handlerAsyncEvent \; \widehat{=} \\ \left( \begin{array}{l} handleAsyncEventCall \; . \; AperiodicSimulator \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ releaseCall \; . \; event \longrightarrow \\ releaseRet \; . \; event \; ? \; release \longrightarrow \\ \end{array} \right); \\ \mathbf{Skip} \\ handleAsyncEventRet \; . \; AperiodicSimulator \longrightarrow \\ \mathbf{Skip} \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

 $\bullet \ (\mathit{Methods}) \bigtriangleup (\mathit{end\_periodic\_app} \ . \ \mathit{AperiodicSimulator} \longrightarrow \mathbf{Skip})$ 

 ${\bf class}\, Aperiodic Simulator Class \ \widehat{=}\ {\bf begin}$ 

• Skip

### 5.3 TakeOffMission

Skip

```
section TakeOffMissionApp parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
    , Take Off Mission Meth Chan
process TakeOffMissionApp \stackrel{\frown}{=} \mathbf{begin}
   State
   this: {f ref}\ Take Off Mission Class
{f state}\ State
   Init
   State'
   this' = \mathbf{new} \ TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  initializeCall. TakeOffMission \longrightarrow
  register! Landing Gear Handler Take Off! Take Off Mission
  register \ ! \ TakeOffMonitor \ ! \ TakeOffMission {\longrightarrow}
  register! Take Off Failure Handler! Take Off Mission-
  initializeRet. TakeOffMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  cleanupMissionCall. TakeOffMission \longrightarrow
  cleanup {\it MissionRet} \ . \ Take {\it OffMission!} \ {\bf True} -
  Skip
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call. Take Off Mission-
  (this.landingGearDeployed := true);
  deploy Landing Gear Ret.\ Take Off Mission
  Skip
abortSyncMeth \stackrel{\frown}{=}
  abortCall. TakeOffMission? thread \longrightarrow
     start Sync Meth.\ Take Off Mission Object\ .\ thread-
     lockAcquired\;.\;TakeOffMissionObject\;.\;thread {\longrightarrow}
     this.abort();
     endSyncMeth. TakeOffMissionObject. thread
     abortRet . Take OffMission . thread-
     Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  startSyncMeth. TakeOffMissionObject. thread
    lockAcquired\ .\ TakeOffMissionObject\ .\ thread {\longrightarrow}
    ret := this.getControllingMission();
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     getControlling {\it MissionRet}\ .\ Take {\it OffMission!thread!ret}
```

```
setControllingMissionSyncMeth =
  setControllingMissionCall. TakeOffMission? thread? controllingMission \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread—
     this.setControllingMission(controllingMission);
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     set Controlling Mission Ret . Take Off Mission . thread
clean Up SyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  clean Up Call. Take Off Mission? thread \longrightarrow
     startSyncMeth. TakeOffMissionObject. thread
    lockAcquired. TakeOffMissionObject. thread-
    ret := this. clean Up();
     end Sync Meth.\ Take Off Mission Object.\ thread-
     clean UpRet. Take Off Mission ! thread ! ret \longrightarrow
    Skip
stowLandingGearSyncMeth \stackrel{\frown}{=}
  stowLandingGearCall. TakeOffMission? thread\longrightarrow
     startSyncMeth . TakeOffMissionObject . thread—
     lockAcquired\;.\;TakeOffMissionObject\;.\;thread {\longrightarrow}
     this.stowLandingGear();
     endSyncMeth. TakeOffMissionObject. thread-
     stow Landing Gear Ret.\ Take O\!f\!f\!Mission\ .\ thread-
    Skip
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call. Take Off Mission? thread \longrightarrow
    startSyncMeth. TakeOffMissionObject. thread \longrightarrow
     lockAcquired. TakeOffMissionObject. thread \longrightarrow
    ret := this.isLandingGearDeployed();
     endSyncMeth. TakeOffMissionObject. thread \longrightarrow
     is Landing Gear Deployed Ret.\ Take Off Mission \ !\ thread \ !\ ret
     Skip
               Initialize Phase
               П
                CleanupPhase
               deployLandingGearMeth
                abortSyncMeth
Methods \stackrel{\frown}{=}
                                                          ; Methods
               getControllingMissionSyncMeth \\
               setControllingMissionSyncMeth
               clean Up Sync Meth
               stowLandingGearSyncMeth
               is Landing Gear Deployed Sync Meth
• (Init; Methods) \triangle (end_mission_app. TakeOffMission \longrightarrow Skip)
```

## $\mathbf{class} \; \mathit{TakeOffMissionClass} \; \widehat{=} \; \mathbf{begin}$

```
state State
    SAFE\_AIRSPEED\_THRESHOLD: double
    TAKEOFF\_ALTITUDE: double
    abort: \mathbb{B}
    landingGearDeployed: \mathbb{B}
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    SAFE\_AIRSPEED\_THRESHOLD' = 10.0
    TAKEOFF\_ALTITUDE' = 10.0
    abort' = false
public sync abort \stackrel{\frown}{=}
(this.abort := true)
\mathbf{public} \ \mathbf{sync} \ \mathit{getControllingMission} \ \widehat{=} \ \mathbf{var} \ \mathit{ret} : \mathit{MissionID} \ \bullet
(ret := controllingMission)
\mathbf{public} \ \mathbf{sync} \ \mathit{setControllingMission} \ \widehat{=} \\
(this.this.controllingMission := controllingMission)
public sync cleanUp \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
 /Skip;
ret := (\neg \ abort = \mathbf{True})
public sync stowLandingGear \stackrel{\frown}{=}
(this.landingGearDeployed := false)
public sync isLandingGearDeployed \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
(ret := landingGearDeployed = True)
```

• Skip

### ${\bf section}\ \textit{TakeOffMissionMethChan}\ {\bf parents}\ \textit{scj\_prelude}, \textit{GlobalTypes}, \textit{MissionId}, \textit{SchedulableId}$

 ${\bf channel}\ deploy Landing Gear Call: Mission ID \\ {\bf channel}\ deploy Landing Gear Ret: Mission ID$ 

 $\begin{calcul}{l} {\bf channel} \ abortCall: MissionID \times ThreadID \\ {\bf channel} \ abortRet: MissionID \times ThreadID \\ \end{calcul}$ 

 $\mathbf{channel}\ getControllingMissionCall: MissionID \times ThreadID$ 

 $\textbf{channel} \ getControllingMissionRet: MissionID \times \ ThreadID \times MissionID$ 

 $\textbf{channel} \ setControllingMissionCall: MissionID \times ThreadID \times MissionID$ 

 $\textbf{channel} \ setControllingMissionRet: MissionID \times \ ThreadID$ 

 $\begin{array}{l} \textbf{channel} \ clean Up Call : \textit{MissionID} \times \textit{ThreadID} \\ \textbf{channel} \ clean Up Ret : \textit{MissionID} \times \textit{ThreadID} \times \mathbb{B} \end{array}$ 

 $\begin{cal}{c} {\bf channel} \ stowLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ stowLandingGearRet: MissionID \times ThreadID \\ \end{cal}$ 

 $\begin{tabular}{l} {\bf channel} \ is Landing Gear Deployed Call: Mission ID \times Thread ID \\ {\bf channel} \ is Landing Gear Deployed Ret: Mission ID \times Thread ID \times \mathbb{B} \\ \end{tabular}$ 

#### Schedulables of TakeOffMission 5.4

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ TakeOffMissionMethChan, ObjectIds, ThreadIds

 $process Landing Gear Handler Take Off App \stackrel{\frown}{=} begin$ 

```
handlerAsyncEvent =
          isLandingGearDeployedCall. mission \longrightarrow
                        isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
                        \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
                       if landingGearIsDeployed = True \longrightarrow
                                                           ^{'}stow Landing Gear Call . mission-
                                                            stowLandingGearRet. mission-
                        \c G deploy L and ing G ear C all . mission . L and ing G ear H and L error T are D for T and T are T and T are T are T and T are T are T and T are T and T are T are T are T and T are T and T are T and T are T are T and T are T and T are T and T are T and T are T and T are T and T are T and T are T are
                                                            deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-part of the Control o
            handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
         Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
• (Methods) \triangle (end\_app . LandingGearHandlerTakeOff \longrightarrow \mathbf{Skip})
```

 $\mathbf{class}\,\mathit{LandingGearHandlerTakeOffClass} \; \widehat{=} \; \mathbf{begin}$ 

• Skip

$\textbf{section} \ \ Landing Gear Handler Take Off Meth Chan \ \ \textbf{parents} \ \ scj\_prelude, Global Types, Mission Id, Schedulable to the state of the s$	eId

 ${\bf section}\ \ Take Off Failure Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids\ \ Take Off Mission Meth Chan$ 

 $process TakeOffFailureHandlerApp \stackrel{\frown}{=} begin$ 

 $Methods \cong (handlerAsyncEvent); Methods$ 

•  $(Methods) \triangle (end\_app . TakeOffFailureHandler \longrightarrow \mathbf{Skip})$ 

# $\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

$\_\_$ state $\mathit{State}  \_\_\_$			
threshold: double			
$\mathbf{state}\mathit{State}$			
initial Init			
State'			
2000			

 $\bullet$  Skip



 ${\bf section}\ \ Take Off Monitor App\ \ {\bf parents}\ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids \\ Take Off Mission Meth Chan$ 

 $process TakeOffMonitorApp \stackrel{\frown}{=} begin$ 

```
handlerAsyncEvent =
        Skip;
                  getControllingMissionCall. takeoffMission.getControllingMission() \longrightarrow
                  getControllingMissionRet.\ takeoffMission.getControllingMission()?\ getControllingMission-properties and the controllingMission and the controlling and th
                  \mathbf{var}\ altitude: double \bullet altitude:= getAltitude
                  if (altitude > takeOffAltitude) \longrightarrow
                                             Skip;
                                              release Call\:.\: landing Gear Handler {\longrightarrow}
                                              releaseRet. landingGearHandler? release \longrightarrow
                                              request Termination Call. take off Mission \longrightarrow
                                             request Termination Ret.\ take of fM is sion\ ?\ request Termination
                  [] \neg (altitude > takeOffAltitude) \longrightarrow \mathbf{Skip}
                 fi;
                 Skip
         \dot{handle} A sync Event Ret. Take Off Monitor \longrightarrow
```

•  $(Methods) \triangle (end\_periodic\_app . TakeOffMonitor \longrightarrow \mathbf{Skip})$ 

end

 $Methods \mathrel{\widehat{=}}$ 

(handlerAsyncEvent); Methods

# $\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

take Off Altitude: determined the state of	ouble		
${f state}\ State$			
initial Init			

• Skip

#### 5.5 CruiseMission

```
section CruiseMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class
     , {\it Cruise Mission Meth Chan}
process CruiseMissionApp \stackrel{\frown}{=} begin
   State_{-}
    this: {f ref}\ Cruise Mission Class
{f state}\ State
  Init_-
    State'
    this' = \mathbf{new} \ CruiseMissionClass()
InitializePhase =
  'initializeCall . CruiseMission \longrightarrow
  register \,! \, BeginLandingHandler \,! \, CruiseMission {\longrightarrow}
  register \,! \, Navigation Monitor \,! \, Cruise Mission \longrightarrow
  initializeRet \;.\; CruiseMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  Skip
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var}\ ret: MissionID \bullet
  'startSyncMeth. CruiseMissionObject. thread \longrightarrow
     lockAcquired . CruiseMissionObject . thread \longrightarrow
     ret := this.getControllingMission();
     endSyncMeth.\ CruiseMissionObject.\ thread \longrightarrow
     getControlling {\it MissionRet}\;.\; Cruise {\it Mission!}\; thread \; !\; ret-
Methods \stackrel{\frown}{=} \left( egin{array}{c} InitializePhase \\ \Box \\ CleanupPhase \\ \Box \\ \end{array} \right)
```

 $\bullet$  (Init; Methods)  $\triangle$  (end\_mission\_app. CruiseMission  $\longrightarrow$  Skip)

 $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$ 

**public sync**  $getControllingMission <math>\widehat{=}$  **var**  $ret : MissionID \bullet (ret := controllingMission)$ 

• Skip

 $\quad \text{end} \quad$ 

# ${\bf section}\ \ Cruise Mission Meth Chan\ \ {\bf parents}\ \ scj\_prelude,\ Global Types,\ Mission Id,\ Schedulable Id$

 $\begin{tabular}{l} {\bf channel} \ getControllingMissionCall: MissionID \times ThreadID \\ {\bf channel} \ getControllingMissionRet: MissionID \times ThreadID \times MissionID \\ \end{tabular}$ 

## 5.6 Schedulables of CruiseMission

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

 $process BeginLandingHandlerApp \stackrel{\frown}{=} begin$ 

```
\begin{array}{l} handler A sync Event \ \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \ . \ Begin Landing Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ request Termination Call \ . \ controlling Mission \longrightarrow \\ request Termination Ret \ . \ controlling Mission \ ? \ request Termination \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \ . \ Begin Landing Handler \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right);
Methods \ \widehat{=} \\ \left( handler A sync Event \right); \ Methods \end{array}
```

•  $(Methods) \triangle (end\_app . BeginLandingHandler \longrightarrow \mathbf{Skip})$ 

 $\mathbf{class}\,\mathit{BeginLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$ 

• Skip



 ${\bf section}\ Navigation Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids\ Cruise Mission Meth Chan$ 

 $\mathbf{process} \ Navigation Monitor App \ \widehat{=} \ \mathbf{begin}$ 

```
 \begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Navigation Monitor \, \longrightarrow \\ get Controlling Mission Call \; . \; mission \; . get Controlling Mission() \, \longrightarrow \\ get Controlling Mission Ret \; . \; mission \; . get Controlling Mission() \; ? \; get Controlling Mission \, \longrightarrow \\ \mathbf{var} \; heading \; : \; double \; \bullet \; heading \; := \; get Heading \\ get Controlling Mission Call \; . \; mission \; . get Controlling Mission() \, \longrightarrow \\ get Controlling Mission Ret \; . \; mission \; . get Controlling Mission() \; ? \; get Controlling Mission \, \longrightarrow \\ \mathbf{var} \; air Speed \; : \; double \; \bullet \; air Speed \; := \; get Air Speed \\ get Controlling Mission Call \; . \; mission \; . get Controlling Mission() \, \longrightarrow \\ get Controlling Mission Ret \; . \; mission \; . get Controlling Mission() \; ? \; get Controlling Mission \, \longrightarrow \\ \mathbf{var} \; altitude \; : \; double \; \bullet \; altitude \; := \; get Altitude \\ \mathbf{Skip} \\ handle \; A sync Event Ret \; . \; Navigation Monitor \, \longrightarrow \\ \mathbf{Skip} \\ Methods \; \widehat{=} \\ \end{array}
```

Methods = (handlerAsyncEvent); Methods

•  $(Methods) \triangle (end\_periodic\_app . NavigationMonitor \longrightarrow \mathbf{Skip})$ 

 $\mathbf{class}\,\mathit{NavigationMonitorClass} \; \widehat{=} \; \mathbf{begin}$ 

• Skip

### 5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
     , Land Mission Meth Chan
process Land Mission App \stackrel{\frown}{=} begin
   State
   this: \mathbf{ref}\ Land Mission Class
{f state}\ State
   Init
    State'
    this' = \mathbf{new} \ Land Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register! LandingGearHandlerLand! LandMission \longrightarrow
  register \,!\, Instrument Landing System Monitor \,!\, Land Mission-
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet. LandMission \longrightarrow
  Skip
CleanupPhase =
  cleanup Mission Call . Land Mission \longrightarrow
  cleanup {\it Mission Ret} \;. \; Land {\it Mission !} \; {\bf True}
deployLandingGearMeth \stackrel{\frown}{=}
  deploy Landing Gear Call. Land Mission-
   (this.landingGearDeployed := true);
  deploy Landing Gear Ret\ .\ Land Mission
  Skip
stowLandingGearSyncMeth =
  \ 'stowLandingGearCall . LandMission? thread-
     startSyncMeth . LandMissionObject . thread-
     lockAcquired. LandMissionObject. thread—
     this.stowLandingGear();
     end Sync Meth.\ Land Mission Object.\ thread
     stowLandingGearRet . LandMission . thread
     Skip
isLandingGearDeployedSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  is Landing Gear Deployed Call . Land Mission? thread \longrightarrow
     startSyncMeth. LandMissionObject. thread \longrightarrow
     lockAcquired. LandMissionObject. thread \longrightarrow
     ret := this.isLandingGearDeployed();
     endSyncMeth . LandMissionObject . thread \longrightarrow
     is Landing Gear Deployed Ret\ .\ Land Mission\ !\ thread\ !\ ret
     Skip
```

```
getControllingMissionSyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
      \int startSyncMeth . LandMissionObject . thread \longrightarrow
              lockAcquired. LandMissionObject. thread \longrightarrow
             ret := this.getControllingMission();
              endSyncMeth. LandMissionObject. thread-
              getControlling {\it MissionRet}\;.\; Land {\it Mission!}\; thread \; !\; retering the controlling {\it MissionRet}\; is the control
abortSyncMeth \mathrel{\widehat{=}}
      'abortCall . LandMission? thread \longrightarrow
              startSyncMeth . LandMissionObject . thread-
             lock Acquired\ .\ Land Mission Object\ .\ thread-
             this.abort();
              end Sync Meth.\ Land Mission Object.\ thread-
              abortRet.\ LandMission.\ thread {\longrightarrow}
clean Up SyncMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
      \c fart Sync Meth . Land Mission Object . thread -
             lock Acquired . Land Mission Object . thread—
             ret := this \cdot clean Up();
             end Sync Meth\ .\ Land Mission Object\ .\ thread
              clean \textit{UpRet} . \textit{LandMission} ! \textit{thread} ! \textit{ret} -
                                            Initialize Phase \\
                                            CleanupPhase
                                            deploy Landing Gear Meth \\
                                            stowLandingGearSyncMeth \\
Methods \stackrel{\frown}{=}
                                                                                                                                                                 ; Methods
                                            is Landing Gear Deployed Sync Meth
                                            getControllingMissionSyncMeth
                                            abortSyncMeth
                                            clean Up Sync Meth \\
```

• (Init; Methods)  $\triangle$  (end\_mission\_app. LandMission  $\longrightarrow$  **Skip**)

## $\mathbf{class}\,\mathit{LandMissionClass} \,\, \widehat{=} \,\, \mathbf{begin}$

```
 \begin{array}{c} \textbf{state } State \\ SAFE\_LANDING\_ALTITUDE: double \\ abort: \mathbb{B} \\ landingGearDeployed: \mathbb{B} \end{array}
```

 $\mathbf{state}\,\mathit{State}$ 

```
public sync stowLandingGear = (this . landingGearDeployed := false)

public sync isLandingGearDeployed = \mathbf{var} \ ret : \mathbb{B} \bullet (ret := landingGearDeployed = \mathbf{True})

public sync getControllingMission = \mathbf{var} \ ret : MissionID \bullet (ret := controllingMission)

public sync abort = (this . abort := true)

public sync cleanUp = \mathbf{var} \ ret : \mathbb{B} \bullet (\mathbf{Skip}; ret := (\neg \ abort = \mathbf{True}))
```

• Skip

### ${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj\_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{array}{l} \textbf{channel} \ deployLandingGearCall} : \textit{MissionID} \\ \textbf{channel} \ deployLandingGearRet} : \textit{MissionID} \end{array}$ 

 $\begin{cal}{c} {\bf channel} \ stowLandingGearCall: MissionID \times ThreadID \\ {\bf channel} \ stowLandingGearRet: MissionID \times ThreadID \\ \end{cal}$ 

$$\label{eq:channel} \begin{split} \textbf{channel} \ \textit{isLandingGearDeployedCall} : \textit{MissionID} \times \textit{ThreadID} \\ \textbf{channel} \ \textit{isLandingGearDeployedRet} : \textit{MissionID} \times \textit{ThreadID} \times \mathbb{B} \end{split}$$

 $\mathbf{channel}\ getControllingMissionCall: MissionID \times ThreadID$ 

 $\textbf{channel} \ getControllingMissionRet: MissionID \times \ ThreadID \times MissionID$ 

 $\begin{cal}{c} {\bf channel} \ abortCall: MissionID \times ThreadID \\ {\bf channel} \ abortRet: MissionID \times ThreadID \\ \end{cal}$ 

 $\begin{cal}{c} {\bf channel}\ clean Up Call: Mission ID \times Thread ID \\ {\bf channel}\ clean Up Ret: Mission ID \times Thread ID \times \mathbb{B} \\ \end{cal}$ 

#### Schedulables of LandMission **5.8**

end

 ${\bf section}\ Landing Gear Handler Land App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ LandMissionMethChan, ObjectIds, ThreadIds

```
handlerAsyncEvent =
  Skip;
     isLandingGearDeployedCall. mission \longrightarrow
     isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
     \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
     if landingGearIsDeployed = True \longrightarrow
            ^{'}stowLandingGearCall . mission-
            stowLandingGearRet. mission-
            Skip
     [] \neg \mathit{landingGearIsDeployed} = \mathbf{True}
            \c G deploy L and ing Gear Call . mission . L and ing Gear H and ler L and Thread -
            deployLandingGearRet..mission.LandingGearHandlerLandThread {\longrightarrow}
  \dot{handle} A sync Event Ret . Landing Gear Handler Land \longrightarrow
  Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
\bullet \; (\mathit{Methods}) \; \triangle \; (\mathit{end}\_\mathit{app} \; . \; \mathit{LandingGearHandlerLand} \; \longrightarrow \mathbf{Skip})
```

 $\mathbf{class}\,\mathit{Landing}\mathit{GearHandlerLandClass} \; \widehat{=} \; \mathbf{begin}$ 

• Skip

$\textbf{section} \ \ Landing Gear Handler Land Meth Chan \ \ \textbf{parents} \ \ scj\_prelude, \ Global Types, \ Mission Ideal Chandler Land Meth Chandler L$	l, Schedulable Id

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids \ \ Land Mission Meth Chan$ 

 $\mathbf{process} \, \mathit{SafeLandingHandlerApp} \, \, \widehat{=} \, \, \mathbf{begin}$ 

```
 \begin{array}{l} handler A sync Event \; \widehat{=} \\ handle A sync Event Call \; . \; Safe Landing Handler \longrightarrow \\ get Controlling Mission Call \; . \; land Mission . get Controlling Mission() \longrightarrow \\ get Controlling Mission Ret \; . \; land Mission . get Controlling Mission() \; ? \; get Controlling Mission \longrightarrow \\ \\ \mathbf{var} \; altitude \; : \; double \; \bullet \; altitude \; := \; get Altitude \\ \mathbf{if} \; (altitude < threshold) \longrightarrow \\ \quad (\mathbf{Skip}) \\ \mathbb{I} \; \neg \; (altitude < threshold) \longrightarrow \\ \quad (\mathbf{Skip}) \\ \mathbf{fi} \\ handle A sync Event Ret \; . \; Safe Landing Handler \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

Methods = (handlerAsyncEvent); Methods

ullet (Methods)  $\triangle$  (end\_app . SafeLandingHandler  $\longrightarrow$  **Skip**)

# $\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

$\underline{}$ state $State$ $\underline{}$ $threshold: double$			
${f state} State$			
initial Init State '			

• Skip

 ${\bf section}\ Safe Landing Handler Meth Chan\ {\bf parents}\ scj\_prelude, Global Types, Mission Id, Schedulable Id$ 

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids Land Mission Meth Chan$ 

 $\mathbf{process}\ Ground Distance Monitor App\ \widehat{=}\ \mathbf{begin}$ 

```
 \begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Ground Distance Monitor \longrightarrow \\ \mathbf{Skip}; \\ get Controlling Mission Call \; . \; mission . get Controlling Mission() \longrightarrow \\ get Controlling Mission Ret \; . \; mission . get Controlling Mission() \; ? \; get Controlling Mission \longrightarrow \\ \mathbf{var} \; distance \; : \; double \; \bullet \; distance \; := \; get Altitude \\ \mathbf{if} \; (distance = \; reading On Ground) \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ request Termination Call \; . \; mission \longrightarrow \\ request Termination Ret \; . \; mission \; ? \; request Termination \longrightarrow \\ \mathbf{Skip} \\ \mathbf{fi} \; ; \\ \mathbf{Skip} \\ handle \; A sync E vent Ret \; . \; Ground Distance Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right) 
Methods \; \widehat{=} \\ \left( handler \; A sync E vent \right) \; ; \; Methods \\ \end{aligned}
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . GroundDistanceMonitor  $\longrightarrow$  **Skip**)

# $\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

state State		
reading On Ground: double		
${f state}\ State$		
initial Init		
State'		

• Skip

 ${\bf section}\ Instrument Landing System Monitor App\ {\bf parents}\ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

process  $InstrumentLandingSystemMonitorApp <math>\stackrel{\frown}{=} \mathbf{begin}$ 

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Instrument Landing System Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right) \; ; \\ handle A sync Event Ret \; . \; Instrument Landing System Monitor \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \mathit{handlerAsyncEvent} \big) \; ; \; \; \mathit{Methods} \end{array}
```

 $\bullet \; (Methods) \; \triangle \; (end\_periodic\_app \; . \; InstrumentLandingSystemMonitor \longrightarrow \mathbf{Skip})$ 

 $\mathbf{class} \, \mathit{InstrumentLandingSystemMonitorClass} \, \, \widehat{=} \, \mathbf{begin} \,$ 

• Skip