# aircraft

## Tight Rope v0.6

## 18th January 2016

# 1 ID Files

## 1.1 MissionIds

 ${\bf section}\ {\it Mission Ids}\ {\bf parents}\ {\it scj\_prelude}, {\it Mission Id}$ 

$$\label{lem:main_main} \begin{split} & \textit{MainMissionID}: \textit{MissionID} \\ & \textit{TakeOffMissionID}: \textit{MissionID} \\ & \textit{CruiseMissionID}: \textit{MissionID} \\ & \textit{LandMissionID}: \textit{MissionID} \end{split}$$

 $distinct \langle null Mission Id, Main Mission ID, Take Off Mission ID, Cruise Mission ID, Land Mission ID \rangle$ 

### 1.2 SchedulablesIds

 ${f section}\ Schedulable Ids\ {f parents}\ scj\_prelude, Schedulable Id$ 

 $\begin{tabular}{ll} MainMissionSequencerID: SchedulableID\\ ACModeChangerID: SchedulableID\\ EnvironmentMonitorID: SchedulableID\\ ControlHandlerID: SchedulableID\\ FlightSensorsMonitorID: SchedulableID\\ CommunicationsHandlerID: SchedulableID\\ AperiodicSimulatorID: SchedulableID\\ \end{tabular}$ 

Landing Gear Handler Take Off ID: Schedulable ID

 $Take Off Monitor ID: Schedulable ID \\ Take Off Failure Handler ID: Schedulable ID \\ Begin Landing Handler ID: Schedulable ID \\ Navigation Monitor ID: Schedulable ID \\ Ground Distance Monitor ID: Schedulable ID \\ Landing Gear Handler Land ID: Schedulable ID \\$ 

Instrument Landing System Monitor ID: Schedulable ID

Safe Landing Handler ID: Schedulable ID

 $distinct \langle null Sequencer Id, null Schedulable Id, Main Mission Sequencer ID,$ 

ACModeChangerID, EnvironmentMonitorID,

ControlHandlerID, FlightSensorsMonitorID,

Communications Handler ID, Aperiodic Simulator ID,

 $Landing Gear Handler Take Of FID,\ Take Off Monitor ID,$ 

Take Off Failure Handler ID, Begin Landing Handler ID,

Navigation Monitor ID, Ground Distance Monitor ID,

Landing Gear Handler Land ID, Instrument Landing System Monitor ID,

 $SafeLandingHandlerID\rangle$ 

### 1.3 ThreadIds

### $section ThreadIds parents scj\_prelude, GlobalTypes$

 $Safe Landing Handler Thread ID: Thread ID \\ ACMode Changer Thread ID: Thread ID \\ Take Off Failure Handler Thread ID: Thread ID$ 

 $Instrument Landing System Monitor Thread ID:\ Thread ID$ 

 $Flight Sensors Monitor Thread ID: Thread ID \\ Take Off Monitor Thread ID: Thread ID \\ Aperiodic Simulator Thread ID: Thread ID \\ Landing Gear Handler Land Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID: Thread ID \\ Landing Gear Handler Take Off Thread ID \\ Landing Gear Handler Thread ID \\ Landing Gear Handler$ 

 $\label{lem:control} Ground Distance Monitor Thread ID: Thread ID: Thread ID: Thread ID: Thread ID$ 

 $Communications Handler Thread ID: Thread ID\\ Begin Landing Handler Thread ID: Thread ID\\ Navigation Monitor Thread ID: Thread ID\\ Environment Monitor Thread ID: Thread ID$ 

 $distinct \langle SafeletThreadId, nullThreadId,$ 

Safe Landing Handler Thread ID, ACMode Changer Thread ID,

Take Off Failure Handler Thread ID, Instrument Landing System Monitor Thread ID,

FlightSensorsMonitorThreadID, TakeOffMonitorThreadID,

Aperiodic Simulator Thread ID, Landing Gear Handler Land Thread ID,

 $Landing Gear Handler Take Off Thread ID, \ Ground Distance Monitor Thread ID,$ 

ControlHandlerThreadID, CommunicationsHandlerThreadID,

BeginLandingHandlerThreadID, NavigationMonitorThreadID,

EnvironmentMonitorThreadID

### 1.4 ObjectIds

#### **section** ObjectIds **parents** scj\_prelude, GlobalTypes

ACSafeletObjectID: ObjectID
MainMissionObjectID: ObjectID
ACModeChangerObjectID: ObjectID
EnvironmentMonitorObjectID: ObjectID
ControlHandlerObjectID: ObjectID
FlightSensorsMonitorObjectID: ObjectID
CommunicationsHandlerObjectID: ObjectID
AperiodicSimulatorObjectID: ObjectID
TakeOffMissionObjectID: ObjectID

Landing Gear Handler Take Off Object ID: Object ID

TakeOffMonitorObjectID : ObjectID
TakeOffFailureHandlerObjectID : ObjectID
CruiseMissionObjectID : ObjectID
BeginLandingHandlerObjectID : ObjectID

 $Navigation Monitor Object ID:\ Object ID$ 

 $Land Mission Object ID:\ Object ID$ 

 $\label{lem:cond} Ground Distance Monitor Object ID: Object ID \\ Landing Gear Handler Land Object ID: Object ID \\$ 

In strument Landing System Monitor Object ID: Object ID

Safe Landing Handler Object ID: Object ID

 $\label{eq:control} distinct \langle ACSafelet Object ID, Main Mission Object ID, \\ ACMode Changer Object ID, Environment Monitor Object ID, \\ Control Handler Object ID, Flight Sensors Monitor Object ID, \\ Communications Handler Object ID, Aperiodic Simulator Object ID, \\ Take Off Mission Object ID, Landing Gear Handler Take Off Object ID, \\ Take Off Monitor Object ID, Take Off Failure Handler Object ID, \\ Cruise Mission Object ID, Begin Landing Handler Object ID, \\ Navigation Monitor Object ID, Land Mission Object ID, \\ Ground Distance Monitor Object ID, Landing Gear Handler Land Object ID, \\ Instrument Landing System Monitor Object ID, Safe Landing Handler Object ID) \\$ 

### 2 Network

```
section NetworkChannels parents scj_prelude, MissionId, MissionIds,
    Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Chan, Top Level Mission Sequencer FWChan,
    Framework Chan, Safelet Chan
channelset TerminateSync ==
    \{ schedulables\_terminated, schedulables\_stopped, get\_activeSchedulables \} \}
channelset ControlTierSync ==
    \{ | start\_toplevel\_sequencer, done\_toplevel\_sequencer, done\_safeletFW \} 
channelset TierSync ==
    {| start_mission . MainMission , done_mission . MainMission ,
    done\_safeletFW, done\_toplevel\_sequencer }
channelset MissionSync ==
    \{|done\_safeletFW, done\_toplevel\_sequencer, register, \}
signal Termination Call, signal Termination Ret, activate\_schedulables, done\_schedulable,
cleanupSchedulableCall, cleanupSchedulableRet
channelset SchedulablesSync ==
    \{|activate\_schedulables, done\_safeletFW, done\_toplevel\_sequencer|\}
channelset ClusterSync ==
    { done\_toplevel\_sequencer, done\_safeletFW }
channelset AppSync ==
    \bigcup \{SafeltAppSync, MissionSequencerAppSync, MissionAppSync, \\
    MTAppSync, OSEHSync, APEHSync,
    {| getSequencer, end_mission_app, end_managedThread_app,
    set Ceiling Priority, request Termination Call, request Termination Ret, termination Pending Call,
    terminationPendingRet, handleAsyncEventCall, handleAsyncEventRet \}
channelset ThreadSync ==
    \{ raise\_thread\_priority, lower\_thread\_priority, isInterruptedCall, isInterruptedRet, get\_priorityLevel \} \}
channelset LockingSync ==
    \{ lockAcquired, startSyncMeth, endSyncMeth, waitCall, waitRet, notify, isInterruptedCall, isInterruptedRet, \} \}
    interruptedCall, interruptedRet, done\_toplevel\_sequencer, get\_priorityLevel
channelset Tier0Sync ==
    \{|done\_toplevel\_sequencer, done\_safeletFW,
    start_mission . TakeOffMission, done_mission . TakeOffMission,
    initializeRet. TakeOffMission, requestTermination. TakeOffMission. MainMissionSequencer,
    start_mission. CruiseMission, done_mission. CruiseMission,
    initializeRet. CruiseMission, requestTermination. CruiseMission. MainMissionSequencer,
    start_mission . LandMission, done_mission . LandMission,
    initializeRet . LandMission, requestTermination . LandMission . MainMissionSequencer
```

```
SchedulableId, SchedulableIds, MissionChan, SchedulableMethChan, MissionFW,
       SafeletFW, TopLevelMissionSequencerFW, NetworkChannels, ManagedThreadFW,
       Schedulable {\it Mission Sequencer FW}, Periodic {\it Event Handler FW}, One {\it Shot Event Hand
       AperiodicEventHandlerFW, ObjectFW, ThreadFW,
       ACSafeletApp, MainMissionSequencerApp, MainMissionApp, ACModeChangerApp, ControlHandlerApp,
       Communications Handler App, Environment Monitor App, Flight Sensors Monitor App,
       Aperiodic Simulator App, Take Off Mission App, Landing Gear Handler Take Off App, Take Off Failure Handler App,
       TakeOffMonitorApp, CruiseMissionApp, BeginLandingHandlerApp, NavigationMonitorApp
       , LandMissionApp, LandingGearHandlerLandApp, SafeLandingHandlerApp, GroundDistanceMonitorApp,
       InstrumentLandingSystemMonitorApp
process ControlTier \stackrel{\frown}{=}
   SafeletFW
           [ControlTierSync]
   TopLevelMissionSequencerFW(MainMissionSequencer)
process Tier0 =
   MissionFW(MainMissionID)
           [MissionSync]
        Schedulable Mission Sequencer FW(ACMode Changer ID)
              [SchedulablesSync]
           AperiodicEventHandlerFW(ControlHandlerID,(time(10,0),null))
                  [SchedulablesSync]
           Aperiodic Event Handler FW (Communications Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
           PeriodicEventHandlerFW (EnvironmentMonitorID, (time(10,0), NULL, NULL, nullSchedulableId))
                  [SchedulablesSync]
           PeriodicEventHandlerFW (FlightSensorsMonitorID, (time(10,0), NULL, NULL, nullSchedulableId))
                  [SchedulablesSync]
           PeriodicEventHandlerFW(AperiodicSimulatorID, (time(10,0), NULL, NULL, nullSchedulableId))
process Tier1 =
   MissionFW(TakeOffMissionID)
           [MissionSync]
           Aperiodic Event Handler FW (Landing Gear Handler Take Off ID, (NULL, null Schedulable Id))
                  [SchedulablesSync]
           Aperiodic Event Handler FW (Take Off Failure Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
        PeriodicEventHandlerFW(TakeOffMonitorID,(time(0,0),time(500,0),NULL,nullSchedulableId))
        [ClusterSync]
   MissionFW(CruiseMissionID)
           [MissionSync]
        Aperiodic Event Handler FW (Begin Landing Handler ID, (NULL, null Schedulable Id))
              [SchedulablesSync]
        Periodic Event Handler FW (Navigation Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
        [ClusterSync]
   MissionFW(LandMissionID)
           [MissionSync]
           Aperiodic Event Handler FW(Landing Gear Handler Land ID, (NULL, null Schedulable Id))
                  [SchedulablesSync]
           AperiodicEventHandlerFW(SafeLandingHandlerID, (NULL, nullSchedulableId))
              [SchedulablesSync]
           PeriodicEventHandlerFW(GroundDistanceMonitorID, (time(0,0), time(10,0), NULL, nullSchedulableId))
                  [SchedulablesSync]
           Periodic Event Handler FW (Instrument Landing System Monitor ID, (time (0,0), time (10,0), NULL, null Schedulable Id)
```

section Program parents scj\_prelude, MissionId, MissionIds,

```
\mathbf{process} \, \mathit{Framework} \, \, \widehat{=} \,
  ControlTier
      [\![\mathit{TierSync}]\!]
        [\![\mathit{Tier}0\mathit{Sync}]\!]
\mathbf{process} Application \cong
  ACS a felet App
  Main Mission Sequencer App
  MainMissionApp
  ACModeChangerApp(MainMissionID)
  Control Handler App
  Communications Handler App
  EnvironmentMonitorApp(MainMissionID)
  FlightSensorsMonitorApp(MainMissionID)
  AperiodicSimulatorApp(controlHandlerID)
  Take Off Mission App
  Landing Gear Handler Take Off App (\ Take Off Mission ID)
  Take Off Failure Handler App (Main Mission, Take Off Mission ID,)
  TakeOffMonitorApp(MainMission, TakeOffMissionID, , landingGearHandlerID)
  Cruise Mission App
  BeginLandingHandlerApp(MainMission)
  NavigationMonitorApp(MainMission)
  Land Mission App
  LandingGear Handler LandApp(LandMission ID)
  SafeLandingHandlerApp(MainMission,)
  GroundDistanceMonitorApp(MainMission)
 InstrumentLandingSystemMonitorApp(LandMissionID)
```

```
MethodCallBinder \stackrel{\frown}{=}
      setCabinPressure\_MethodBinder
      setEmergencyOxygen\_MethodBinder
      setFuelRemaining\_MethodBinder
      setAirSpeed\_MethodBinder
      setAltitude\_MethodBinder
      setHeading\_MethodBinder
      isLandingGearDeployed\_MethodBinder
      stowLandingGear\_MethodBinder
      deployLandingGear\_MethodBinder
      getAltitude\_MethodBinder
      getAirSpeed\_MethodBinder
      abort\_MethodBinder
      getHeading\_MethodBinder
      getAirSpeed\_MethodBinder
      getAltitude\_MethodBinder
      getAltitude\_MethodBinder
      isLandingGearDeployed\_MethodBinder
      stowLandingGear\_MethodBinder
      deployLandingGear\_MethodBinder
      getAltitude\_MethodBinder
\mathbf{channel}\ binder\_setCabinPressureCall: MissionID \times SchedulableID
\mathbf{channel}\ binder\_setCabinPressureRet: MissionID \times SchedulableID
setCabinPressureLocs == \{MainMissionID\}
setCabinPressureCallers == \{EnvironmentMonitorID\}
setCabinPressure\_MethodBinder \ \widehat{=}
      binder\_setCabinPressureCall
         ? loc : (loc \in setCabinPressureLocs)
         ? caller : (caller \in setCabinPressureCallers)-
      setCabinPressureCall.loc.caller \longrightarrow
      setCabinPressureRet . loc . caller ? ret \longrightarrow
      binder\_setCabinPressureRet.\,loc.\,caller\,!\,ret-
      Skip
```

```
{\bf channel}\ binder\_setEmergencyOxygenCall: MissionID \times SchedulableID
{\bf channel}\ binder\_setEmergencyOxygenRet: MissionID \times SchedulableID
setEmergencyOxygenLocs == \{MainMissionID\}
setEmergencyOxygenCallers == \{EnvironmentMonitorID\}
setEmergencyOxygen\_MethodBinder \stackrel{\frown}{=}
      binder_setEmergencyOxygenCall
         ? loc : (loc \in setEmergencyOxygenLocs)
         ? caller : (caller \in setEmergencyOxygenCallers)—
      setEmergencyOxygenCall.loc.caller \longrightarrow
      setEmergencyOxygenRet.loc.caller?ret \longrightarrow
      binder\_setEmergencyOxygenRet.\ loc.\ caller\ !\ ret-
{\bf channel}\ binder\_setFuelRemainingCall: MissionID 	imes SchedulableID
{\bf channel}\ binder\_setFuelRemainingRet: MissionID 	imes SchedulableID
setFuelRemainingLocs == \{MainMissionID\}
setFuelRemainingCallers == \{EnvironmentMonitorID\}
setFuelRemaining\_MethodBinder \stackrel{\frown}{=}
      binder\_setFuelRemainingCall
         ? loc : (loc \in setFuelRemainingLocs)
         ? caller : (caller \in setFuelRemainingCallers)-
      setFuelRemainingCall.loc.caller \longrightarrow
      setFuelRemainingRet.loc.caller?ret \longrightarrow
      binder\_setFuelRemainingRet.\,loc.\,caller\,!\,ret-
      Skip
{\bf channel}\ binder\_setAirSpeedCall: MissionID 	imes SchedulableID
\mathbf{channel}\ binder\_setAirSpeedRet: MissionID \times SchedulableID
setAirSpeedLocs == \{MainMissionID\}
setAirSpeedCallers == \{FlightSensorsMonitorID\}
setAirSpeed\_MethodBinder \stackrel{\frown}{=}
      'binder\_setAirSpeedCall
         ? loc : (loc \in setAirSpeedLocs)
         ? caller : (caller \in setAirSpeedCallers) \longrightarrow
      setAirSpeedCall. loc. caller \longrightarrow
      setAirSpeedRet.\,loc.\,caller\,?\,ret {\longrightarrow}
      binder\_setAirSpeedRet.\,loc.\,caller\,!\,ret
      Skip
{\bf channel}\ binder\_setAltitudeCall: MissionID \times SchedulableID
{\bf channel}\ binder\_setAltitudeRet: MissionID \times SchedulableID
setAltitudeLocs == \{MainMissionID\}
setAltitudeCallers == \{FlightSensorsMonitorID\}
```

```
setAltitude\_MethodBinder \stackrel{\frown}{=}
      fbinder\_setAltitudeCall
          ? loc : (loc \in setAltitudeLocs)
          ? caller: (caller \in setAltitudeCallers) \longrightarrow
       setAltitudeCall.loc.caller \longrightarrow
       setAltitudeRet . loc . caller ? ret \longrightarrow
       binder\_setAltitudeRet.\ loc.\ caller \ !\ ret-
{\bf channel}\ binder\_setHeadingCall: MissionID \times SchedulableID
{\bf channel}\ binder\_setHeadingRet: MissionID \times SchedulableID
setHeadingLocs == \{MainMissionID\}
setHeadingCallers == \{FlightSensorsMonitorID\}
setHeading\_MethodBinder \stackrel{\frown}{=}
       binder\_setHeadingCall
          ? loc : (loc \in setHeadingLocs)
          ? caller : (caller \in setHeadingCallers) \longrightarrow
       \begin{array}{c} setHeadingCall \ . \ loc \ . \ caller {\longrightarrow} \\ setHeadingRet \ . \ loc \ . \ caller \ ? \ ret {\longrightarrow} \end{array}
       binder\_setHeadingRet.\,loc.\,caller\,!\,ret-
\textbf{channel} \ binder\_isLandingGearDeployedCall: MissionID \times SchedulableID
channel binder\_isLandingGearDeployedRet: MissionID \times SchedulableID \times \mathbb{B}
isLandingGearDeployedLocs == \{ TakeOffMissionID, LandMissionID \}
isLandingGearDeployedCallers == \{LandingGearHandlerTakeOffID, LandingGearHandlerLandID\}
isLandingGearDeployed\_MethodBinder \stackrel{\frown}{=}
       binder\_isLandingGearDeployedCall
          ? loc : (loc \in isLandingGearDeployedLocs)
          ? caller : (caller \in isLandingGearDeployedCallers)-
       isLandingGearDeployedCall.loc.caller \longrightarrow
       isLandingGearDeployedRet . loc . caller ? ret \longrightarrow
       binder\_is Landing Gear Deployed Ret..loc.caller!\,ret
       Skip
\mathbf{channel}\ binder\_stowLandingGearCall: MissionID \times SchedulableID
channel binder\_stowLandingGearRet: MissionID \times SchedulableID
stowLandingGearLocs == \{ TakeOffMissionID, LandMissionID \}
stowLandingGearCallers == \{LandingGearHandlerTakeOffID, LandingGearHandlerLandID\}
stowLandingGear\_MethodBinder \triangleq
       binder\_stowLandingGearCall
          ? loc : (loc \in stowLandingGearLocs)
          ? caller : (caller \in stowLandingGearCallers)-
       stowLandingGearCall.loc.caller \longrightarrow
       stowLandingGearRet.\,loc\,.\,caller\,?\,ret {\longrightarrow}
       binder\_stowLandingGearRet.loc.caller \,!\, ret
       Skip
```

```
{\bf channel}\ binder\_deployLandingGearCall: MissionID 	imes SchedulableID
\mathbf{channel}\ binder\_deployLandingGearRet: MissionID \times SchedulableID
deployLandingGearLocs == \{ TakeOffMissionID, LandMissionID \}
deployLandingGearCallers == \{LandingGearHandlerTakeOffID, LandingGearHandlerLandID\}
deployLandingGear\_MethodBinder \stackrel{\frown}{=}
              binder\_deployLandingGearCall
                    ? loc : (loc \in deployLandingGearLocs)
                    ?\ caller: (caller \in \textit{deployLandingGearCallers}) {\longrightarrow}
               deployLandingGearCall.loc.caller \longrightarrow
               deployLandingGearRet . loc . caller ? ret \longrightarrow
              binder\_deployLandingGearRet. loc. caller! ret-
              Skip
\mathbf{channel}\ binder\_getAltitudeCall: MissionID \times SchedulableID
channel binder\_getAltitudeRet: MissionID \times SchedulableID \times \mathbb{R}
getAltitudeLocs == \{MainMissionID\}
qetAltitudeCallers == \{SafeLandingHandlerID, GroundDistanceMonitorID, TakeOffMonitorID, NavigationMonitorID\}
getAltitude\_MethodBinder \stackrel{\frown}{=}
              binder\_getAltitudeCall
                    ? loc : (loc \in getAltitudeLocs)
                   ?\ caller: (caller \in getAltitudeCallers) {\longrightarrow}
             \begin{array}{c} getAltitude\r{C}all \ . \ loc \ . \ caller {\longrightarrow} \\ getAltitudeRet \ . \ loc \ . \ caller \ ? \ ret {\longrightarrow} \end{array}
              binder\_getAltitudeRet.\,loc.\,caller\,!\,ret-
              Skip
{\bf channel}\ binder\_getAirSpeedCall: MissionID 	imes SchedulableID
\mathbf{channel}\ binder\_getAirSpeedRet: \mathit{MissionID} \times \mathit{SchedulableID} \times \mathbb{R}
getAirSpeedLocs == \{MainMissionID\}
getAirSpeedCallers == \{ TakeOffFailureHandlerID, NavigationMonitorID \}
getAirSpeed\_MethodBinder \stackrel{\frown}{=}
             \begin{cases} 
                    ? caller : (caller \in getAirSpeedCallers) \longrightarrow
              getAirSpeedCall.loc.caller \longrightarrow
              getAirSpeedRet.loc.caller?ret \longrightarrow
              binder\_getAirSpeedRet.loc.caller \, ! \, ret
              Skip
\mathbf{channel}\ binder\_abortCall: MissionID \times SchedulableID
\mathbf{channel}\ binder\_abortRet: \mathit{MissionID} \times \mathit{SchedulableID}
abortLocs == \{ TakeOffMissionID \}
```

 $abortCallers == \{ TakeOffFailureHandlerID \}$ 

```
abort\_MethodBinder \ \widehat{=}
       / binder_abortCall
           ? loc : (loc \in abortLocs)
           ? caller : (caller \in abortCallers) \longrightarrow
        abortCall.loc.caller \longrightarrow
        abortRet.loc.caller?ret \longrightarrow
        binder\_abortRet.\,loc.\,caller\,!\,ret-
\mathbf{channel}\ binder\_getHeadingCall: MissionID \times SchedulableID
channel binder\_getHeadingRet: MissionID \times SchedulableID \times \mathbb{R}
qetHeadingLocs == \{MainMissionID\}
qetHeadingCallers == \{NavigationMonitorID\}
getHeading\_MethodBinder \stackrel{\frown}{=}
       binder_getHeadingCall
           ? loc : (loc \in getHeadingLocs)
           ? caller : (caller \in getHeadingCallers) \longrightarrow
        \begin{array}{c} getHeadingCall \ . \ loc \ . \ caller \longrightarrow \\ getHeadingRet \ . \ loc \ . \ caller \ ? \ ret \longrightarrow \\ binder\_getHeadingRet \ . \ loc \ . \ caller \ ! \ ret \longrightarrow \end{array}
\mathbf{channel}\ binder\_getAirSpeedCall: \mathit{MissionID} \times SchedulableID
\mathbf{channel}\ binder\_getAirSpeedRet: \mathit{MissionID} \times \mathit{SchedulableID} \times \mathbb{R}
getAirSpeedLocs == \{MainMissionID\}
getAirSpeedCallers == \{NavigationMonitorID\}
getAirSpeed\_MethodBinder \cong
       \begin{picture}(binder\_getAirSpeedCall\end{picture})
          ? loc : (loc \in getAirSpeedLocs)
          ? caller: (caller \in getAirSpeedCallers) \longrightarrow
        getAirSpeedCall.\ loc.\ caller{\longrightarrow}
        getAirSpeedRet . loc . caller ? ret \longrightarrow
        binder\_getAirSpeedRet.loc.caller \, ! \, ret-
\mathbf{channel}\ binder\_getAltitudeCall: MissionID \times SchedulableID
channel binder\_getAltitudeRet: MissionID \times SchedulableID \times \mathbb{R}
getAltitudeLocs == \{MainMissionID\}
getAltitudeCallers == \{SafeLandingHandlerID, GroundDistanceMonitorID, NavigationMonitorID\}
getAltitude\_MethodBinder \mathrel{\widehat{=}}
        binder\_getAltitudeCall
           ? loc : (loc \in getAltitudeLocs)
           ? caller : (caller \in getAltitudeCallers) \longrightarrow
        \begin{array}{c} getAltitudeCall \ . \ loc \ . \ caller {\longrightarrow} \\ getAltitudeRet \ . \ loc \ . \ caller \ ? \ ret {\longrightarrow} \end{array}
        binder\_getAltitudeRet . loc . caller ! ret—
```

```
\mathbf{channel}\ binder\_getAltitudeCall: MissionID \times SchedulableID
channel binder\_getAltitudeRet: MissionID \times SchedulableID \times \mathbb{R}
getAltitudeLocs == \{MainMissionID\}
getAltitudeCallers == \{SafeLandingHandlerID, GroundDistanceMonitorID\}
getAltitude\_MethodBinder \stackrel{\frown}{=}
             binder\_getAltitudeCall
                   ?loc:(loc \in getAltitudeLocs)
                   ? caller: (caller \in getAltitudeCallers) \longrightarrow
             getAltitudeCall . loc . caller \longrightarrow
getAltitudeRet . loc . caller ? ret \longrightarrow
binder\_getAltitudeRet . loc . caller ! ret \longrightarrow
Skip
{\bf channel}\ binder\_isLandingGearDeployedCall: MissionID 	imes SchedulableID
channel binder\_isLandingGearDeployedRet: MissionID \times SchedulableID \times \mathbb{B}
isLandingGearDeployedLocs == \{LandMissionID\}
isLandingGearDeployedCallers == \{LandingGearHandlerLandID\}
isLandingGearDeployed\_MethodBinder \stackrel{\frown}{=}
              binder\_isLandingGearDeployedCall
                    ? loc : (loc \in isLandingGearDeployedLocs)
                   ? caller: (caller \in isLandingGearDeployedCallers) \longrightarrow
              isLandingGearDeployedCall.loc.caller \longrightarrow
              isLandingGearDeployedRet.loc.caller?ret \longrightarrow
              binder\_isLandingGearDeployedRet.\,loc.\,caller\,!\,ret {\longrightarrow}
              Skip
{\bf channel}\ binder\_stowLandingGearCall: MissionID 	imes SchedulableID
\mathbf{channel}\ binder\_stowLandingGearRet: MissionID \times SchedulableID
stowLandingGearLocs == \{LandMissionID\}
stowLandingGearCallers == \{LandingGearHandlerLandID\}
stowLandingGear\_MethodBinder \stackrel{\frown}{=}
              binder\_stowLandingGearCall
                   ? loc : (loc \in stowLandingGearLocs)
                   ? caller : (caller \in stowLandingGearCallers) \longrightarrow
              stowLandingGearCall.\ loc.\ caller{\longrightarrow}
             stowLandingGearRet.loc.caller?ret {\longrightarrow} binder\_stowLandingGearRet.loc.caller!ret {-} binder\_stowLandingGearRet.loc.caller!ret {-} binder\_stowLandingGearRet.loc.caller!ret {-} binder\_stowLandingGearRet.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.caller.loc.call
             Skip
\mathbf{channel}\ binder\_deployLandingGearCall: MissionID \times SchedulableID
\mathbf{channel}\ binder\_deployLandingGearRet: MissionID \times SchedulableID
deployLandingGearLocs == \{LandMissionID\}
deployLandingGearCallers == \{LandingGearHandlerLandID\}
```

```
deployLandingGear\_MethodBinder \stackrel{\frown}{=}
        'binder\_deployLandingGearCall
             ?\ loc: (loc \in deployLandingGearLocs)
             ? caller: (caller \in deployLandingGearCallers)-
         deployLandingGearCall.\ loc.\ caller{\longrightarrow}
         deployLandingGearRet.\,loc\,.\,caller\,?\,ret {\longrightarrow}
         binder\_deployLandingGearRet.loc.caller \, ! \, ret-
\mathbf{channel}\ binder\_getAltitudeCall: MissionID \times SchedulableID
\mathbf{channel}\,\mathit{binder\_getAltitudeRet}:\mathit{MissionID}\times\mathit{SchedulableID}\times\mathbb{R}
getAltitudeLocs == \{MainMissionID\}
getAltitudeCallers == \{SafeLandingHandlerID\}
getAltitude\_MethodBinder \stackrel{\frown}{=}
         \begin{subarray}{l} binder\_getAltitudeCall \end{subarray}
             ? loc : (loc \in getAltitudeLocs)
             ? caller : (caller \in getAltitudeCallers) \longrightarrow
        \begin{array}{l} \textit{getAltitudeCall . loc . caller} \longrightarrow \\ \textit{getAltitudeRet . loc . caller ? ret} \longrightarrow \\ \textit{binder\_getAltitudeRet . loc . caller ! ret} \longrightarrow \\ \end{array}
         Skip
```

 $\mathbf{process}\,ApplicationB \ \widehat{=}\ Application\ \llbracket\ MethodCallBinderSync\ \rrbracket\ MethodCallBinder$ 

```
\mathbf{process}\ \mathit{Threads}\ \widehat{=}\ 
  ThreadFW(SafeLandingHandlerThreadID, 5)
  ThreadFW(ACModeChangerThreadID, 5)
  ThreadFW ( Take Off Failure Handler Thread ID, 5)
  ThreadFW (InstrumentLandingSystemMonitorThreadID, 5)
  ThreadFW(FlightSensorsMonitorThreadID, 5)
  ThreadFW (Take Off Monitor Thread ID, 5)
  ThreadFW(AperiodicSimulatorThreadID, 5)
  ThreadFW(LandingGear Handler LandThread ID, 5)
  ThreadFW(LandingGear Handler Take Off Thread ID, 5)
  ThreadFW(GroundDistanceMonitorThreadID, 5)
  ThreadFW(ControlHandlerThreadID, 5)
  ThreadFW ({\it Communications Handler Thread ID}, 5)
  ThreadFW(BeginLandingHandlerThreadID, 5)
  ThreadFW(NavigationMonitorThreadID, 5)
 ThreadFW(EnvironmentMonitorThreadID, 5)
```

```
process Objects \cong
 ObjectFW(ACSafeletObjectID)
 ObjectFW(MainMissionObjectID)
 ObjectFW(ACModeChangerObjectID)
 ObjectFW(EnvironmentMonitorObjectID)
 ObjectFW(ControlHandlerObjectID)
 ObjectFW(FlightSensorsMonitorObjectID)
 ObjectFW(CommunicationsHandlerObjectID)
 ObjectFW (AperiodicSimulatorObjectID) \\
 ObjectFW(TakeOffMissionObjectID)
 ObjectFW(LandingGearHandlerTakeOffObjectID)
 ObjectFW(TakeOffMonitorObjectID)
 ObjectFW(TakeOffFailureHandlerObjectID)
 ObjectFW(CruiseMissionObjectID)
 ObjectFW(BeginLandingHandlerObjectID)
 ObjectFW(NavigationMonitorObjectID)
 ObjectFW(LandMissionObjectID)
 ObjectFW(GroundDistanceMonitorObjectID)
 ObjectFW(LandingGearHandlerLandObjectID)
 ObjectFW(InstrumentLandingSystemMonitorObjectID)
 ObjectFW(SafeLandingHandlerObjectID)
```

```
\mathbf{process}\ Locking \ \widehat{=}\ ThreadS\ [\![\ ThreadSync\ ]\!]\ Objects
```

 $\operatorname{\mathbf{process}} \operatorname{\mathit{Program}} \ \widehat{=} \ (\operatorname{\mathit{Framework}} \ \llbracket \operatorname{\mathit{AppSync}} \ \rrbracket \operatorname{\mathit{ApplicationB}}) \ \llbracket \operatorname{\mathit{LockingSync}} \ \rrbracket \operatorname{\mathit{LockingSync}} \ \rrbracket \operatorname{\mathit{LockingSync}} \ \rrbracket$ 

# 3 Safelet

 ${\bf section}\ ACS a felet App\ {\bf parents}\ scj\_prelude, Schedulable Id, Schedulable Ids, Safelet Chan$ 

```
\begin{aligned} & \textbf{process } ACSafeletApp \ \widehat{=} \ \mathbf{begin} \\ & InitializeApplication \ \widehat{=} \\ & \left( initializeApplicationCall \longrightarrow \\ & \left( initializeApplicationRet \longrightarrow \right) \\ & \mathbf{Skip} \end{aligned} \end{aligned}
\begin{aligned} & GetSequencer \ \widehat{=} \\ & \left( getSequencerCall \longrightarrow \\ & getSequencerRet \ ! \ MainMissionSequencer \longrightarrow \\ & \mathbf{Skip} \end{aligned}
\begin{aligned} & Methods \ \widehat{=} \\ & \left( GetSequencer \\ & \Box \\ & InitializeApplication \end{aligned} \right); \ Methods \end{aligned}
\bullet \ (Methods) \ \triangle \ (end\_safelet\_app \longrightarrow \mathbf{Skip})
```

 $\quad \mathbf{end} \quad$ 

# 4 Top Level Mission Sequencer

section MainMissionSequencerApp parents TopLevelMissionSequencerChan, MissionId, MissionIds, SchedulableId, MainMissionSequencerClass

 $\mathbf{process} \ \mathit{MainMissionSequencerApp} \ \widehat{=} \ \mathbf{begin}$ 

```
State = \\ this: \mathbf{ref} \ MainMissionSequencerClass \mathbf{state} \ State Init = \\ State' = \\ this' = \mathbf{new} \ MainMissionSequencerClass()
```

```
\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \, \mathit{GetNextMission} \, \big) \; ; \; \, \mathit{Methods} \end{array}
```

ullet (Init; Methods)  $\triangle$  (end\_sequencer\_app. MainMissionSequencer  $\longrightarrow$  **Skip**)

### $\mathbf{class}\,\mathit{MainMissionSequencerClass} \; \widehat{=} \; \mathbf{begin}$

```
initial Init
State'

returnedMission' = false
```

• Skip


 $\mathbf{end}$ 

### 5 Missions

### 5.1 MainMission

```
section MainMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Ids, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Main Mission Class
     , Main Mission Meth Chan
process MainMissionApp \stackrel{\frown}{=} begin
   State_{-}
    this: {f ref}\ Main Mission Class
\mathbf{state}\,\mathit{State}
  Init
    State'
    this' = \mathbf{new} \ Main Mission Class()
InitializePhase \stackrel{\frown}{=}
  'initializeCall . MainMission {\longrightarrow}
  register! ACModeChanger! MainMission \longrightarrow
  register \,!\, Environment Monitor \,!\, Main Mission-
  register \,! \, Control Handler \,! \, Main Mission {\longrightarrow}
  register \ ! \ Flight Sensors Monitor \ ! \ Main Mission --
  register \ ! \ Communications Handler \ ! \ Main Mission -
  register! AperiodicSimulator! MainMission \longrightarrow
  initializeRet \;.\; MainMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  clean up {\it MissionRet} : {\it MainMission!} \ {\bf True} -
  Skip
getAirSpeedMeth \cong \mathbf{var}\ ret : \mathbb{R} \bullet
  ^{'}getAirSpeedCall . MainMission-
  ret := this.getAirSpeed();
  getAirSpeedRet \ . \ MainMission \ ! \ ret
getAltitudeMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{R} \bullet
  'getAltitudeCall . MainMission —
  ret := this.getAltitude();
  getAltitudeRet\ .\ MainMission\ !\ ret
  Skip
getCabinPressureMeth \cong \mathbf{var}\ ret : \mathbb{R} \bullet
  ret := this.getCabinPressure();
  get Cabin Pressure Ret \ . \ Main Mission \ ! \ ret
  Skip
```

```
getEmergencyOxygenMeth \cong \mathbf{var}\ ret : \mathbb{R} \bullet
  getEmergencyOxygenCall. MainMission-
  ret := this.getEmergencyOxygen();
  getEmergencyOxygenRet.\ MainMission \ !\ ret
  Skip
getFuelRemainingMeth \cong \mathbf{var}\ ret : \mathbb{R} \bullet
  ret := this.getFuelRemaining();
  getFuelRemainingRet\ .\ MainMission\ !\ ret
getHeadingMeth = \mathbf{var} \ ret : \mathbb{R} \bullet
  getHeadingCall. MainMission \longrightarrow
  ret := this.getHeading();
  getHeadingRet . MainMission! ret
  Skip
setAirSpeedMeth \stackrel{\frown}{=}
  'setAirSpeedCall . MainMission ? airSpeed \longrightarrow
  this.setAirSpeed(airSpeed);
  setAirSpeedRet . MainMission
 Skip
setAltitudeMeth \triangleq
  \ 'set Altitude Call . Main Mission? altitude-
  this.setAltitude(altitude);
  setAltitudeRet . MainMission-
  Skip
setCabinPressureMeth \stackrel{\frown}{=}
  \ 'set Cabin Pressure Call . Main Mission? cabin Pressure-
  this.setCabinPressure(cabinPressure);
  set Cabin Pressure Ret . Main Mission—
  Skip
setEmergencyOxygenMeth \stackrel{\frown}{=}
  this.\ setEmergencyOxygen (emergencyOxygen);
  setEmergencyOxygenRet: MainMission {\longrightarrow}
 Skip
setFuelRemainingMeth \stackrel{\frown}{=}
  \ 'setFuelRemainingCall . MainMission? fuelRemaining-
  this.setFuelRemaining(fuelRemaining);
  setFuelRemainingRet. MainMission \longrightarrow
 Skip
setHeadingMeth \ \widehat{=}
  \ 'set Heading Call . Main Mission? heading-
  this.setHeading(heading);
  setHeadingRet. MainMission-
 Skip
```



ullet (Init; Methods)  $\triangle$  (end\_mission\_app. MainMission  $\longrightarrow$  **Skip**)

```
{f state}\ State
    ALTITUDE\_READING\_ON\_GROUND: \mathbb{R}
    test: \mathbb{Z}
    cabinPressure: \mathbb{R}
    emergencyOxygen: \mathbb{R}
   fuelRemaining: \mathbb{R}
    altitude: \mathbb{R}
    airSpeed: \mathbb{R}
    heading: \mathbb{R}
\mathbf{state}\,\mathit{State}
   initial Init
    State'
    ALTITUDE\_READING\_ON\_GROUND' = 0.0
    test' = 0
public getAirSpeed \cong \mathbf{var}\ ret : \mathbb{R} \bullet
(ret := airSpeed)
public getAltitude = \mathbf{var} \ ret : \mathbb{R} \bullet
(ret := altitude)
\mathbf{public} \ getCabinPressure \ \widehat{=} \ \mathbf{var} \ ret : \mathbb{R} \bullet
(ret := cabinPressure)
public getEmergencyOxygen \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{R} \bullet
(ret := emergencyOxygen)
public getFuelRemaining \cong \mathbf{var} \ ret : \mathbb{R} \bullet
(ret := fuelRemaining)
public getHeading = \mathbf{var} \ ret : \mathbb{R} \bullet
(ret := heading)
public setAirSpeed =
(this.this.airSpeed := airSpeed)
public setAltitude \stackrel{\frown}{=}
(this.this.altitude := altitude)
public setCabinPressure \stackrel{\frown}{=}
(this.this.cabinPressure := cabinPressure)
\mathbf{public}\ setEmergencyOxygen\ \widehat{=}
(this.this.emergencyOxygen := emergencyOxygen)
```

```
\begin{array}{l} \textbf{public} \ setFuelRemaining} \ \widehat{=} \\ \big( \textit{this.this.fuelRemaining} := \textit{fuelRemaining} \big) \\ \\ \textbf{public} \ setHeading} \ \widehat{=} \\ \big( \textit{this.this.heading} := \textit{heading} \big) \end{array}
```

• Skip

 $\mathbf{end}$ 

### 5.2 Schedulables of MainMission

 $\begin{array}{c} \textbf{section} \ A C Mode Changer App \ \textbf{parents} \ Top Level Mission Sequencer Chan, \\ Mission Id, Mission Ids, Schedulable Id, A C Mode Changer Class \end{array}$ 

```
 \begin{aligned} \mathbf{process} & A C Mode C hanger App \ \widehat{=} \\ & controlling Mission : Mission ID \ \bullet \ \mathbf{begin} \end{aligned}   \begin{aligned} & Get N ext Mission \ \widehat{=} \ \mathbf{var} \ ret : Mission ID \ \bullet \\ & \left( get N ext Mission Call \ . \ A C Mode C hanger \longrightarrow \\ & ret := this \ . get N ext Mission(); \\ & get N ext Mission Ret \ . \ A C Mode C hanger \ ! \ ret \longrightarrow \\ & \mathbf{Skip} \end{aligned}   \begin{aligned} & Methods \ \widehat{=} \\ & \left( Get N ext Mission \right); \ Methods \end{aligned}   \bullet \ (Methods) \ \triangle \ (end\_sequencer\_app \ . \ A C Mode C hanger \longrightarrow \mathbf{Skip}) \end{aligned}   \end{aligned}   end
```

### $\mathbf{class}\,\mathit{ACModeChangerClass} \,\, \widehat{=}\,\, \mathbf{begin}$

```
\_ state State \_ controlling Mission: Main Mission modes Left: \mathbb{Z}
```

 $\mathbf{state}\,\mathit{State}$ 

```
 \begin{array}{c} \textbf{initial } \textit{Init} \\ \textit{State'} \\ \hline \textit{modesLeft'} = 3 \end{array}
```

• Skip

```
\mathbf{process} \ \mathit{ControlHandlerApp} \ \widehat{=} \ \mathbf{begin}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Control Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right) \; ; \\ handle A sync Event Ret \; . \; Control Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

```
\begin{array}{l} \mathit{Methods} \mathrel{\widehat{=}} \\ (\mathit{handlerAsyncEvent}) \; ; \; \; \mathit{Methods} \end{array}
```

 $\bullet \; (Methods) \; \triangle \; (end\_aperiodic\_app \; . \; ControlHandler \longrightarrow \mathbf{Skip})$ 

 $\mathbf{process}\ Communications Handler App\ \widehat{=}\ \mathbf{begin}$ 

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ \left( \begin{array}{l} handle A sync Event Call \; . \; Communications Handler \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip} \end{array} \right); \\ handle A sync Event Ret \; . \; Communications Handler \longrightarrow \\ \mathbf{Skip} \end{array} \right) \end{array}
```

 $\begin{array}{l} \textit{Methods} \; \widehat{=} \\ \left( \textit{handlerAsyncEvent} \right) \; ; \; \; \textit{Methods} \end{array}$ 

 $\bullet \; (Methods) \; \triangle \; (end\_aperiodic\_app \; . \; Communications Handler \longrightarrow \mathbf{Skip})$ 

 ${\bf section} \ Environment Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, \\ Main Mission Meth Chan$ 

```
 \begin{array}{l} \textit{mainMission}: \textit{MissionID} \bullet \mathbf{begin} \\ \\ \textit{handlerAsyncEvent} \, \widehat{=} \\ \begin{pmatrix} \textit{handleAsyncEventCall} \cdot \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip}; \\ \textit{setCabinPressureCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setEmergencyOxygenCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setEmergencyOxygenRet} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setEmergencyOxygenRet} \cdot \textit{controllingMission} \, \longrightarrow \\ \mathbf{Skip}; \\ \textit{setFuelRemainingCall} \cdot \textit{controllingMission} \, ! \, 0 \longrightarrow \\ \textit{setFuelRemainingRet} \cdot \textit{controllingMission} \, \longrightarrow \\ \mathbf{Skip}; \\ \textit{setFuelRemainingRet} \cdot \textit{controllingMission} \, \longrightarrow \\ \mathbf{Skip}; \\ \textit{handleAsyncEventRet} \cdot \textit{EnvironmentMonitor} \longrightarrow \\ \mathbf{Skip} \\ \end{pmatrix}
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . EnvironmentMonitor  $\longrightarrow$  **Skip**)

 $process EnvironmentMonitorApp \stackrel{\frown}{=}$ 

## $\mathbf{class}\, \textit{EnvironmentMonitorClass} \,\, \widehat{=} \,\, \mathbf{begin}$

$\_\_$ state $State$ $\_\_$ $controlling Mission$	: MainMission		
${f state} State$			
initial Init State'			

• Skip

 $\mathbf{end}$ 

 ${\bf section} \ Flight Sensors Monitor App \ {\bf parents} \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Sche$ 

```
\begin{array}{c} \mathbf{process} \ FlightSensorsMonitorApp \ \widehat{=} \\ mainMission : MissionID \ \bullet \ \mathbf{begin} \end{array}
```

```
\begin{array}{l} handler A sync Event \; \widehat{=} \\ handle A sync Event Call \; . \; Flight Sensors Monitor \longrightarrow \\ \left( \begin{array}{l} \mathbf{Skip}; \\ set A ir Speed Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ir Speed Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set A ltitude Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set A ltitude Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip}; \\ set Heading Call \; . \; controlling Mission \; !\; 0 \longrightarrow \\ set Heading Ret \; . \; controlling Mission \longrightarrow \\ \mathbf{Skip} \\ handle A sync Event Ret \; . \; Flight Sensors Monitor \longrightarrow \\ \mathbf{Skip} \\ \end{array} \right)
```

```
Methods = (handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . FlightSensorsMonitor  $\longrightarrow$  **Skip**)

## $\mathbf{class}\,\mathit{FlightSensorsMonitorClass}\,\,\widehat{=}\,\,\mathbf{begin}$

$\_$ state $State$ $\_$ $controllingMis$	sion: Main Mission		
${f state} State$			
initial Init State'			

• Skip

 $\mathbf{end}$ 

```
process AperiodicSimulatorApp \triangleq aperiodicEvent : SchedulableID • begin

handlerAsyncEvent \triangleq \binom{handleAsyncEventCall . AperiodicSimulator \longrightarrow}{\binom{\mathbf{Skip};}{releaseCall . event \longrightarrow}}; \binom{\mathbf{Skip};}{\mathbf{Skip}} handleAsyncEventRet . AperiodicSimulator \longrightarrow \binom{\mathbf{Skip};}{\mathbf{Skip}}

Methods \triangleq \binom{handlerAsyncEvent}{mandlerAsyncEvent}; Methods

• \binom{Methods}{mandle} \triangle (end_periodic_app . AperiodicSimulator \longrightarrow \mathbf{Skip})
```

## $\mathbf{class}\,\mathit{AperiodicSimulatorClass} \; \widehat{=} \; \mathbf{begin}$

$\_$ state $State$ $\_$			
	dic Event Handler		
${f state} State$			
initial <i>Init</i>			
State'			

 $\bullet$  Skip

 $\mathbf{end}$ 

### 5.3 TakeOffMission

```
section TakeOffMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Take Off Mission Class
     , \, Take Off Mission Meth Chan
process TakeOffMissionApp \cong
     controlling Mission: Mission ID \bullet \mathbf{begin}
   State
    this: {f ref}\ Take Off Mission Class
\mathbf{state}\,\mathit{State}
   Init
   State'
   this' = \mathbf{new} \ TakeOffMissionClass()
InitializePhase \stackrel{\frown}{=}
  initializeCall. TakeOffMission \longrightarrow
  register! Landing Gear Handler Take Off! Take Off Mission
  register! TakeOffMonitor! TakeOffMission \longrightarrow
  register! TakeOffFailureHandler! TakeOffMission \longrightarrow
  initializeRet \;.\; TakeOffMission {\longrightarrow}
  Skip
CleanupPhase \stackrel{\frown}{=}
  cleanupMissionRet . TakeOffMission! True \longrightarrow
  Skip
abortMeth \stackrel{\frown}{=}
  abortCall. TakeOffMission-
  this. abort();
  abortRet\ .\ Take Off Mission
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  getControllingMissionCall. TakeOffMission \longrightarrow
  ret := this.getControllingMission();
  getControllingMissionRet \ . \ TakeOffMission \ ! \ ret
  Skip
setControllingMissionMeth =
  \ 'set Controlling Mission Call . Take Off Mission? controlling Mission-
  this.setControllingMission(controllingMission);
  setControllingMissionRet \;.\; TakeOffMission {\longrightarrow}
  Skip
```

```
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  ret := this \cdot clean Up();
  clean UpRet . Take Off Mission! ret
  Skip
stowLandingGearMeth \stackrel{\frown}{=}
  \ 's tow Landing Gear Call . Take Off Mission -
  this.stowLandingGear();
  stowLandingGearRet\ .\ TakeOffMission
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  isLandingGearDeployedCall. TakeOffMission \longrightarrow
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret.\ Take Off Mission\ !\ ret
 Skip
deployLandingGearSyncMeth =
  deployLandingGearCall. TakeOffMission? thread
    startSyncMeth. TakeOffMissionObject. thread—
    lockAcquired. TakeOffMissionObject. thread \longrightarrow
     (this.landingGearDeployed := true);
    \stackrel{.}{e}ndSyncMeth. TakeOffMissionObject. thread \longrightarrow
    deploy Landing Gear Ret.\ Take O\!f\!f\!Mission\ .\ thread
    Skip
               Initialize Phase
               CleanupPhase
               abortMeth
               getControllingMissionMeth \\
Methods =
               set Controlling Mission Meth \\
                                                   : Methods
               clean Up Meth
               stow Landing Gear Meth \\
               is Landing Gear Deployed Meth
               deploy Landing Gear Sync Meth \\
```

• (Init; Methods)  $\triangle$  (end\_mission\_app. TakeOffMission  $\longrightarrow$  **Skip**)

#### class TakeOffMissionClass =begin

```
state State
    SAFE\_AIRSPEED\_THRESHOLD: \mathbb{R}
    \mathit{TAKEOFF\_ALTITUDE}: \mathbb{R}
    controlling Mission: Main Mission\\
    abort: \mathbb{B}
    landing Gear Deployed: \mathbb{B}
{f state}\ State
   initial Init
    State'
    SAFE\_AIRSPEED\_THRESHOLD' = 10.0
    TAKEOFF\_ALTITUDE' = 10.0
    abort' = false
public abort \stackrel{\frown}{=}
(this.abort := true)
public getControllingMission = \mathbf{var} \ ret : MissionID \bullet
(ret := controllingMission)
public setControllingMission  <math>\hat{=}
(this.this.controllingMission := controllingMission)
public clean Up \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
ret := (\neg abort = \mathbf{True})
public stowLandingGear \stackrel{\frown}{=}
(this.landingGearDeployed := false)
\mathbf{public}\ \mathit{isLandingGearDeployed}\ \widehat{=}\ \mathbf{var}\ \mathit{ret}: \mathbb{B}\ \bullet
(ret := landingGearDeployed = True)
• Skip
```

#### ${\bf section}\ \textit{TakeOffMissionMethChan}\ {\bf parents}\ \textit{scj\_prelude}, \textit{GlobalTypes}, \textit{MissionId}, \textit{SchedulableId}$

 $\begin{array}{l} \textbf{channel} \ abort Call: Schedulable ID \\ \textbf{channel} \ abort Ret: Schedulable ID \end{array}$ 

 ${\bf channel}\ get Controlling {\it Mission Call}\ : Schedulable {\it ID}$ 

 $\mathbf{channel}\ getControllingMissionRet: SchedulableID \times MissionID$ 

 $\textbf{channel} \ setControllingMissionCall: SchedulableID \times MissionID$ 

 ${\bf channel}\ set Controlling {\it MissionRet}: Schedulable {\it ID}$ 

 $\begin{array}{l} \textbf{channel} \ clean Up Call : Schedulable ID \\ \textbf{channel} \ clean Up Ret : Schedulable ID \times \mathbb{B} \end{array}$ 

 $\begin{array}{l} \textbf{channel} \ stow Landing Gear Call: Schedulable ID \\ \textbf{channel} \ stow Landing Gear Ret: Schedulable ID \\ \end{array}$ 

 $\begin{array}{l} \textbf{channel} \ is Landing Gear Deployed Call: Schedulable ID} \\ \textbf{channel} \ is Landing Gear Deployed Ret: Schedulable ID} \times \mathbb{B} \end{array}$ 

 $\label{lem:channel} \textbf{channel} \ deployLandingGearCall} : SchedulableID \times ThreadID \\ \textbf{channel} \ deployLandingGearRet : SchedulableID \times ThreadID \\$ 

#### 5.4 Schedulables of TakeOffMission

end

 ${\bf section}\ Landing Gear Handler Take Off App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Ids, Schedulable Ids, Schedulable Ids, Take Off Mission Meth Chan, Object Ids, Thread Ids$ 

```
process Landing Gear Handler Take Off App \cong
                mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
      'handle A sync Event Call . Landing Gear Handler Take Off \longrightarrow
               Skip;
               is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
               isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
               \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
              if landingGearIsDeployed = True \longrightarrow
                                    'stowLandingGearCall. mission \longrightarrow
                                     stow Landing Gear Ret\ .\ mission-
                                    Skip
               ^{'}deploy Landing Gear Call . mission . Landing Gear Handler Take Off Thread
                                     deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Take Off Thread-points and the following Ge
                                    Skip
       handle A sync Event Ret \;. \; Landing Gear Handler Take Off \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
\bullet \ (Methods) \ \triangle \ (end\_aperiodic\_app \ . \ Landing Gear Handler Take Off \longrightarrow \mathbf{Skip})
```

39

## $\mathbf{class}\,\mathit{LandingGearHandlerTakeOffClass} \; \widehat{=} \; \mathbf{begin}$

state State		
mission: Take Off Mission		
${f state}\ State$		
initial Init		
State'		

• Skip

 ${\bf section} \ \ Take Off Failure Handler App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Id$ 

```
process TakeOffFailureHandlerApp \cong
     mainMission: MissionID,
take off Mission: Mission ID,
threshold:Double \bullet \mathbf{begin}
handlerAsyncEvent =
 'handle A sync Event Call . Take Off Failure Handler \longrightarrow
    getAirSpeedRet. mainMission? getAirSpeed \longrightarrow
    \mathbf{var}\ currentSpeed : \mathbb{R} \bullet \ currentSpeed := \ getAirSpeed
    if (currentSpeed < threshold) \longrightarrow
           Skip;
            abortCall. takeoffMission \longrightarrow
            abortRet . takeoffMission \longrightarrow
            request Termination Call\ .\ take of fM is sion {\longrightarrow}
            request Termination Ret.\ take off Mission\ ?\ request Termination
    (Skip)
  handle A sync Event Ret \;.\; Take Off Failure Handler {\longrightarrow}
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_aperiodic\_app . TakeOffFailureHandler  $\longrightarrow$  **Skip**)

# $\mathbf{class}\;\mathit{TakeOffFailureHandlerClass}\;\widehat{=}\;\mathbf{begin}$

$egin{array}{c} \mathbf{state} \ State \ State \ Main Mission \ takeoff Mission : Take Off Mission \ Take Off Mission \ Takeoff Mission \ Take$		
$threshold:\mathbb{R}$		
${f state}\ State$		
initial <i>Init</i>		
State'		

• Skip

 $\begin{array}{c} \textbf{section} \ \ TakeOffMonitorApp \ \ \textbf{parents} \ \ PeriodicEventHandlerChan, SchedulableId, SchedulableIds}, \\ MainMissionMethChan \end{array}$ 

```
process TakeOffMonitorApp \cong
     mainMission: MissionID,
take Off Mission: Mission ID,
takeOffAltitude: \mathbb{R},
landingGear Handler: Schedulable ID ullet \mathbf{begin}
handlerAsyncEvent \stackrel{\frown}{=}
  handle A sync Event Call . Take Off Monitor \longrightarrow
     Skip:
     getAltitudeCall\:.\:mainMission {\longrightarrow}
     getAltitudeRet\:.\:mainMission\:?\:getAltitude {\longrightarrow}
     \mathbf{var}\; altitude : \mathbb{R} \bullet altitude := \; getAltitude
    if (altitude > takeOffAltitude) \longrightarrow
            Skip;
            releaseCall . landingGearHandler \longrightarrow
            releaseRet\:.\:landingGearHandler\:?\:release {\longrightarrow}
            request Termination Call. take off Mission \longrightarrow
            request Termination Ret. take off Mission? request Termination
     fi;
    Skip
  handle A sync Event Ret. Take Off Monitor \longrightarrow
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
```

•  $(Methods) \triangle (end\_periodic\_app . TakeOffMonitor \longrightarrow \mathbf{Skip})$ 

## $\mathbf{class} \; \mathit{TakeOffMonitorClass} \; \widehat{=} \; \mathbf{begin}$

sta	ate $State$
m	ain Mission: Main Mission
ta	keoffMission: TakeOffMission
ta	$keOffAltitude:\mathbb{R}$
la	nding Gear Handler: Aperiodic Event Handler
	eState
_ in	itial $\mathit{Init}$
St	tate'

• Skip

#### 5.5 CruiseMission

```
section CruiseMissionApp parents scj_prelude, MissionId, MissionIds,
                 Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Cruise Mission Class
                 , {\it Cruise Mission Meth Chan}
process CruiseMissionApp \cong
                   controlling Mission: Mission ID \bullet \mathbf{begin}
          State_{-}
             this: {f ref} \ Cruise Mission Class
\mathbf{state}\,\mathit{State}
          Init.
             State'
             this' = \mathbf{new} \ CruiseMissionClass()
InitializePhase \stackrel{\frown}{=}
        'initializeCall. CruiseMission \longrightarrow
        register \,! \, BeginLandingHandler \,! \, CruiseMission {\longrightarrow}
        register! NavigationMonitor! CruiseMission\longrightarrow
         initializeRet\:.\:CruiseMission {\longrightarrow}
        Skip
CleanupPhase \stackrel{\frown}{=}
       ' cleanupMissionCall . CruiseMission\longrightarrow
        {\it cleanup Mission Ret} : Cruise {\it Mission} \: ! \: \mathbf{True} \longrightarrow
     Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
        getControllingMissionCall. CruiseMission \longrightarrow
        ret := this.getControllingMission();
        getControllingMissionRet \ . \ CruiseMission \ ! \ ret \longrightarrow
Methods \cong \left( egin{array}{c} InitializePhase & & & \\ \Box & & & \\ CleanupPhase & & \\ \Box & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & &
```

end

• (Init; Methods)  $\triangle$  (end\_mission\_app. CruiseMission  $\longrightarrow$  Skip)

## $\mathbf{class}\ \mathit{CruiseMissionClass}\ \widehat{=}\ \mathbf{begin}$

$\_$ state $State$ $\_$ $controllingMis$	sion: Main Mission		
${f state} State$			
initial Init State'			

 $\begin{array}{l} \mathbf{public} \ \ getControllingMission \ \ \widehat{=} \ \mathbf{var} \ ret : MissionID \ \bullet \\ \left(ret := controllingMission \right) \end{array}$ 

• Skip

#### 5.6 Schedulables of CruiseMission

end

 ${\bf section}\ Begin Landing Handler App\ {\bf parents}\ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids$ 

```
 \begin{aligned} & \textbf{process } \textit{BeginLandingHandlerApp} \; \widehat{=} \\ & \textit{controllingMission} : \textit{MissionID} \bullet \textbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \begin{pmatrix} \mathbf{Skip}; \\ \textit{requestTerminationCall} \; . \; \textit{controllingMission} \longrightarrow \\ \textit{requestTerminationRet} \; . \; \textit{controllingMission} \; ? \; \textit{requestTermination} \longrightarrow \\ & \mathbf{Skip} \\ & \textit{handleAsyncEventRet} \; . \; \textit{BeginLandingHandler} \longrightarrow \\ & \mathbf{Skip} \\ \end{pmatrix} \\ & \textit{Methods} \; \widehat{=} \\ & \textit{(handlerAsyncEvent)} \; ; \; \textit{Methods} \\ & \bullet \; (\textit{Methods}) \; \triangle \; (\textit{end\_aperiodic\_app} \; . \; \textit{BeginLandingHandler} \longrightarrow \mathbf{Skip}) \end{aligned}
```

## $\mathbf{class}\,\mathit{BeginLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

${f state}$ $State$ ${f controlling Mission}: Mission$		
${f state} State$		
initial Init State'		

• Skip

 ${\bf section}\ \ Navigation Monitor App\ \ {\bf parents}\ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Sched$ 

```
\begin{aligned} & process\ NavigationMonitorApp \ \cong\\ & mainMission: MissionID \bullet \mathbf{begin} \end{aligned} \begin{aligned} & handlerAsyncEvent \ \cong\\ & \left( \begin{array}{c} handleAsyncEventCall \ .\ NavigationMonitor \longrightarrow\\ & getHeadingCall \ .\ mainMission \longrightarrow\\ & getHeadingRet \ .\ mainMission \ ?\ getHeading \longrightarrow\\ & \mathbf{var}\ heading: \ \mathbb{R} \bullet heading: = \ getHeading\\ & getAirSpeedCall \ .\ mainMission \longrightarrow\\ & getAirSpeedRet \ .\ mainMission \ ?\ getAirSpeed \longrightarrow\\ & \mathbf{var}\ airSpeed: \ \mathbb{R} \bullet \ airSpeed: = \ getAirSpeed\\ & getAltitudeCall \ .\ mainMission \ ?\ getAltitude \longrightarrow\\ & \mathbf{var}\ altitude \ : \ \mathbb{R} \bullet \ altitude: = \ getAltitude \\ & \mathbf{Skip}\\ & handleAsyncEventRet \ .\ NavigationMonitor \longrightarrow\\ & \mathbf{Skip} \end{aligned}
```

 $\begin{array}{l} \mathit{Methods} \; \widehat{=} \\ \big( \mathit{handlerAsyncEvent} \big) \; ; \; \; \mathit{Methods} \end{array}$ 

ullet (Methods)  $\triangle$  (end\_periodic\_app . NavigationMonitor  $\longrightarrow$  **Skip**)

## $\mathbf{class}\,\mathit{NavigationMonitorClass} \; \widehat{=} \; \mathbf{begin}$

$\begin{array}{c} \textbf{state } \textit{State} \\ \textit{mainMission} : \textit{MainMission} \end{array}$		
${f state} State$		
initial Init State'		

• Skip

#### 5.7 LandMission

```
section LandMissionApp parents scj_prelude, MissionId, MissionIds,
     Schedulable Id, Schedulable Ids, Mission Chan, Schedulable Meth Chan, Land Mission Class
     , Land Mission Meth Chan\\
\mathbf{process}\,\mathit{LandMissionApp}\,\,\widehat{=}\,\,
     controlling Mission: Mission ID \bullet \mathbf{begin}
   State
    this: \mathbf{ref}\ Land Mission Class
\mathbf{state}\,\mathit{State}
   Init
   State'
   this' = \mathbf{new} \ Land Mission Class()
InitializePhase \stackrel{\frown}{=}
  initializeCall . LandMission \longrightarrow
  register! GroundDistanceMonitor! LandMission \longrightarrow
  register! LandingGearHandlerLand! LandMission \longrightarrow
  register! InstrumentLandingSystemMonitor! LandMission-
  register! SafeLandingHandler! LandMission \longrightarrow
  initializeRet . LandMission \longrightarrow
  Skip
CleanupPhase \stackrel{\frown}{=}
  clean up {\it MissionRet}\:.\: Land {\it Mission!}\: {\bf True}\text{-}
  Skip
stowLandingGearMeth \stackrel{\frown}{=}
  \ 's tow Landing Gear Call . Land Mission-
  this.\ stowLandingGear();
  stow Landing Gear Ret\ .\ Land Mission
isLandingGearDeployedMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  isLandingGearDeployedCall. LandMission \longrightarrow
  ret := this.isLandingGearDeployed();
  is Landing Gear Deployed Ret \ . \ Land Mission \ ! \ ret
  Skip
getControllingMissionMeth \stackrel{\frown}{=} \mathbf{var} \ ret : MissionID \bullet
  ret := this.getControllingMission();
  get Controlling Mission Ret \ . \ Land Mission \ ! \ ret
  Skip
```

```
abortMeth \stackrel{\frown}{=}
  abort Call\ .\ Land Mission-
  this.abort();
  abort Ret\ .\ Land Mission
  Skip
clean UpMeth \stackrel{\frown}{=} \mathbf{var} \ ret : \mathbb{B} \bullet
  ret := this.cleanUp();
  clean Up Ret\ .\ Land Mission\ !\ ret
deployLandingGearSyncMeth \stackrel{\frown}{=}
  startSyncMeth. LandMissionObject. thread \longrightarrow
    lockAcquired\;.\; LandMissionObject\;.\; thread {\longrightarrow}
    (this.landingGearDeployed := true);
    endSyncMeth.\ LandMissionObject.\ thread {\longrightarrow}
    deploy Landing Gear Ret\ .\ Land Mission\ .\ thread-
    Skip
               Initialize Phase \\
              CleanupPhase
              stow Landing Gear Meth \\
              is Landing Gear Deployed Meth
Methods \stackrel{\frown}{=}
                                                  ; Methods
               get Controlling Mission Meth \\
              abortMeth
              clean\,UpMeth
              deployLandingGearSyncMeth
```

ullet (Init; Methods)  $\triangle$  (end\_mission\_app.LandMission  $\longrightarrow$  **Skip**)

#### $\mathbf{class}\,\mathit{LandMissionClass}\,\,\widehat{=}\,\,\mathbf{begin}$

```
egin{align*} \mathbf{state} & State \\ & controlling Mission : Main Mission \\ & SAFE\_LANDING\_ALTITUDE : \mathbb{R} \\ & abort : \mathbb{B} \\ & landing Gear Deployed : \mathbb{B} \\ \end{aligned}
```

 $\mathbf{state}\,\mathit{State}$ 

```
\begin{array}{c} \textbf{initial } Init \\ State' \\ \hline SAFE\_LANDING\_ALTITUDE' = 10.0 \\ abort' = false \end{array}
```

```
public stowLandingGear \(\hat{\hat{e}}\)
(this \(.\landingGearDeployed := false\)

public isLandingGearDeployed \(\hat{\hat{e}}\) var ret : \(\mathbb{B}\) \((ret := landingGearDeployed = \textbf{True}\)

public getControllingMission \(\hat{\hat{e}}\) var ret : MissionID \(\hat{\hat{e}}\)
(ret := controllingMission)

public abort \(\hat{\hat{e}}\)
(this \(.\abort := true)\)

public cleanUp \(\hat{\hat{e}}\) var ret : \(\mathbb{B}\) \(\hat{\hat{e}}\)
(Skip;
(ret := (\(\napprox abort = \textbf{True})\)
```

• Skip

#### ${\bf section}\ Land {\it Mission Meth Chan}\ {\bf parents}\ scj\_prelude, {\it Global Types}, {\it Mission Id}, {\it Schedulable Id}$

 $\begin{tabular}{l} {\bf channel} \ stowLandingGearCall: SchedulableID \\ {\bf channel} \ stowLandingGearRet: SchedulableID \\ \end{tabular}$ 

**channel** isLandingGearDeployedCall: SchedulableID **channel**  $isLandingGearDeployedRet: SchedulableID <math>\times \mathbb{B}$ 

 ${\bf channel}\ getControlling {\it Mission Call}: Schedulable {\it ID}$ 

 $\textbf{channel} \ getControllingMissionRet: SchedulableID \times MissionID$ 

 $\begin{array}{l} \textbf{channel} \ abort Call: Schedulable ID \\ \textbf{channel} \ abort Ret: Schedulable ID \end{array}$ 

 $\begin{array}{l} \textbf{channel} \ clean \textit{UpCall} : \textit{SchedulableID} \\ \textbf{channel} \ clean \textit{UpRet} : \textit{SchedulableID} \times \mathbb{B} \end{array}$ 

 $\begin{cal}{c} {\bf channel}\ deployLandingGearCall: SchedulableID \times ThreadID \\ {\bf channel}\ deployLandingGearRet: SchedulableID \times ThreadID \\ \end{cal}$ 

#### 5.8 Schedulables of LandMission

end

 ${\bf section}\ \ Landing Gear Handler Land App\ \ {\bf parents}\ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, \\ Land Mission Meth Chan, \ Object Ids, \ Thread Ids$ 

```
process Landing Gear Handler Land App \stackrel{\frown}{=}
                 mission: MissionID \bullet \mathbf{begin}
handlerAsyncEvent =
       'handle A sync Event Call . Landing Gear Handler Land \longrightarrow
                Skip;
                is Landing Gear Deployed Call\:.\:mission {\longrightarrow}
                isLandingGearDeployedRet. mission? isLandingGearDeployed \longrightarrow
                \mathbf{var}\ landing Gear Is Deployed: \mathbb{B} \bullet landing Gear Is Deployed:= is Landing Gear Deployed
               if landingGearIsDeployed = True \longrightarrow
                                      \ 'stow Landing Gear Call . mission-
                                       stow Landing Gear Ret\ .\ mission-
                                      Skip
                \c G deploy L and in g G ear C all \c G is in ission . Landing G ear H and L and L hread-
                                       deploy Landing Gear Ret.\ mission.\ Landing Gear Handler Land Thread-polynomial Control of the Control of Co
                                      Skip
        handle A sync Event Ret \ . \ Landing Gear Handler Land \longrightarrow
      Skip
Methods \stackrel{\frown}{=}
(handlerAsyncEvent); Methods
\bullet \ (Methods) \ \triangle \ (end\_aperiodic\_app \ . \ LandingGearHandlerLand \longrightarrow \mathbf{Skip})
```

55

## $\mathbf{class}\,\mathit{Landing}\mathit{GearHandlerLandClass} \; \widehat{=} \; \mathbf{begin}$

state State			
mission: Land Missio	$\frac{n}{n}$		
${f state}\ State$			
initial Init State'			

• Skip

 ${\bf section} \ \ Safe Landing Handler App \ \ {\bf parents} \ \ Aperiodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Ids,$ 

 $\bullet \ (Methods) \ \triangle \ (end\_aperiodic\_app \ . \ SafeLandingHandler \longrightarrow \mathbf{Skip})$ 

 $\quad \mathbf{end} \quad$ 

## $\mathbf{class}\,\mathit{SafeLandingHandlerClass} \; \widehat{=} \; \mathbf{begin}$

$egin{array}{c} \mathbf{state} \ \mathit{State} \ \mathit{mainMission} : \mathit{MainMethod} \ \mathit{threshold} : \mathbb{R} \end{array}$	ission		
${f state}\ State$			
initial Init			

 $\bullet$  Skip

 ${\bf section} \ \ Ground Distance Monitor App \ \ {\bf parents} \ \ Periodic Event Handler Chan, Schedulable Id, Schedulable Ids, Schedulable Id$ 

```
 process \ Ground Distance Monitor App \ \widehat{=} \\ main Mission : Mission ID \ \bullet \ begin
```

```
 \begin{array}{l} handler A sync Event \  \, \widehat{=} \\  \, \left( \begin{array}{l} handle A sync Event Call \, . \, Ground Distance Monitor \longrightarrow \\  \, \left( \begin{array}{l} \mathbf{Skip}; \\ get A ltitude Call \, . \, main Mission \longrightarrow \\ get A ltitude Ret \, . \, main Mission \, ? \, get A ltitude \longrightarrow \\ \end{array} \right) \\ \mathbf{var} \,\, distance \, : \, \mathbb{R} \, \bullet \,\, distance \, : = \,\, get A ltitude \\ \mathbf{if} \,\, (distance \, = \,\, reading On Ground) \longrightarrow \\  \, \left( \begin{array}{l} \mathbf{Skip}; \\ request Termination Call \, . \, main Mission \longrightarrow \\ request Termination Ret \, . \, main Mission \, ? \,\, request Termination \longrightarrow \\ \mathbf{Skip} \\ \mathbb{G} \,\, \mathbf{j} \,\, \\ \mathbf{j} \,\, \\ \mathbf{j} \,\, \mathbf{j} \,\, \\ \mathbf{j}
```

```
Methods = (handlerAsyncEvent); Methods
```

ullet (Methods)  $\triangle$  (end\_periodic\_app . GroundDistanceMonitor  $\longrightarrow$  **Skip**)

### $\mathbf{class} \ \mathit{GroundDistanceMonitorClass} \ \widehat{=} \ \mathbf{begin}$

$egin{array}{c} \mathbf{state} \ State \ State \ \\ main Mission : Main Mission \\ reading On Ground : \mathbb{R} \ \end{array}$		
${f state} State$		
initial Init		

 $\bullet$  Skip

```
 \begin{aligned} \mathbf{process} & \textit{InstrumentLandingSystemMonitorApp} \; \widehat{=} \\ & \textit{mission} : \textit{MissionID} \bullet \mathbf{begin} \end{aligned} \\ & \textit{handlerAsyncEvent} \; \widehat{=} \\ & \begin{pmatrix} \textit{handleAsyncEventCall} \; . \; \textit{InstrumentLandingSystemMonitor} \longrightarrow \\ & \left( \mathbf{Skip} \right) \; ; \\ & \textit{handleAsyncEventRet} \; . \; \textit{InstrumentLandingSystemMonitor} \longrightarrow \\ & \mathbf{Skip} \end{aligned} \\ & \textit{Methods} \; \widehat{=} \\ & \left( \textit{handlerAsyncEvent} \right) \; ; \; \textit{Methods} \end{aligned} \\ & \bullet \; \left( \textit{Methods} \right) \triangle \left( \textit{end\_periodic\_app} \; . \; \textit{InstrumentLandingSystemMonitor} \longrightarrow \mathbf{Skip} \right) \end{aligned} \\ & \mathbf{end}
```

## $\mathbf{class} \, \mathit{InstrumentLandingSystemMonitorClass} \, \, \widehat{=} \, \mathbf{begin} \,$

$\_\_$ state $State \_\_\_$ $mission: Land M$	$\underline{Iission}$		
${f state} State$			
initial <i>Init</i>			
State'			

• Skip