
ATM3221 EVALUATION BOARD

Release Date	Revision	Design Eng.	Design Note
05/31/2019	Rev. A	SK	Initial release
07/31/2019	Rev. B	SK	Please refer to each schematic respectively for detailed revesion history
08/15/2019	Rev. C	SK	
10/14/2019	Rev. C1	CL	
02/14/2020	Rev. C2	SK	
04/20/2020	Rev. D3	CL	Added J9 jumper for rechargeable battery evaluation Added R53 diode to protect HARV_OUT pin Added S2 press button for MMI (Man-Machine-Interface) Added DS1 LED for visual indication of BLE activity Added SW1 DIP switch for selection of harvesting mode Updated RFIN_HARV matching network Removed mini connector Replaced AVDD1P, DVDD1P, VCCIO, VSTORE and VCCIO_RDI jumper with 0 ohm resistor / jumper


Atmosic Technologies, Inc
910 E. Hamilton Ave, Suite 550
Campbell, CA 95008, USA


Atmosic Technologies Proprietary and Confidential


ATMOSIC TECHNOLOGIES INC		
Title: ATM3221 EVALUATION BOARD		
Size: B	Document Number: <Doc>	Rev: C2
Date: Monday, October 05, 2020	Sheet 1 of 4	


ATM3221
6x6 DR-QFN
32K XTAL
16MHz XTAL
PTS645 SMD
Change C4 to 22uF if needs to operate below -20°C
ATMOSIC TECHNOLOGIES INC
ATM3221 EVALUATION BOARD
Atmosic Technologies Proprietary and Confidential


GPIOs SELECTION









MOUNTING HOLES



BOARD FIDUCIALS




FLASH




CONNECTORS

TO INTERFACE BOARD



Sullin SBH11-PBPC-D10-RA-BK


TO SENSOR HUB etc.




Atmosic Technologies Proprietary and Confidential

ATMOSIC TECHNOLOGIES INC			
Title: ATM3221 EVALUATION BOARD			
Size: B	Document Number: <Doc>		Rev: C2
Date: Monday, September 28, 2020	Sheet 3 of 4		

BLE front-end & ANT




WuRx front-end & ANT



Matching for 915MHz	
C28	0
C29	NL
L5	1.8pF
C30	1.8pF
R38	24nH

RF Harvester front-end & ANT



Atmosic Technologies Proprietary and Confidential

ATMOSIC TECHNOLOGIES INC		
Title: ATM3221 EVALUATION BOARD		
Size: B	Document Number: <Doc>	Rev: C2
Date: Monday, September 28, 2020	Sheet 4 of 4	