3	3 1	4	Wat	er l	<b>Jtilit</b>	v Trans	smissior	n and I	Distributio	n
_		•	1,1000	<b>.</b> .					- 10 41 10 41 41	

33 14 19 - Valves and Hydrants for Water Utility S
--

33 14 19.30 Fire Hydrants		Crew	Daily Output	Labor- Hours	Unit	Material	2022 Bar Labor	are Costs Equipment	Total	Total Incl O&P
0010	FIRE HYDRANTS									
0020	Mechanical joints unless otherwise noted									
1000	Fire hydrants, two way; excavation and backfill not incl.									
1100	4-1/2" valve size, depth 2'-0"	B-21	10	2.800	Ea.	3,075	147	17.35	3,239.35	3,65
1120	2'-6"		10	2.800		3,075	147	17.35	3,239.35	3,65
1140	3'-0"		10	2.800		3,200	147	17.35	3,364.35	3,77
1300	7′-0″	W	6	4.667		3,675	245	29	3,949	, 4,45
2400	Lower barrel extensions with stems, 1'-0"	B-20	14	1.714		655	87		742	85
2480	3'-0"	"	12	2	*	1,375	101		1,476	1,65

# 33 16 Water Utility Storage Tanks

# 33 16 11 - Elevated Composite Water Storage Tanks

#### 33 16 11.50 Elevated Water Storage Tanks

0010	ELEVATED WATER STORAGE TANKS			
0011	Not incl. pipe, pumps or foundation			
3000	Elevated water tanks, 100' to bottom capacity line, incl. painting			
3010	50,000 gallons	Ea.	185,000	204,00
3300	100,000 gallons		280,000	307,50
3400	250,000 gallons		751,500	826,50
3600	500,000 gallons		1,336,000	1,470,00
3700	750,000 gallons		1,622,000	1,783,50
3900	1,000,000 gallons		2,322,000	2,556,00
	1,550,550 3511010			-/

## 33 16 23 - Ground-Level Steel Water Storage Tanks

## 33 16 23.13 Steel Water Storage Tanks

33 1	23.13 Steel Mater Storage lanks		
0010	STEEL WATER STORAGE TANKS		
0910	Steel, ground level, ht./diam. less than 1, not incl. fdn., 100,000 gallons	Ea.	202,000 244,50
1000	250,000 gallons		295,500 324,00
1200	500,000 gallons		417,000 458,50
1250	750,000 gallons		538,000 591,50
1300	1,000,000 gallons		558,000 725,50
1500	2,000,000 gallons		1,043,000 1,148,00
1600	4,000,000 gallons		2,121,000 2,333,00
1800	6,000,000 gallons		3,095,000 3,405,00
1850	8,000,000 gallons		4,068,000 4,475,00
1910	10,000,000 gallons	4.	5,050,000 5,554,50
2100	Steel standpipes, ht./diam. more than 1,100' to overflow, no fdn.		
2200	500,000 gallons	Ea.	546,500 600,50
2400	750,000 gallons		722,500 794,50
2500	1,000,000 gallons		1,060,500 1,167,00
2700	1,500,000 gallons		1,749,000 1,923,00
2800	2,000,000 gallons	+	2,327,000 2,559,00

# 33 16 36 - Ground-Level Reinforced Concrete Water Storage Tanks

#### 33 16 36.16 Prestressed Conc. Water Storage Tanks

0010	PRESTRESSED CONC. WATER STORAGE TANKS			
0020	Not including fdn., pipe or pumps, 250,000 gallons	Ea.	299,000	329,50
0100	500,000 gallons		487,000	536,00
0300	1,000,000 gallons		707,000	807,50
0400	2,000,000 gallons		1,072,000	1,179,00
0600	4,000,000 gallons	* .	1,706,000	1,877,00