02 65 Underground Storage Tank Removal
--

02 65 10 - Underground Tank and Contaminated Soil Removal

		Daily	Labor-			2022 F	Bare Costs		Total
02 65 10.30 Removal of Underground Storage Tanks	Crew	Output	Hours	Unit	Material	Labor	Equipment	Total	Incl O&P
2050 Disposal of decontaminated soil, minimum				C.Y.				135	150
2055 Maximum [1		C.Y.				400	440

02 81 Transportation and Disposal of Hazardous Materials

02 81	1 20.10 Hazardous Waste Cleanup/Pickup/Disposal					
0010	HAZARDOUS WASTE CLEANUP/PICKUP/DISPOSAL				 	
0100	For contractor rental equipment, i.e., dozer,					
0110	Front end loader, dump truck, etc., see 01 54 33 Reference Section					
1000	Solid pickup					
1100	55 gal. drums			Ea.	240	265
1120	Bulk material, minimum			Ton	190	210
1130	Maximum	I		"	595	655
1200	Transportation to disposal site					
1220	Truckload = 80 drums or 25 C.Y. or 18 tons					
1260	Minimum			Mile	3.95	4.45
1270	Maximum			41	7.25	7.98
3000	Liquid pickup, vacuum truck, stainless steel tank					
3100	Minimum charge, 4 hours					
3110	1 compartment, 2200 gallon			Hr.	140	155
3120	2 compartment, 5000 gallon			"	200	225
3400	Transportation in 6900 gallon bulk truck			Mile	7.95	8.75
3410	In teflon lined truck			"	10.20	11.25
5000	Heavy sludge or dry vacuumable material			. Hr.	140	155
6000	Dumpsite disposal charge, minimum			Ton	140	155
6020	. Maximum			. "	415	455

02 82 Asbestos Remediation

02 82 13 - Asbestos Abatement

02 82 13.39 Asbestos Remediation Plans and Me	methods
---	---------

0010	ASBESTUS REMEDIATION PLANS AND METHODS					
0100	Building Survey-Commercial Building	1		Ea.	2,200	2,400
0200	Asbestos Abatement Remediation Plan			"	1,350	1,475

02 82	13.41 Asbestos Abatement Equipment							
0010	ASBESTOS ABATEMENT EQUIPMENT	R028213-20						
0011	Equipment and supplies, buy							
0200	Air filtration device, 2000 CFM				Ea.	1,100	1,10	0 1,200
0250	Large volume air sampling pump, minimum				1 1	435	43	35 480
0260 [Maximum	i		[460	46	50 505
0300	Airless sprayer unit, 2 gun		-		111	2,600	2,60	0 2,850
0350	Light stand, 500 watt				1 + 1	48	4	8 52.50
0400	Personal respirators							
0410	Negative pressure, 1/2 face, dual operation, minimum				Ea.	28	2	28 31
0420	Maximum					22	2	24.50
0450	P.A.P.R., full face, minimum					710	71	0 780
0460	Maximum					1,275	1,27	5 1,400
0470 }	Supplied air, full face, including air line, minimum		1			211	21	1 233
0480	Maximum	1	1			845	84	5 930
0500	Personnel sampling pump	1			111	215	21	5 236