

9 29 Gypsum Board

9 29 10 – Gypsum Board Panels

9 29 10.30 Gypsum Board		Crew	Daily Output	Labor-Hours	Unit	Material	2022 Bare Costs Labor	Equipment	Total	Total Incl O&P
090	With compound skim coat (level 5 finish)	2 Corp	410	.039	S.F.	1.67	2.20		3.87	5.10
100	5/8" thick on ceilings, score & snap installation, no finish included		1600	.010		1.76	.56		2.32	2.78
115	Taped and finished (level 4 finish)		680	.024		1.81	1.32		3.13	3.96
120	With compound skim coat (level 5 finish)		545	.029		1.87	1.65		3.52	4.52

9 29 10.50 High Abuse Gypsum Board

010 HIGH ABUSE GYPSUM BOARD, fiber reinforced, nailed or										
100 screwed to studs unless otherwise noted										
110	1/2" thick, on walls, no finish included	2 Corp	1800	.009	S.F.	.67	.50		1.17	1.48
120	Taped and finished (level 4 finish)		870	.018		.72	1.04		1.76	2.33
130	With compound skim coat (level 5 finish)		700	.023		.78	1.29		2.07	2.78
150	On ceilings, no finish included		1620	.010		.67	.56		1.23	1.57
160	Taped and finished (level 4 finish)		690	.023		.72	1.31		2.03	2.73
170	With compound skim coat (level 5 finish)		550	.029		.78	1.64		2.42	3.30
210	5/8" thick, on walls, no finish included		1800	.009		1.08	.50		1.58	1.93
220	Taped and finished (level 4 finish)		870	.018		1.13	1.04		2.17	2.78
230	With compound skim coat (level 5 finish)		700	.023		1.19	1.29		2.48	3.23
250	On ceilings, no finish included		1620	.010		1.08	.56		1.64	2.02
260	Taped and finished (level 4 finish)		690	.023		1.13	1.31		2.44	3.18
270	With compound skim coat (level 5 finish)		550	.029		1.19	1.64		2.83	3.75
272	5/8" thick, on roof sheathing for 1-hour rating		1620	.010		1.08	.56		1.64	2.02
310	5/8" thick, on walls, very high impact, no finish included		1800	.009		.91	.50		1.41	1.74
320	Taped and finished (level 4 finish)		870	.018		.96	1.04		2	2.60
330	With compound skim coat (level 5 finish)		700	.023		1.02	1.29		2.31	3.05
350	On ceilings, no finish included		1620	.010		.91	.56		1.47	1.83
360	Taped and finished (level 4 finish)		690	.023		.96	1.31		2.27	3
370	With compound skim coat (level 5 finish)		550	.029		1.02	1.64		2.66	3.57
400 High abuse, gypsum core, paper face										
410	1/2" thick, on walls, no finish included	2 Corp	1800	.009	S.F.	.77	.50		1.27	1.59
420	Taped and finished (level 4 finish)		870	.018		.82	1.04		1.86	2.44
430	With compound skim coat (level 5 finish)		700	.023		.88	1.29		2.17	2.89
450	On ceilings, no finish included		1620	.010		.77	.56		1.33	1.68
460	Taped and finished (level 4 finish)		690	.023		.82	1.31		2.13	2.84
470	With compound skim coat (level 5 finish)		550	.029		.88	1.64		2.52	3.41
510	5/8" thick, on walls, no finish included		1800	.009		.37	.50		.87	1.15
520	Taped and finished (level 4 finish)		870	.018		.42	1.04		1.46	2
530	With compound skim coat (level 5 finish)		700	.023		.48	1.29		1.77	2.45
550	On ceilings, no finish included		1620	.010		.37	.56		.93	1.24
560	Taped and finished (level 4 finish)		690	.023		.42	1.31		1.73	2.40
570	With compound skim coat (level 5 finish)		550	.029		.48	1.64		2.12	2.97
000	For high ceilings, over 8' high, add		2750	.006			.33		.33	.49
010	For distribution cost 3 stories and above, add per story		5500	.003			.16		.16	.24

9 29 15 – Gypsum Board Accessories

9 29 15.10 Accessories, Gypsum Board

010 ACCESSORIES, GYPSUM BOARD										
020	Casing bead, galvanized steel	1 Corp	2.90	2.759	C.L.F.	34	155		189	269
100	Vinyl		3	2.667		30.50	150		180.50	257
300	Corner bead, galvanized steel, 1" x 1"		4	2		29.50	113		142.50	201
400	1-1/4" x 1-1/4"		3.50	2.286		32	129		161	227
600	Vinyl		4	2		28	113		141	199
900	Furring channel, galv. steel, 7/8" deep, standard		2.60	3.077		72.50	173		245.50	340
1000	Resilient		2.55	3.137		52	177		229	320
1100	J trim, galvanized steel, 1/2" wide		3	2.667		42.50	150		192.50	270