

22 66 Chemical-Waste Systems for Lab. and Healthcare Facilities

22 66 53 – Laboratory Chemical-Waste and Vent Piping

22 66 53.60 Corrosion Resistant Pipe

		Crew	Daily Output	Labor- Hours	Unit	Material	2022 Bare Costs		Total	Total Incl O&P
							Labor	Equipment		
3120	4" diameter	Q-1	45	.356	L.F.	24.50	22.50		47	60.50
3140	6" diameter	↓	32	.500	↓	35	31.50		66.50	85.50
3980	Polyester, fiberglass filament wound, B&S joint									
4000	2" diameter	Q-1	62	.258	L.F.	16.10	16.20		32.30	41.50
4100	3" diameter		51	.314		21	19.70		40.70	53
4120	4" diameter		45	.356		31	22.50		53.50	67.50
4140	6" diameter	↓	32	.500	↓	45	31.50		76.50	96.50
4980	Polypropylene, acid resistant, fire retardant, Schedule 40									
5000	1-1/2" diameter	Q-1	68	.235	L.F.	14.60	14.80		29.40	38
5100	2" diameter		62	.258		16.75	16.20		32.95	42.50
5120	3" diameter		51	.314		25	19.70		44.70	57
5140	4" diameter	↓	45	.356	↓	32	22.50		54.50	68.50
5980	Proxylene, fire retardant, Schedule 40									
6000	1-1/2" diameter	Q-1	68	.235	L.F.	12.20	14.80		27	35.50
6100	2" diameter		62	.258		13.25	16.20		29.45	38.50
6120	3" diameter		51	.314		38	19.70		57.70	71
6140	4" diameter	↓	45	.356	↓	39	22.50		61.50	76.50