

SimplePlusNord-BeamerTheme

A Beamer theme in the Nord colours

Nord colours: nordtheme.com, MIT licence

Name Surname

Organization

October 8, 2026

Text elements

Overview

Bullet Points

Boxes of Highlighted Text

Boxes: code

Code boxes

Multiple Columns

Data and references

Table

Table: code

Theorem

Definitions and examples

Theorems and proofs

Formulas: code

Figure: transparent

Figure: opaque

Citation

Citation: code

References

Questions

1. Choose when it appears

```
\usetheme[sectionslides]  
{SimplePlusNord}
```

2. List the slides

```
\subsection{Title}
```

3. Optional

```
\tocnumbers
```

Text elements

Overview

Bullet Points

Boxes of Highlighted Text

Boxes: code

Code boxes

Multiple Columns

Data and references

Bullet Points

- ▶ A short point
- ▶ A second point, a little longer than the first
- ▶ A third point, long enough to wrap onto a second line, so that the hanging indent of the list shows
- ▶ A fourth point
- ▶ A fifth point, with nothing more to say
- ▶ Faded with `\fade`, and the blue inside is lightened too

Boxes of Highlighted Text

A few words can stand out in **bold**; use it sparingly.

Box

Sample text

Alertbox

Sample text in a box that warns

Examplebox

Sample text in a box that illustrates

1. A box

```
\begin{infobox}{Title}  
  Text  
\end{infobox}
```

2. Alert and example

```
\begin{alertbox}{Title}  
\begin{examplebox}{Title}
```

Box

Sample text

Alertbox

Sample text

Examplebox

Sample text

Code boxes

1. Make the frame fragile

```
\begin{frame}[fragile]{Title}
```

2. Code only

```
\begin{codeonly}  
  \alert{some code}  
\end{codeonly}
```

3. Code and result

```
\begin{codeexample}  
  \textbf{bold}  
\end{codeexample}
```

```
\alert{some code}
```

```
\textbf{bold}
```

bold

Steps

1. State the claim
2. Explain it
3. Give an example

Columns split the slide in parts of the width you choose, and each part flows as its own text, as in a newspaper. They are centred vertically here; [T] aligns them on their first line.

Text elements

Overview

Bullet Points

Boxes of Highlighted Text

Boxes: code

Code boxes

Multiple Columns

Data and references

Table

Table: code

Theorem

Definitions and examples

Theorems and proofs

Formulas: code

Figure: transparent

Figure: opaque

Citation

Citation: code

References

Questions

Table

Group	Mean	Deviation
Control	0.562	0.0123
Low dose	0.910	0.0456
High dose	0.296	0.0089

Table 1: Three groups of the experiment

Table: code and result

1. Header and rule

```
\textbf{Group} & \textbf{Mean} \\
\headrule
```

2. Rows

```
Control & 0.562 \\ \hline
Treated & 0.910 \\
```

3. Source

```
\source{Verdi (2021)}
```

Group	Mean
Control	0.562
Treated	0.910

Table 2: Group means

Theorem

Theorem (Pythagoras)

$$a^2 + b^2 = c^2$$

Theorem (A formula for the stress test)

$$\mathcal{F}[f](\xi) = \int_{-\infty}^{\infty} f(x) e^{-2\pi i x \xi} dx, \quad \zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \prod_{p \text{ prime}} \frac{1}{1 - p^{-s}}$$

$$\hat{\beta} = (\mathbf{X}^{\top} \mathbf{X})^{-1} \mathbf{X}^{\top} \mathbf{y}, \quad \mathbf{A} = \begin{pmatrix} a_{11} & \cdots & a_{1n} \\ \vdots & \ddots & \vdots \\ a_{m1} & \cdots & a_{mn} \end{pmatrix}, \quad \binom{n}{k} = \frac{n!}{k! (n-k)!}$$

$$\lim_{n \rightarrow \infty} \Pr\left(\frac{\bar{X}_n - \mu}{\sigma/\sqrt{n}} \leq z\right) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^z e^{-t^2/2} dt = \Phi(z)$$

Definitions and examples

1. A definition

```
\begin{definition}[Title]
  Text with \alert{emphasis}
\end{definition}
```

2. An example

```
\begin{example}
  Text
\end{example}
```

Definition (Estimator)

A rule that turns a sample into a guess is an **estimator**.

Example

The sample mean $\bar{x}$ estimates μ .

Theorems and proofs

1. A lemma, with its proof

```
\begin{lemma}  
  Statement  
  \begin{proof}  
    Proof text  
  \end{proof}  
\end{lemma}
```

Lemma

$\text{Var}(aX) = a^2 \text{Var}(X).$

Proof. Expand and take a^2 out. $\square$

Theorem (Pythagoras)

$$a^2 + b^2 = c^2.$$

2. A theorem or a corollary

```
\begin{theorem}[Title]  
\begin{corollary}
```

1. A theorem

```
\begin{theorem}[Title]
  $\bar{X}_n \xrightarrow{p} \mu$
\end{theorem}
```

Theorem (Large numbers)

$$\bar{X}_n \xrightarrow{p} \mu$$

$$t = \frac{\bar{x} - \mu_0}{s/\sqrt{n}}$$

2. A formula

```
\[
  t=\frac{\bar{x}-\mu_0}{s/\sqrt{n}}
\]
```

Figure: transparent

1. A figure with alpha

```
\begin{figure}  
  \includegraphics[height=4cm]  
    {graph.png}  
  \caption{Caption}  
\end{figure}
```

2. Name the source

```
\source{AVDLCZ, CC0}
```




Figure 1: A PNG with a transparent background sits on the slide as it is

Figure: opaque

1. A photo, corners rounded

```
\begin{figure}  
  \roundedgraphics  
    [height=4cm]{photo.jpg}  
  \caption{Caption}  
\end{figure}
```

2. Name the source

```
\source{NASA / B. Anders}
```



Figure 2: A photo keeps its own background, with the corners slightly rounded

`\cite` gives the number of the entry in the list of references.
One work is cited like this [1], two at once like this [1, 2].

Citation: code and result

1. Cite

```
\cite{p1}  
\cite{p1,p2}
```

One source [1], two at once [1, 2],
and a faded remark.

2. Name the sources

```
\source{Verdi (2021)}  
\source{Rossi (2019)}
```

3. Lighten a remark

```
\fade{remark}
```

References

- [1] Ada Verdi.
A short study of nothing in particular.
Journal of Examples, 4(2):11–25, 2021.
- [2] Maria Rossi and Luca Bianchi.
A second work with a considerably longer title that has to wrap onto a second line.
Example Press, 2019.

Questions

Thank you

Questions?