

APEX

NCAA FOOTBALL T-3 DATA REPORT

2026-10-07 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-07

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-07 4:00:00 PM ET

Actual source/hydration start: 2026-10-07 4:04:07 PM ET

Verified hydration receipt complete: 2026-10-07 4:06:29 PM ET

Physical hydration captured: 2026-10-07T16:04:09.300000-04:00 (2026-10-07T20:04:09.300000Z)

Complete canonical games: 2

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 373.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 372.

D2 feature-order parity: 2/2 games.

V5 feature-order parity: 2/2 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-07T16:04:09.300000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=457; rows updated/versioned=0; identical-existing=2456; source failures=0

PLAYER: target facts=2913; exact read-back=2913

PLAYER: observational main-file SHA256

before=4de9b3d3bf64285da385e83ed7062e3121f62f79f3b904a8930b26475b2956f8

PLAYER: observational main-file SHA256

after=f372ba273aefb6fb14dc67fe2b6b2637687863470352c0d9b7dc68911274dbb7; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-07T16:04:09.300000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

TEAM_LINEUP: target facts=2; exact read-back=2

TEAM_LINEUP: observational main-file SHA256

before=54a3e598e2e73bb1b25a577f095754bc62abfab4d2c380ec756a1e55087ee954

TEAM_LINEUP: observational main-file SHA256

after=57f0766ea94dfd72cc9dd5c2881e09d4b76d90593b31032379df3510ee5639a1; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-07T16:04:09.300000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

HISTORICAL: target facts=2; exact read-back=2

HISTORICAL: observational main-file SHA256

before=b84e96d660fb66bf906f674854ed3e84a7ad4a5ee669c801e7686040c72d3e35

HISTORICAL: observational main-file SHA256

after=36a1ea93a3ad1304ce470835b0c7d841f2ce6e1c04232236dd79f8fb99653e41; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 453.

QB-family populated coverage: 2/2 games.

Lineup/availability-family populated coverage: 0/2 games.

Unpublished starter, depth, injury, or availability facts remain explicitly missing under the frozen model contract; unknown is not converted to healthy or confirmed.

5. TEAM / LINEUP / VENUE / WEATHER / CONTEXT COVERAGE

Registered team/context coverage: 2/2 games.

Weather-vintage coverage: 0/2 games.

Total physically populated feature cells: 990.

Lawful missing/contract-carried cells: 500.

Venue, rest, travel, weather, lineup and context values are used only when present and knowable by this factual cutoff.

6. COMPLETE CANONICAL GAME COVERAGE

G01 Jacksonville State at Kennesaw State | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

G02 New Mexico State at Florida International | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

7. D2 INPUT PARITY

Registered D2 positions: 373/373.

Games with exact D2 feature-order count: 2/2.

D2 runtime source failure count: 0.

ATS binding SHA256: 83c82036b5009db103d32cfe38078c5f906d60f076155bd7493f6b722c151c3d.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

8. V5 INPUT PARITY

Registered V5 positions: 372/372.

Games with exact V5 feature-order count: 2/2.

V5 runtime source failure count: 0.

Totals binding SHA256: 699cbaa1ab0a58c1ee0c215beaf1b59d093ff934c15733141b76ac725f890a7c.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-07/current.json

Living hydration receipt SHA256: d63c55fd1adf30b8e4156fd3a63ab91251ee5924ddd44b163375fef9ed3bcaf5

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.