

APEX

NCAA FOOTBALL T-3 DATA REPORT

2026-10-02 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-02

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-02 4:00:00 PM ET

Actual source/hydration start: 2026-10-02 4:12:46 PM ET

Verified hydration receipt complete: 2026-10-02 4:17:45 PM ET

Physical hydration captured: 2026-10-02T16:12:50.513000-04:00 (2026-10-02T20:12:50.513000Z)

Complete canonical games: 4

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 373.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 372.

D2 feature-order parity: 4/4 games.

V5 feature-order parity: 4/4 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-02T16:12:50.513000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=908; rows updated/versioned=0; identical-existing=4864; source failures=0

PLAYER: target facts=5772; exact read-back=5772

PLAYER: observational main-file SHA256

before=ac537eb1ba230bae5110d1458f8f0fa4a0143f4778879229418846b6e18078ae

PLAYER: observational main-file SHA256

after=330f2291badd4043b9c4911ed04e77bd8a2ff41dd790f90f1e465da8d4194f46; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-02T16:12:50.513000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=4; source failures=0

TEAM_LINEUP: target facts=4; exact read-back=4

TEAM_LINEUP: observational main-file SHA256

before=e2759ef50bb342f8b57968363b60dcca84eb21f8dde61538b869984d0ddac9b6

TEAM_LINEUP: observational main-file SHA256

after=aa165814114169a2f9b30a409f5fe4fa37117458e0c837aaf244bf8a28b0b88d; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-02T16:12:50.513000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=4; source failures=0

HISTORICAL: target facts=4; exact read-back=4

HISTORICAL: observational main-file SHA256

before=5656a34250b6a772ee3840b3f8ff7ccc853c165111b4394c22caa968f17703ed

HISTORICAL: observational main-file SHA256

after=eefd3d947382ca5f1c245e6900cf0de65170d46559c7d822e88646f175064b31; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 899.

QB-family populated coverage: 4/4 games.

Lineup/availability-family populated coverage: 0/4 games.

Unpublished starter, depth, injury, or availability facts remain explicitly missing under the frozen model contract; unknown is not converted to healthy or confirmed.

5. TEAM / LINEUP / VENUE / WEATHER / CONTEXT COVERAGE

Registered team/context coverage: 4/4 games.

Weather-vintage coverage: 0/4 games.

Total physically populated feature cells: 1968.

Lawful missing/contract-carried cells: 1012.

Venue, rest, travel, weather, lineup and context values are used only when present and knowable by this factual cutoff.

6. COMPLETE CANONICAL GAME COVERAGE

G01 Liberty at Delaware | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

G02 Pittsburgh at Virginia Tech | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

G03 Penn State at Northwestern | 8:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

G04 Montana State at Idaho | 10:30 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

7. D2 INPUT PARITY

Registered D2 positions: 373/373.

Games with exact D2 feature-order count: 4/4.

D2 runtime source failure count: 0.

ATS binding SHA256: 6553b110ab1f5610bb3e661030b51219729111e8bb17b0ec35b30630750f9969.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

8. V5 INPUT PARITY

Registered V5 positions: 372/372.

Games with exact V5 feature-order count: 4/4.

V5 runtime source failure count: 0.

Totals binding SHA256: a96560915ec8fe89648a872c06b463bf1e8ff911181210ca27661083e83e53f3.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-02/current.json

Living hydration receipt SHA256: 34cf6d997928a6bf5b017d29084f9f6579139b1b7a644dfada4a3e7cb4af1b9a

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.