A P E X

NCAA FOOTBALL T-3 DATA REPORT

2026-10-15 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-15

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-15 4:30:00 PM ET

Actual source/hydration start: 2026-10-15 4:33:50 PM ET

Verified hydration receipt complete: 2026-10-15 4:36:40 PM ET

Physical hydration captured: 2026-10-15T16:33:52.460000-04:00 (2026-10-15T20:33:52.460000Z)

Complete canonical games: 3

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 348.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 353.

Inputs the engines read: D2 270, V5 223.

Filled / registered input cells (inputs the engines read): D2 588/810, V5 663/669.

Filled per input group: D2 context 9/9; D2 coverage 15/15; D2 decisions 15/15; D2 environment 24/24; D2 game_state 9/9; D2 market 0/213; D2 prior 18/18; D2 process 36/36; D2 quality 15/24; D2 quarterback 30/30; D2 specialists 12/12; D2 strength 342/342; D2 trenches 54/54; D2 turnovers 9/9; V5 market 0/6; V5 process.opponent_player 81/81; V5 process.opponent_state 243/243; V5 process.other 6/6; V5 process.own_player 81/81; V5 process.own_state 243/243; V5 process.venue 9/9.

Blank engine inputs: D2.quality.market_snapshot_recency_hours (3 games), D2.quality.market_trajectory_depth (3 games), D2.quality.team_total_depth (3 games).

D2 feature-order parity: 3/3 games.

V5 feature-order parity: 3/3 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-15T16:33:52.460000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=688; rows updated/versioned=0; identical-existing=3759; source failures=0

PLAYER: target facts=4447; exact read-back=4447

PLAYER: observational main-file SHA256 before=8f25becb4ee02afc86c87d9c533a02f530925531adca02a028dea1b35c5631d7

PLAYER: observational main-file SHA256 after=bc379a82373d958034a6142b525527535facbf1fe9131ae5d546491d4ba3ee38; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-15T16:33:52.460000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=3; source failures=0

TEAM_LINEUP: target facts=3; exact read-back=3

TEAM_LINEUP: observational main-file SHA256 before=3403c01dc1c0903b208fcbdb4ff010f91e9cbbf9268ba360dba3db6a1ea77b31

TEAM_LINEUP: observational main-file SHA256 after=2c5134d225a99210a31eaf1d83ba950d510a0003a487b95b3e684e5e3172f027; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-15T16:33:52.460000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=3; source failures=0

HISTORICAL: target facts=3; exact read-back=3

HISTORICAL: observational main-file SHA256 before=c2719362b2e82ff6ea8dc92f76240982828820c92cfc16d81d94224460cf7ba7

HISTORICAL: observational main-file SHA256 after=455b137fd3512c22fd4e8cc8c8c1d5a5c6ad355e8fce160a742d83ac83100228; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 682.

QB-family populated coverage: 3/3 games.

5. TEAM / LINEUP / VENUE / CONTEXT COVERAGE

Registered team/context coverage: 3/3 games.

Filled input cells (inputs the engines read): 1251.

Missing input cells (inputs the engines read): 228.

Venue, rest, travel, lineup and context values are used only when present and knowable by this factual cutoff.

6. COMPLETE CANONICAL GAME COVERAGE

G01 East Carolina at UAB | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

G02 Georgia Southern at Old Dominion | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

G03 Colorado State at Texas State | 8:00 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

7. D2 INPUT PARITY

Registered D2 positions: 348; inputs D2 reads filled: 588/810.

Games with exact D2 feature-order count: 3/3.

D2 runtime source failure count: 0.

ATS binding SHA256: 37b5e950024a505d2c9070db379dceeb690cd9d5e2b258765a7798fded78b382.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

8. V5 INPUT PARITY

Registered V5 positions: 353; inputs V5 reads filled: 663/669.

Games with exact V5 feature-order count: 3/3.

V5 runtime source failure count: 0.

Totals binding SHA256: d8045af89578178b2922e6bf8105005cac053fcfc357e6fb0ddeb6081686668a.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-15/current.json

Living hydration receipt SHA256: 2957c5bbec2103392b7d29d42ac648fb4ba434121e2b9eea142a648901176c07

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.