A P E X

NCAA FOOTBALL T-3 DATA REPORT

2026-10-14 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-14

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-14 4:30:00 PM ET

Actual source/hydration start: 2026-10-14 4:33:14 PM ET

Verified hydration receipt complete: 2026-10-14 4:35:50 PM ET

Physical hydration captured: 2026-10-14T16:33:16.578000-04:00 (2026-10-14T20:33:16.578000Z)

Complete canonical games: 2

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 373.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 372.

Inputs the engines read: D2 273, V5 229.

Filled / registered input cells (inputs the engines read): D2 396/546, V5 454/458.

Filled per input group: D2 context 6/6; D2 coverage 10/10; D2 decisions 10/10; D2 environment 16/16; D2 game_state 6/6; D2 market 0/142; D2 prior 12/12; D2 process 24/24; D2 quality 12/18; D2 quarterback 22/24; D2 specialists 8/8; D2 strength 228/228; D2 trenches 36/36; D2 turnovers 6/6; V5 market 0/4; V5 process.opponent_player 54/54; V5 process.opponent_state 162/162; V5 process.other 16/16; V5 process.own_player 54/54; V5 process.own_state 162/162; V5 process.venue 6/6.

Blank engine inputs: D2.quality.market_snapshot_recency_hours (2 games), D2.quality.market_trajectory_depth (2 games), D2.quality.team_total_depth (2 games).

D2 feature-order parity: 2/2 games.

V5 feature-order parity: 2/2 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-14T16:33:16.578000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=433; rows updated/versioned=0; identical-existing=2352; source failures=0

PLAYER: target facts=2785; exact read-back=2785

PLAYER: observational main-file SHA256 before=8d1549a3bc20179720245b2e2c087ed25dcd371cb66b888b59250afa87e17568

PLAYER: observational main-file SHA256 after=cc2fd22758fa5ada72edd922c429864835c2061e5ec0e1351e52728b2ad22c66; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-14T16:33:16.578000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

TEAM_LINEUP: target facts=2; exact read-back=2

TEAM_LINEUP: observational main-file SHA256 before=bda7e4fbd4ee8feb46ad9ff8a188cf46d83037589fef0ff4af02bd53316ee7bf

TEAM_LINEUP: observational main-file SHA256 after=44dc3f7c9d70f4705ff5722156d16087001502299c70df1c4eaf6ca81d3391ec; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-14T16:33:16.578000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

HISTORICAL: target facts=2; exact read-back=2

HISTORICAL: observational main-file SHA256 before=1a57e53ce277f19025f7ad20fbf46f2aac3558737b2a3f83eff719a8eea04990

HISTORICAL: observational main-file SHA256 after=02e6fdae9c982d00967f54f7236be738847400c450f51b86866dcf909a0f974a; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 429.

QB-family populated coverage: 2/2 games.

5. TEAM / LINEUP / VENUE / WEATHER / CONTEXT COVERAGE

Registered team/context coverage: 2/2 games.

Weather-vintage coverage: 2/2 games.

Filled input cells (inputs the engines read): 850.

Missing input cells (inputs the engines read): 154.

Venue, rest, travel, weather, lineup and context values are used only when present and knowable by this factual cutoff.

6. COMPLETE CANONICAL GAME COVERAGE

G01 Kennesaw State at Missouri State | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 199/285 | V5 inputs filled 303/372

G02 Western Kentucky at Sam Houston | 8:00 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 197/285 | V5 inputs filled 302/372

7. D2 INPUT PARITY

Registered D2 positions: 373; inputs D2 reads filled: 396/546.

Games with exact D2 feature-order count: 2/2.

D2 runtime source failure count: 0.

ATS binding SHA256: 3844cb449793385ad6c30e02be76e8247ab5eb8f421fd8ac4631c4bdabc1d45c.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

8. V5 INPUT PARITY

Registered V5 positions: 372; inputs V5 reads filled: 454/458.

Games with exact V5 feature-order count: 2/2.

V5 runtime source failure count: 0.

Totals binding SHA256: 8e3f0746c12e8459e8a70ea4e41a36dc2fbccc085d7f7c93f38ce14eda497d26.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-14/current.json

Living hydration receipt SHA256: f63f4de16372516ece5d593125fcdac0f23bd8c1fb938a807249d95dfce2b19c

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.