

APEX

NCAA FOOTBALL T-3 DATA REPORT

2026-10-01 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-01

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-01 5:00:00 PM ET

Actual source/hydration start: 2026-10-01 5:39:18 PM ET

Verified hydration receipt complete: 2026-10-01 5:44:05 PM ET

Physical hydration captured: 2026-10-01T17:39:22.115000-04:00 (2026-10-01T21:39:22.115000Z)

Complete canonical games: 2

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 373.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 372.

D2 feature-order parity: 2/2 games.

V5 feature-order parity: 2/2 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-01T17:39:22.115000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=437; rows updated/versioned=0; identical-existing=2479; source failures=0

PLAYER: target facts=2916; exact read-back=2916

PLAYER: observational main-file SHA256

before=3b467ca322e3ed1f4c2b7c1b7e897fc7925e5e0baf2c853a277ea575fcb1355

PLAYER: observational main-file SHA256

after=a2be929ddf4912850ed771efa120a0309a06c2fac0789fe8b7611742f33cfc44; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-01T17:39:22.115000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

TEAM_LINEUP: target facts=2; exact read-back=2

TEAM_LINEUP: observational main-file SHA256

before=88e76ae62a5007a4745b0f33528f6866face199e751efcc78e8801a9e68a8062

TEAM_LINEUP: observational main-file SHA256

after=6582403cd1035e4a791d1a3b2583a8f38a24f7c36c034d13a2b0dc4de79add0d; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-01T17:39:22.115000-04:00; transaction=PASS_COMMITTED_VERSION;
disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=2; source failures=0

HISTORICAL: target facts=2; exact read-back=2

HISTORICAL: observational main-file SHA256

before=0b8d17bf8f9f055e92ab6b4a0f7a4e6f581a9e26a803a01bf711eb03645a55bb

HISTORICAL: observational main-file SHA256

after=382734c4eb504ffea554d5ff68f65f7c36daf0c5b3ec6c5b5d1ea033d887c3d1; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 433.

QB-family populated coverage: 2/2 games.

Lineup/availability-family populated coverage: 0/2 games.

Unpublished starter, depth, injury, or availability facts remain explicitly missing under the frozen model contract; unknown is not converted to healthy or confirmed.

5. TEAM / LINEUP / VENUE / WEATHER / CONTEXT COVERAGE

Registered team/context coverage: 2/2 games.

Weather-vintage coverage: 0/2 games.

Total physically populated feature cells: 989.

Lawful missing/contract-carried cells: 501.

Venue, rest, travel, weather, lineup and context values are used only when present and knowable by this factual cutoff.

6. COMPLETE CANONICAL GAME COVERAGE

G01 Western Kentucky at New Mexico State | 8:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

G02 North Texas at Tulsa | 9:00 PM ET | D1 VS D1 ELIGIBLE | D2 373/373 | V5 372/372

7. D2 INPUT PARITY

Registered D2 positions: 373/373.

Games with exact D2 feature-order count: 2/2.

D2 runtime source failure count: 0.

ATS binding SHA256: 6553b110ab1f5610bb3e661030b51219729111e8bb17b0ec35b30630750f9969.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

8. V5 INPUT PARITY

Registered V5 positions: 372/372.

Games with exact V5 feature-order count: 2/2.

V5 runtime source failure count: 0.

Totals binding SHA256: a96560915ec8fe89648a872c06b463bf1e8ff911181210ca27661083e83e53f3.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-01/current.json

Living hydration receipt SHA256: f3d82924733d41ebb8f445c7c7510500167c954ff9672de5f44f81f60792fcf8

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.