# A P E X

## NCAA FOOTBALL T-3 DATA REPORT

2026-10-29 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

## 1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-29

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-29 4:00:00 PM ET

Actual source/hydration start: 2026-10-29 4:05:07 PM ET

Verified hydration receipt complete: 2026-10-29 4:08:22 PM ET

Physical hydration captured: 2026-10-29T16:05:12.710000-04:00 (2026-10-29T20:05:12.710000Z)

Complete canonical games: 3

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

## 2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 348.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 353.

Inputs the engines read: D2 270, V5 223.

Filled / registered input cells (inputs the engines read): D2 584/810, V5 663/669.

Filled per input group: D2 context 9/9; D2 coverage 15/15; D2 decisions 15/15; D2 environment 24/24; D2 game_state 9/9; D2 market 0/213; D2 prior 14/18; D2 process 36/36; D2 quality 15/24; D2 quarterback 30/30; D2 specialists 12/12; D2 strength 342/342; D2 trenches 54/54; D2 turnovers 9/9; V5 market 0/6; V5 process.opponent_player 81/81; V5 process.opponent_state 243/243; V5 process.other 6/6; V5 process.own_player 81/81; V5 process.own_state 243/243; V5 process.venue 9/9.

Blank engine inputs: D2.prior.coach_change (1 games), D2.prior.recruiting_talent (1 games), D2.prior.returning_production.offense.qb (1 games), D2.prior.returning_production.offense.skill (1 games).

D2 feature-order parity: 3/3 games.

V5 feature-order parity: 3/3 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

## 3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-29T16:05:12.710000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=659; rows updated/versioned=0; identical-existing=3330; source failures=0

PLAYER: target facts=3989; exact read-back=3989

PLAYER: observational main-file SHA256 before=912f108fc6fb7e2e96e291324ed99734621a498a704347af6d1b3ebd2055a129

PLAYER: observational main-file SHA256 after=dd616f619fbc7a178c1e476c4d2dcbd1c13a399630d54f485e32c2349a7a1dc5; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-29T16:05:12.710000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=3; source failures=0

TEAM_LINEUP: target facts=3; exact read-back=3

TEAM_LINEUP: observational main-file SHA256 before=85ac688cb3809911401bb6affcdb808ec54222de8af1c3a3e313b4c1c5dec49a

TEAM_LINEUP: observational main-file SHA256 after=7a4ed5cfba9fbb583de8db723a2734838e4c0459da595368d059dc34f6bda2bc; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-29T16:05:12.710000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=3; source failures=0

HISTORICAL: target facts=3; exact read-back=3

HISTORICAL: observational main-file SHA256 before=ec596b9ea886ef65c19ec4b63c9946a416a6f9b7ec0f78a4bda9667d9a8fe624

HISTORICAL: observational main-file SHA256 after=8957f55e8012ecda1df407906ad72ebea51d761b7159573f33fbd0db97d81e2d; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

## 4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 653.

QB-family populated coverage: 3/3 games.

## 5. TEAM / LINEUP / VENUE / CONTEXT COVERAGE

Registered team/context coverage: 3/3 games.

Filled input cells (inputs the engines read): 1247.

Missing input cells (inputs the engines read): 232.

Venue, rest, travel, lineup and context values are used only when present and knowable by this factual cutoff.

## 6. COMPLETE CANONICAL GAME COVERAGE

G01 South Carolina State at Morgan State | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 192/270 | V5 inputs filled 292/353

G02 Florida Atlantic at North Texas | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

G03 Troy at James Madison | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

## 7. D2 INPUT PARITY

Registered D2 positions: 348; inputs D2 reads filled: 584/810.

Games with exact D2 feature-order count: 3/3.

D2 runtime source failure count: 0.

ATS binding SHA256: d50e21788ae9f7107b8641e1e8e89daad26b3e828b85994137d2fe576346fd19.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

## 8. V5 INPUT PARITY

Registered V5 positions: 353; inputs V5 reads filled: 663/669.

Games with exact V5 feature-order count: 3/3.

V5 runtime source failure count: 0.

Totals binding SHA256: 3a38517a5262c5e818e8f3222ff0811d748e4c6e03cccc7950ffecc626149980.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

## 9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

## 10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-29/current.json

Living hydration receipt SHA256: 504c4f8062cee83c59688b4150a25be14b52506b786ae60ac4f2817d15bb5dea

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.