# A P E X

## NCAA FOOTBALL T-3 DATA REPORT

2026-10-30 | D2/V5 factual hydration | no model issuance

LATE RECOVERY

## 1. T-3 FACTUAL HYDRATION

Slate date: 2026-10-30

Execution classification: LATE RECOVERY

Scheduled T-3: 2026-10-30 4:00:00 PM ET

Actual source/hydration start: 2026-10-30 4:04:43 PM ET

Verified hydration receipt complete: 2026-10-30 4:07:34 PM ET

Physical hydration captured: 2026-10-30T16:04:45.324000-04:00 (2026-10-30T20:04:45.324000Z)

Complete canonical games: 4

T-3 hydrates factual state only. It creates no position, invokes no scoring engine, and reads no outcome.

Outcome reads: 0; post-cutoff values: 0.

## 2. CURRENT ENGINE INPUT READINESS

ATS engine: D2; registered ordered fields: 348.

Totals engine: TOTALS-V5-RECONCILED-POOL; registered ordered fields: 353.

Inputs the engines read: D2 270, V5 223.

Filled / registered input cells (inputs the engines read): D2 777/1080, V5 884/892.

Filled per input group: D2 context 12/12; D2 coverage 20/20; D2 decisions 20/20; D2 environment 32/32; D2 game_state 12/12; D2 market 0/284; D2 prior 17/24; D2 process 48/48; D2 quality 20/32; D2 quarterback 40/40; D2 specialists 16/16; D2 strength 456/456; D2 trenches 72/72; D2 turnovers 12/12; V5 market 0/8; V5 process.opponent_player 108/108; V5 process.opponent_state 324/324; V5 process.other 8/8; V5 process.own_player 108/108; V5 process.own_state 324/324; V5 process.venue 12/12.

Blank engine inputs: D2.prior.coach_change (2 games), D2.prior.recruiting_talent (1 games), D2.prior.returning_production.offense.qb (2 games), D2.prior.returning_production.offense.skill (2 games).

D2 feature-order parity: 4/4 games.

V5 feature-order parity: 4/4 games.

Runtime source failures: D2=0; V5=0.

Registered deterministic constants and lawful trained missing states remain part of their frozen contracts; no unavailable fact is invented.

## 3. LIVING CANONICAL AUTHORITIES

PLAYER: path=/var/opt/apex_ncaaf/authorities/PLAYER.db

PLAYER: refresh=2026-10-30T16:04:45.324000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

PLAYER: rows inserted=905; rows updated/versioned=0; identical-existing=4678; source failures=0

PLAYER: target facts=5583; exact read-back=5583

PLAYER: observational main-file SHA256 before=f27453178cb6e68419f35a4c32f63ae380e60df6e5c7049eea215ad65f428507

PLAYER: observational main-file SHA256 after=e68fd6de437fa1e9f49bc5bd361f04d8385744faacc0a2d8544cbacfbaa25450; post-commit reopen=PASS

TEAM_LINEUP: path=/var/opt/apex_ncaaf/authorities/TEAM_LINEUP.db

TEAM_LINEUP: refresh=2026-10-30T16:04:45.324000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

TEAM_LINEUP: rows inserted=0; rows updated/versioned=0; identical-existing=4; source failures=0

TEAM_LINEUP: target facts=4; exact read-back=4

TEAM_LINEUP: observational main-file SHA256 before=2aa96cd401b55c1c871406af829740ab48dfa0cd77af2f0cfa8c8b02f7611743

TEAM_LINEUP: observational main-file SHA256 after=19192125d0ca544cba650665f27a20862e6bffccdd717d8115a5775b452fd8bf; post-commit reopen=PASS

HISTORICAL: path=/var/opt/apex_ncaaf/authorities/HISTORICAL_OUTCOMES_WITH_ODDS.db

HISTORICAL: refresh=2026-10-30T16:04:45.324000-04:00; transaction=PASS_COMMITTED_VERSION; disposition=NEW_VERSION_COMMITTED

HISTORICAL: rows inserted=0; rows updated/versioned=0; identical-existing=4; source failures=0

HISTORICAL: target facts=4; exact read-back=4

HISTORICAL: observational main-file SHA256 before=6b563c79db17bbb252cfa067c274e4887f4a6982b547215ca99aa2f32ae1ea18

HISTORICAL: observational main-file SHA256 after=be38a3ffa845a80839b8097487118e80d625a70f7aa8e7aca9c8c93284a05bb4; post-commit reopen=PASS

All three physical databases reopened after commit/no-change: PASS.

## 4. PLAYER / QB / ROSTER / AVAILABILITY COVERAGE

Player roster source rows accounted: 897.

QB-family populated coverage: 4/4 games.

## 5. TEAM / LINEUP / VENUE / CONTEXT COVERAGE

Registered team/context coverage: 4/4 games.

Filled input cells (inputs the engines read): 1661.

Missing input cells (inputs the engines read): 311.

Venue, rest, travel, lineup and context values are used only when present and knowable by this factual cutoff.

## 6. COMPLETE CANONICAL GAME COVERAGE

G01 Tulane at Charlotte | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 296/353

G02 Harvard at Dartmouth | 7:00 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 192/270 | V5 inputs filled 292/353

G03 Baylor at UCF | 7:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 196/270 | V5 inputs filled 297/353

G04 Kent State at Sacramento State | 10:30 PM ET | D1 VS D1 ELIGIBLE | D2 inputs filled 193/270 | V5 inputs filled 293/353

## 7. D2 INPUT PARITY

Registered D2 positions: 348; inputs D2 reads filled: 777/1080.

Games with exact D2 feature-order count: 4/4.

D2 runtime source failure count: 0.

ATS binding SHA256: d50e21788ae9f7107b8641e1e8e89daad26b3e828b85994137d2fe576346fd19.

T-3 performs readiness hydration only; D2 probability generation remains reserved for lawful T-2 issuance.

## 8. V5 INPUT PARITY

Registered V5 positions: 353; inputs V5 reads filled: 884/892.

Games with exact V5 feature-order count: 4/4.

V5 runtime source failure count: 0.

Totals binding SHA256: 3a38517a5262c5e818e8f3222ff0811d748e4c6e03cccc7950ffecc626149980.

T-3 performs readiness hydration only; V5 PMF generation remains reserved for lawful T-2 issuance.

## 9. NO-FILTER ACCOUNTING

Canonical game filter count: 0.

Model-confidence filter count: 0.

Tier filter count: 0.

Edge filter count: 0.

Expected-return filter count: 0.

Every canonical eligible game is hydrated. Public zero-position visibility is a later presentation projection only.

## 10. COMPLETION / HASH RECEIPT

Living hydration receipt: /var/opt/apex_ncaaf/production/t3_hydration/2026-10-30/current.json

Living hydration receipt SHA256: 31f1d037ad91917cc6c94a5d7066f1bc56abe981c63d5b2321b9cf9a200f4ace

Complete physical authority reopen: PASS.

Outcome read count: 0.

Post-cutoff value count: 0.

Normal T-3 completion status: PASS.