

# Porkbun IP Updater Task Scheduler Settings

PorkbunIPUpdater Properties (Local Computer)

General Triggers Actions Conditions Settings History (disabled)

Name: PorkbunIPUpdater

Location: \

Author: [REDACTED]

Description: [REDACTED]

Security options

When running the task, use the following user account:

[REDACTED] Change User or Group...

☐ Run only when user is logged on

☒ Run whether user is logged on or not

☐ Do not store password. The task will only have access to local computer resources.

☒ Run with highest privileges

☒ Hidden

Configure for: Windows Vista™, Windows Server™ 2008

OK Cancel

PorkbunIPUpdater Properties (Local Computer)

General Triggers Actions Conditions Settings History (disabled)

When you create a task, you can specify the conditions that will trigger the task.

Trigger	Details	Status
Daily	At 12:00 AM every day - After triggered, repeat every 1 hour for a...	Enabled

New... Edit... Delete

OK Cancel

Edit Trigger

Begin the task: On a schedule

Settings

☐ One time

☒ Daily

☐ Weekly

☐ Monthly

Start: 2/ 1/2024 12:00:00 AM

☐ Synchronize across time zones

Recur every: 1 days

Advanced settings

☐ Delay task for up to (random delay): 1 hour

☒ Repeat task every: 1 hour for a duration of: 1425 minutes

☐ Stop all running tasks at end of repetition duration

☐ Stop task if it runs longer than: 3 days

☐ Expire: 2/12/2025 5:50:09 PM

☐ Synchronize across time zones

☒ Enabled

OK Cancel

PorkbunIPUpdater Properties (Local Computer)


General Triggers Actions Conditions Settings History (disabled)

When you create a task, you must specify the action that will occur when your task starts.

Action	Details
Start a program	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe "C:\Files\

New... Edit... Delete

OK Cancel




Program/Script:

C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe

Add arguments (**this is where you store your script**):

"C:\Files\PorkbunDDNSUpdater\PorkbunDDNSUpdater.ps1"



PorkbunIPUpdater Properties (Local Computer)

General Triggers Actions Conditions Settings History (disabled)

Specify additional settings that affect the behavior of the task.

☒ Allow task to be run on demand

☐ Run task as soon as possible after a scheduled start is missed

☐ If the task fails, restart every: 1 minute ▾

Attempt to restart up to: 3 times

☒ Stop the task if it runs longer than: 3 days ▾

☒ If the running task does not end when requested, force it to stop

☐ If the task is not scheduled to run again, delete it after: 30 days ▾

If the task is already running, then the following rule applies:

Do not start a new instance ▾

OK Cancel

PorkbunIPUpdater Properties (Local Computer)

General Triggers Actions Conditions Settings History (disabled)

Number of events: 0

Level	Date a...	Event...	Task Category	Operational Code	Correlation Id
-------	-----------	----------	---------------	------------------	----------------

General Details

Log Name:

OK Cancel