

Week 1 C programming questions

Q. 1 Write a program to accept height and base of triangle and calculate area of Triangle

Note: $\text{area} = (h * b) / 2$

```
#include<stdio.h>
int main()
{
    int h,b,area;
    printf("Enter the hieght:");
    scanf("%d",&h);
    printf("Enter the base:");
    scanf("%d",&b);
    area=(h*b)/2;
    printf("Area of
triangle:%d",area);
    return 0;
}
```

Q. 2 Write a program to accept radius of circle and calculate area of circle

Note: $\text{area} = \pi * r^2$

```
#include<stdio.h>
int main()
{
    int r,area;
    printf("Enter the radius of
circle:");
    scanf("%d",&r);
```

```

    area=3.14*r*r;
    printf("Area of circle:%d",area);
    return 0;
}

```

Q. 3 Write a program to find the lowest marks of three students using conditional operator.

```

#include<stdio.h>
void main() {
    int a, b, c;
    printf("Enter the marks of three students: ");
    scanf("%d %d %d", &a, &b, &c);
    (a < b) ? ((a < c) ?
printf("Lowest marks: %d", a) :
printf("Lowest marks: %d", c)) : ((b
< c) ? printf("Lowest marks: %d", b)
: printf("Lowest marks: %d", c));
}

```

Q. 4 Write a program to Calculate Compound Interest.

```

# include<stdio.h>
# include<math.h>
int main()
{
    float p,t,r,amt,ci;

```

```

    printf("Enter the principal
amount:");
    scanf("%f",&p);
    printf("Enter the annual rate:");
    scanf("%f",&r);
    printf("Enter the annual time:");
    scanf("%f",&t);
    amt= p*pow((1+r/100),t);
    printf("amount is %.2f",amt);
    ci=amt-p;
    printf("\ncompound interest is
%.2f",ci);
    return 0;
}

```

Q. 5 Write a program to Calculate Cube of a Number.

```

# include<stdio.h>
# include<math.h>
int main()
{
    int n,cube;
    printf("enter the number:");
    scanf("%d",&n);
    cube=pow(n,3);
    printf("Cube of given number is
%d",cube);
    return 0;
}

```

```
}
```

Week – 2 Programming Questions

Q. 1 Write a program to interchange two values by using Assignment Operator.

```
#include<stdio.h>
int main()
{
    int a,b,temp=0;
    printf ("enter the value of a:");
    scanf("%d",&a);
    printf("enter the value of b:");
    scanf("%d",&b);
    temp=a;
    a=b;
    b=temp;
    printf("value of a after
swaping:%d",a);
    printf("\nvalue of b after
swaping:%d",b);
    return 0;
}
```

Q. 2 Write a program to interchange two values by using Arithmetic Operator.

```
# include<stdio.h>
int main()
```

```

{
    int a,b;
    printf("enter the value for a:");
    scanf("%d",&a);
    printf("enter the value for b:");
    scanf("%d",&b);
    a=a+b;
    b=a-b;
    a=a-b;
    printf("after swaping value of
a:%d",a);
    printf("\nafter swaping value of
b:%d",b);
    return 0;
}

```

Q. 3 Write a program to interchange two values by using Bitwise Operator.

```

# include<stdio.h>
int main()
{
    int a,b;
    printf ("enter the value of a:");
    scanf("%d",&a);
    printf("enter the value of b:");
    scanf("%d",&b);
    a=a^b;
    b=a^b;

```

```

        a=b^a;
        printf("value of a after
swapping:%d",a);
        printf("\nvalue of b after
swapping:%d",b);
        return 0;
}

```

Q. 4 Write a program to find the size of all data types (Int, Float, Char, Double, Long Double, Short Int etc.).

```

# include<stdio.h>
int main()
{
    printf("the size of
int:%lu",sizeof(int));
    printf("\nthe size of
float:%lu",sizeof(float));
    printf("\nthe size of
char:%lu",sizeof(char));
    printf("\nthe size of
double:%lu",sizeof(double));
    printf("\nthe size of long
double:%lu",sizeof(long double));
    printf("\nthe size of short
int:%lu",sizeof(short int));
    return 0;
}

```

Q. 5 Write a program to find out whether input number is even or odd without using arithmetic operators.

```
#include <stdio.h>
int main() {
    int num;
    printf("Enter an integer: ");
    scanf("%d", &num);
    (num & 1) ? printf("%d is odd.",
num) : printf("%d is even.", num);
    return 0;
}
```

Week – 3 Programming Questions

Q. 1 Write a C program to check whether a given number is even or odd.

```
# include<stdio.h>
int main()
{
    int n;
    printf("enter the number:");
    scanf("%d",&n);
    if(n%2!=0)
    {
        printf("Odd!!!");
    }
    else
    {
```

```
        printf("Even!!!");  
    }  
}
```

Q. 2 Write a C program to check whether a given number is positive or negative.

```
# include<stdio.h>  
int main()  
{  
    int n;  
    printf("enter the number:");  
    scanf("%d",&n);  
    if(n>0)  
    {  
        printf("positive!!!");  
    }  
    else if(n<0)  
    {  
        printf("negative!!!");  
    }  
    else{  
        printf("zero");  
    }  
}
```

Q. 3 Write a C program to find whether a given year is a leap year or not.

```
# include<stdio.h>  
int main()  
{
```



```

int n;
printf("enter the year:");
scanf("%d",&n);
if(n%4!=0)
{
    printf("not a leap year!!!");
}
else
{
    printf("leap year!!!");
}
return 0;
}

```

Q. 4 Write a C program to find the largest of three numbers.

```

#include<stdio.h>
int main()
{
    int m1,m2,m3;
    printf("enter the first
number:");
    scanf("%d",&m1);
    printf("enter the second
number:");
    scanf("%d",&m2);
    printf("enter the third
number:");
    scanf("%d",&m3);
}

```

```

    if(m1>m2&&m1>m3)
    {
        printf("first number is the
largest no.");
    }
    else if(m2>m1&&m2>m3)
    {
        printf("second number is the
largest no.");
    }
    else
    {
        printf("third number is the
largest no.");
    }
    return 0;
}

```

Q. 5 Write a C program to read temperature in centigrade and display a suitable message according to the temperature state below: a. Temp < 0 then Freezing weather b. Temp 0-10 then Very Cold weather c. Temp 10-20 then Cold weather d. Temp 20-30 then Normal in Temp e. Temp 30-40 then Its Hot f. Temp >=40 then Its Very Hot

```

#include<stdio.h>
int main()
{
    int temp;

```

```
    printf("enter the temperature in  
centigrade:");  
    scanf("%d",&temp);  
    if(temp<=0)  
    {  
        printf("freezing weather");  
    }  
    else if(temp<=10)  
    {  
        printf("very cold weather");  
    }  
    else if(temp<=20)  
    {  
        printf("cold weather");  
    }  
    else if(temp<=30)  
    {  
        printf("normal temperature");  
    }  
    else if(temp<=40)  
    {  
        printf("its hot");  
    }  
    else if(temp>40){  
        printf("very hot");  
    }  
    return 0;
```

```
}
```

Q. 6 Write a C program to read any digit and display it in the word.

```
# include<stdio.h>
int main()
{
    int n;
    printf("enter the digit to be
displayed:");
    scanf("%d",&n);
    switch (n)
    {
        case 0: printf("Zero");
        break;
        case 1: printf("one");
        break;
        case 2: printf("Two");
        break;
        case 3: printf("Three");
        break;
        case 4:printf("Four");
        break;
        case 5:printf("Five");
        break;
        case 6:printf("Six");
        break;
        case 7:printf("Seven");
        break;
    }
```

```

        case 8:printf("Eight");
        break;
        case 9:printf("nine");
        break;
        default:printf("nit a digit");
        break;
    }
}

```

Q. 7 Write a C program to create a Simple Calculator using a switch case.

```

#include <stdio.h>

int main() {
    char operator;
    double first, second;

    printf("Enter an operator (+, -, *, /): ");
    scanf("%c", &operator);

    printf("Enter two operands: ");
    scanf("%lf %lf", &first,
&second);

    switch (operator) {
        case '+':

```

```
        printf("%.11f + %.11f =  
%.11f", first, second, first +  
second);  
        break;  
    case '-':  
        printf("%.11f - %.11f =  
%.11f", first, second, first -  
second);  
        break;  
    case '*':  
        printf("%.11f * %.11f =  
%.11f", first, second, first *  
second);  
        break;  
    case '/':  
        printf("%.11f / %.11f =  
%.11f", first, second, first /  
second);  
        break;  
    default:  
        printf("Error! operator  
is not correct");  
    }  
  
    return 0;  
}
```

Q. 8 Write a C program using C Switch...Case to Calculate the Area of Rectangle/ Circle/ Triangle

```
#include <stdio.h>

int main() {
    int choice;
    float base, height, radius,
length, breadth, area;

    printf("Switch Case in C Program
to Calculate Area of
Rectangle/Circle/Triangle\n");
    printf("1. Calculate the area of
a circle\n");
    printf("2. Calculate the area of
a rectangle\n");
    printf("3. Calculate the area of
a triangle\n");
    printf("Enter your choice (1, 2,
or 3): ");
    scanf("%d", &choice);

    switch (choice) {
        case 1:
            printf("Enter the radius
of the circle: ");
            scanf("%f", &radius);
```

```
        area = 3.14159 * radius *  
radius;  
        printf("The area of the  
circle is: %f\n", area);  
        break;  
    case 2:  
        printf("Enter the length  
and breadth of the rectangle: ");  
        scanf("%f %f", &length,  
&breadth);  
        area = length * breadth;  
        printf("The area of the  
rectangle is: %f\n", area);  
        break;  
    case 3:  
        printf("Enter the base  
and height of the triangle: ");  
        scanf("%f %f", &base,  
&height);  
        area = 0.5 * base *  
height;  
        printf("The area of the  
triangle is: %f\n", area);  
        break;  
    default:  
        printf("Invalid  
choice\n");
```



```
        break;
    }

    return 0;
}
```

H.O.T.S Questions

Q. 9 Write a C program to calculate the sum and average of positive numbers. If the user enters a negative number, the sum and average are displayed.

```
# include<stdio.h>
int main()
{
    int sum,avr,n,n1,n2;
    printf("enter the number:");
    scanf("%d",n);
    printf("enter the first
number:");
    scanf("%d",&n1);
    printf("enter the second
number:");
    scanf("%d",&n2);

    if(n>0)
    {
        sum+=i;
        avr=sum/i;
        printf("sum is%d",sum);
    }
}
```

```

        printf("average is
%d",avr);
    }
    else
    {
        printf("sum is%d",sum);
        printf("average is
%d",avr);
    }

    return 0;

}

```

Q. 10 Write a C program to design a digital clock.

```

#include <stdio.h>
#include <time.h>
int main() {
    while (1) {
        time_t currentTime =
time(NULL);
        struct tm *tm =
localtime(&currentTime);
        printf("%02d:%02d:%02d\n",
tm->tm_hour, tm->tm_min, tm->tm_sec);
        sleep(1);
    }
    return 0;
}

```

```
}
```

Q. 11 Write a C program to find the sum of digits of a number until a single digit is occurred

```
#include <stdio.h>

int main() {
    int number, sum;
    printf("Enter a number: ");
    scanf("%d", &number);
    while (number > 9) {
        sum = 0;
        while (number != 0) {
            sum += number % 10;
            number /= 10;
        }
        number = sum;
    }
    printf("The sum of digits until a single digit is occurred: %d\n", number);
    return 0;
}
```

Week – 4 Programming Questions

Q. 1 Write a C program to print multiplication table of a number.

```
# include<stdio.h>
int main()
{
    int n,mul;
    printf("enter the number:");
    scanf("%d",&n);
    for(int i=1;i<=10;++i)
    {
        mul=n*i;
        printf("%d*%d=%d\n",n,i,mul);
    }
    return 0;
}
```

Q. 2 Write a C program to calculate factorial of a number

```
# include<stdio.h>
int main()
{
    int n,i,fac=1;
    printf("enter the number:");
    scanf("%d",&n);
    for(i=1;i<=n;++i)
    {
        fac=fac*i;
    }
    printf("factorial of %d is
%d",n,fac);
    return 0;
}
```

```
}
```

Q. 3 Write a C program to check whether a number is palindrome or not.

```
#include<stdio.h>
int main()
{
    int n,i,r,rev=0;
    printf("enter the number:");
    scanf("%d",&n);
    i=n;
    while(i!=0)
    {
        r=i%10;
        rev=rev*10+r;
        i=i/10;
    }
    if(rev==n)
    {
        printf("palindrome");
    }
    else{
        printf("not palindrome");
    }
    return 0;
}
```

Q. 4 Write a C program to count frequency of digits in a given number.

```

#include <stdio.h>
int main() {
    int num, digit, count;
    printf("Enter a number: ");
    scanf("%d", &num);
    printf("Enter a digit to count:
");
    scanf("%d", &digit);
    count = 0;
    while (num > 0) {
        if (num % 10 == digit) {
            count++;
        }
        num /= 10;
    }
    printf("Frequency of digit %d in
the given number is %d", digit,
count);
    return 0;
}

```

Q. 5 Write a C program to find HCF(GCD) AND LCM of two numbers

```

#include <stdio.h>
int main() {
    int num1, num2, i, gcd, lcm;
    printf("Enter two numbers: ");
    scanf("%d %d", &num1, &num2);

```

```

    for (i = 1; i <= num1 && i <=
num2; ++i) {
        if (num1 % i == 0 && num2 % i
== 0) {
            gcd = i;
        }
    }
    lcm = (num1 * num2) / gcd;
    printf("HCF(GCD) of %d and %d is
%d\n", num1, num2, gcd);
    printf("LCM of %d and %d is %d",
num1, num2, lcm);
    return 0;
}

```

Q. 6 Write a C program to print all prime numbers between 1 to n.

```

#include <stdio.h>
int main() {
    int i, j, n, flag;
    printf("Enter a number: ");
    scanf("%d", &n);
    printf("Prime numbers between 1
and %d are: ", n);
    for (i = 2; i <= n; ++i) {
        flag = 0;
        for (j = 2; j <= i / 2; ++j)
{

```

```

        if (i % j == 0) {
            flag = 1;
            break;
        }
    }
    if (flag == 0)
        printf("%d ", i);
}
return 0;
}

```

Q. 7 Write a C program to print Fibonacci series up to n terms.

```

#include <stdio.h>
int main() {
    int i, n, t1 = 0, t2 = 1,
nextTerm;
    printf("Enter the number of
terms: ");
    scanf("%d", &n);
    printf("Fibonacci Series: ");
    for (i = 1; i <= n; ++i) {
        printf("%d, ", t1);
        nextTerm = t1 + t2;
        t1 = t2;
        t2 = nextTerm;
    }
    return 0;
}

```



```
}
```

Q. 8 Write a C program to print Armstrong numbers from 1 to n AND check a given number is Armstrong numbers or not.

```
#include<stdio.h>
int main()
{
    int n,r,d,sum=0;
    printf("enter the number:");
    scanf("%d",&n);
    d=n;
    while(d!=0){
        r=d%10;
        sum+=r*r*r;
        d=d/10;}
    if(sum==n){
        printf("armstrong number");
    }
    else{
        printf("not armstrong number");
    }
    return 0;
}
```

H.O.T.S Questions

Q. 9 Write a C program to print all Perfect numbers between 1 to n AND Check a given number is Perfect numbers or not.

```
#include <stdio.h>
int main() {
```

```

int number, sum;
printf("Enter a number: ");
scanf("%d", &number);
for (int i = 1; i <= number; i++) {
    sum = 0;
    for (int j = 1; j < i; j++) {
        if (i % j == 0) {
            sum += j;
        }
    }
    if (sum == i) {
        printf("%d is a perfect number.\n", i);
    }
}
printf("Perfect numbers between 1 and %d are: ", number);
for (int i = 1; i <= number; i++) {
    sum = 0;
    for (int j = 1; j < i; j++) {
        if (i % j == 0) {
            sum += j;
        }
    }
    if (sum == i) {
        printf("%d ", i);
    }
}
printf("\n");
return 0;
}

```

Q. 10 Write a C program to print all Strong Numbers between 1 to n.

```

#include <stdio.h>
int main() {
    int n;
    printf("Enter the value of n: ");
    scanf("%d", &n);
    printf("Strong numbers between 1 and %d are:\n", n);
    for (int i = 1; i <= n; i++) {
        int originalNum = i;
        int sum = 0;
        int num = i;
        while (num > 0) {
            int digit = num % 10;
            int factorial = 1;
            for (int j = 1; j <= digit; j++) {
                factorial *= j;
            }
            sum += factorial;
            num /= 10;
        }
        if (sum == originalNum) {
            printf("%d ", originalNum);
        }
    }
    printf("\n");
}

```

```

    }
    sum += factorial;
    num /= 10;
}
if (sum == originalNum) {
    printf("%d\n", originalNum);
}
}
return 0;
}

```

Week 5 C Programming Questions

1.(a):

```

#include <stdio.h>
int main() {
    int rows = 4;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= 5; j++) {
            printf("*");
        }
        printf("\n");
    }
    return 0;
}

```

(b):

```

#include <stdio.h>
int main() {
    int rows = 5;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= rows; j++) {
            printf("%d", j);

```

```
    }  
    printf("\n");  
}  
return 0;  
}
```

(c):

```
#include <stdio.h>  
int main() {  
    int rows = 4;  
    for (int i = 1; i <= rows; i++) {  
        for (int j = 1; j <= i; j++) {  
            printf("%d", j);  
        }  
        printf("\n");  
    }  
    return 0;  
}
```

(d):

```
#include <stdio.h>  
int main() {  
    int rows = 4;  
    for (int i = 1; i <= rows; i++) {  
        for (int j = 1; j <= i; j++) {  
            printf("%d", i);  
        }  
        printf("\n");  
    }  
    return 0;  
}
```

(e):

```
#include <stdio.h>
```

```

int main() {
    int rows = 4;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= i; j++) {
            printf("*");
        }
        printf("\n");
    }
    return 0;
}

```

(f):

```

#include <stdio.h>
int main() {
    int rows = 4;
    for (int i = 0; i < rows; i++) {
        for (int j = 0; j < rows - i - 1; j++) {
            printf(" ");
        }
        for (int k = 0; k <= i; k++) {
            printf("%c", 'A' + k);
        }
        printf("\n");
    }
    return 0;
}

```

(g):

```

#include <stdio.h>
int main() {
    int rows = 4;
    int counter = 1;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= i; j++) {

```

```

        printf("%d", counter);
        counter++;
    }
    printf("\n");
}
return 0;
}

```

(h):

```

#include <stdio.h>
int main() {
    int rows = 5;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= i; j++) {
            printf("%d", j % 2);
        }
        printf("\n");
    }
    return 0;
}

```

(i):

```

#include <stdio.h>
int main() {
    int rows = 5;
    for (int i = 5; i >= 1; i--) {
        for (int j = 5; j >= i; j--) {
            printf("%d", j);
        }
        printf("\n");
    }
    return 0;
}

```

(j):

```
#include <stdio.h>
int main() {
    int rows = 5;
    for (int i = 1; i <= rows; i++) {
        for (int j = 5; j >= i; j--) {
            printf("%d", j);
        }
        printf("\n");
    }
    return 0;
}
```

(k):

```
#include <stdio.h>
int main() {
    int rows = 5;
    int cols = 5;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= cols; j++) {
            if (i == 1 || i == rows || j == 1 || j == cols) {
                printf("*");
            } else {
                printf(" ");
            }
        }
        printf("\n");
    }
    return 0;
}
```

(L):

```
#include <stdio.h>
int main() {
```

```

int rows = 4;
for (int i = 1; i <= rows; i++) {
    for (int j = 1; j <= rows - i; j++) {
        printf(" ");
    }
    for (int k = 1; k <= 2 * i - 1; k++) {
        printf("*");
    }
    printf("\n");
}
return 0;
}

```

(m):

```

#include <stdio.h>
int main() {
    int rows = 4;
    for (int i = 1; i <= rows; i++) {
        for (int j = 1; j <= rows - i; j++) {
            printf(" ");
        }
        for (int k = 1; k <= 2 * i - 1; k++) {
            printf("*");
        }
        printf("\n");
    }
    for (int i = rows - 1; i >= 1; i--) {
        for (int j = 1; j <= rows - i; j++) {
            printf(" ");
        }
        for (int k = 1; k <= 2 * i - 1; k++) {
            printf("*");
        }
        printf("\n");
    }
}

```



```
    return 0;
}
```

(n):

```
#include <stdio.h>
int main() {
    int i, j, k;
    for (i = 3; i >= 0; i--) {
        for (k = 0; k < i; k++) {
            printf(" ");
        }
        for (j = 0; j <= 3 - i; j++) {
            printf("%d", 7 - (i * 2) + j);
        }
        printf("\n");
    }
    return 0;
}
```

Week 6 C Programming Questions

1. Write a menu driven program to insert and delete elements of kth position to an array of size N.

```
#include <stdio.h>
```

```
int main() {
    int N, choice, k, i;
    printf("Enter the size of the array: ");
    scanf("%d", &N);
    int arr[N];
    for (i = 0; i < N; i++) {
        printf("Enter element at position %d: ", i + 1);
        scanf("%d", &arr[i]);
    }
}
```

```

}
while (1) {
    printf("\nMenu:\n");
    printf("1. Insert element at kth position\n");
    printf("2. Delete element at kth position\n");
    printf("3. Display array\n");
    printf("4. Exit\n");
    printf("Enter your choice: ");
    scanf("%d", &choice);
    switch (choice) {
        case 1:
            printf("Enter the position (1 to %d) to insert element:
", N + 1);
            scanf("%d", &k);
            if (k < 1 || k > N + 1) {
                printf("Invalid position. Position should be between
1 and %d.\n", N + 1);
            } else {
                printf("Enter the element to insert: ");
                int newElement;
                scanf("%d", &newElement);

                for (i = N - 1; i >= k - 1; i--) {
                    arr[i + 1] = arr[i];
                }
                arr[k - 1] = newElement;
                N++;
                printf("Element inserted successfully.\n");
            }
            break;
        case 2:
            printf("Enter the position (1 to %d) to delete element:
", N);
            scanf("%d", &k);
            if (k < 1 || k > N) {

```

```

        printf("Invalid position. Position should be between
1 and %d.\n", N);
    } else {
        for (i = k - 1; i < N - 1; i++) {
            arr[i] = arr[i + 1];
        }
        N--;
        printf("Element deleted successfully.\n");
    }
    break;
case 3:
    printf("Array elements: ");
    for (i = 0; i < N; i++) {
        printf("%d ", arr[i]);
    }
    printf("\n");
    break;
case 4:
    printf("Exiting the program.\n");
    return 0;

default:
    printf("Invalid choice. Please enter a valid option.\n");
}
}
return 0;
}

```

2. Write the program to print the biggest and smallest element in an array.

```

#include <stdio.h>
int main() {
    int N, i;
    printf("Enter the size of the array: ");
    scanf("%d", &N);

```

```

int arr[N];
for (i = 0; i < N; i++) {
    printf("Enter element at position %d: ", i + 1);
    scanf("%d", &arr[i]);
}
int largest = arr[0];
int smallest = arr[0];
for (i = 1; i < N; i++) {
    if (arr[i] > largest) {
        largest = arr[i];
    }
    if (arr[i] < smallest) {
        smallest = arr[i];
    }
}
printf("The largest element in the array is: %d\n", largest);
printf("The smallest element in the array is: %d\n", smallest);
return 0;
}

```

3. Write the program to print the sum and average of an array.

```

#include <stdio.h>
int main() {
    int N, i;
    printf("Enter the size of the array: ");
    scanf("%d", &N);
    int arr[N];
    for (i = 0; i < N; i++) {
        printf("Enter element at position %d: ", i + 1);
        scanf("%d", &arr[i]);
    }
    int sum = 0;
    float average;
    for (i = 0; i < N; i++) {

```

```

        sum += arr[i];
    }
    average = (float)sum / N;
    printf("The sum of the elements in the array is: %d\n", sum);
    printf("The average of the elements in the array is: %.2f\n",
average);
    return 0;
}

```

4. Write the program to sort an array using bubble sort.

```

#include <stdio.h>
int main() {
    int N, i, j, temp;
    printf("Enter the size of the array: ");
    scanf("%d", &N);
    int arr[N];
    for (i = 0; i < N; i++) {
        printf("Enter element at position %d: ", i + 1);
        scanf("%d", &arr[i]);
    }
    for (i = 0; i < N - 1; i++) {
        for (j = 0; j < N - i - 1; j++) {
            if (arr[j] > arr[j + 1]) {
                temp = arr[j];
                arr[j] = arr[j + 1];
                arr[j + 1] = temp;
            }
        }
    }
    printf("Sorted array: ");
    for (i = 0; i < N; i++) {
        printf("%d ", arr[i]);
    }
    printf("\n");
}

```

```
    return 0;
}
```

5. Write the program to search an element using linear search as well as binary search.

```
#include <stdio.h>
int main() {
    int N, i, element;
    printf("Enter the size of the array: ");
    scanf("%d", &N);
    int arr[N];
    printf("Enter the elements of the array:\n");
    for (i = 0; i < N; i++) {
        scanf("%d", &arr[i]);
    }
    printf("\nEnter the element to search using linear search: ");
    scanf("%d", &element);
    int linearIndex = -1;
    for (i = 0; i < N; i++) {
        if (arr[i] == element) {
            linearIndex = i;
            break;
        }
    }
    if (linearIndex != -1) {
        printf("Element %d found at position %d using linear search.\n",
        element, linearIndex + 1);
    } else {
        printf("Element %d not found in the array using linear
        search.\n", element);
    }
    printf("\nEnter the element to search using binary search: ");
    scanf("%d", &element);
    int low = 0, high = N - 1, mid, binaryIndex = -1;
    while (low <= high) {
```

```

mid = (low + high) / 2;
if (arr[mid] == element) {
    binaryIndex = mid;
    break;
} else if (arr[mid] < element) {
    low = mid + 1;
} else {
    high = mid - 1;
}
}
if (binaryIndex != -1) {
    printf("Element %d found at position %d using binary search.\n",
element, binaryIndex + 1);
} else {
    printf("Element %d not found in the array using binary
search.\n", element);
}
return 0;
}

```

6. Take an array of 20 integer inputs from user and print the following:

- a. number of positive numbers
- b. number of negative numbers
- c. number of odd numbers
- d. number of even numbers e. number of 0.

```

#include <stdio.h>
int main() {
    int arr[20];
    int positiveCount = 0, negativeCount = 0, oddCount = 0, evenCount
= 0, zeroCount = 0;
    printf("Enter 20 integers:\n");
    for (int i = 0; i < 20; i++) {

```

```

        scanf("%d", &arr[i]);
    }
    for (int i = 0; i < 20; i++) {
        if (arr[i] > 0) {
            positiveCount++;
        } else if (arr[i] < 0) {
            negativeCount++;
        } else {
            zeroCount++;
        }
        if (arr[i] % 2 == 0) {
            evenCount++;
        } else {
            oddCount++;
        }
    }
    printf("\na. Number of positive numbers: %d\n", positiveCount);
    printf("b. Number of negative numbers: %d\n", negativeCount);
    printf("c. Number of odd numbers: %d\n", oddCount);
    printf("d. Number of even numbers: %d\n", evenCount);
    printf("e. Number of zeros: %d\n", zeroCount);
    return 0;
}

```

7. Take an array of 10 elements. Split it into middle and store the elements in two different arrays.

```

#include <stdio.h>
int main(){
    int initialArray[10];
    int firstHalf[5], secondHalf[5];
    printf("Enter 10 integers:\n");
    for (int i = 0; i < 10; i++) {
        scanf("%d", &initialArray[i]);
    }
    for (int i = 0; i < 5; i++) {

```



```

        firstHalf[i] = initialArray[i];
        secondHalf[i] = initialArray[i + 5];
    }
    printf("\nINITIAL array: ");
    for (int i = 0; i < 10; i++) {
        printf("%d, ", initialArray[i]);
    }
    printf("\n");
    printf("After splitting:\n");
    printf("First Half: ");
    for (int i = 0; i < 5; i++) {
        printf("%d, ", firstHalf[i]);
    }
    printf("\n");
    printf("Second Half: ");
    for (int i = 0; i < 5; i++) {
        printf("%d, ", secondHalf[i]);
    }
    printf("\n");
    return 0;
}

```

8. Write the program to count frequency of each element in an array.

```

#include <stdio.h>
int main() {
    int N;
    printf("Enter the size of the array: ");
    scanf("%d", &N);
    int arr[N];
    printf("Enter %d integers:\n", N);
    for (int i = 0; i < N; i++) {
        scanf("%d", &arr[i]);
    }
    int frequency[N];

```

```

for (int i = 0; i < N; i++) {
    frequency[i] = 0;
}
for (int i = 0; i < N; i++) {
    if (frequency[i] == -1) {
        continue;
    }
    for (int j = i + 1; j < N; j++) {
        if (arr[i] == arr[j]) {
            frequency[j] = -1;
            frequency[i]++;
        }
    }
}
printf("\nFrequency of each element:\n");
for (int i = 0; i < N; i++) {
    if (frequency[i] != -1) {
        printf("%d occurs %d times.\n", arr[i], frequency[i] + 1);
    }
}
return 0;
}

```

Week 7

Question 1

```

#include <stdio.h>
#define MAX_ROWS 3
#define MAX_COLS 3
void printRowMajor(int matrix[MAX_ROWS][MAX_COLS])
{
    printf("Row Major Order:\n");
    for (int i = 0; i < MAX_ROWS; ++i) {
        for (int j = 0; j < MAX_COLS; ++j) {
            printf("%d\t", matrix[i][j]);
        }
        printf("\n");
    }
}

```

```

    }
}
void printColumnMajor(int
matrix[MAX_ROWS][MAX_COLS]) {
    printf("\nColumn Major Order:\n");
    for (int j = 0; j < MAX_COLS; ++j) {
        for (int i = 0; i < MAX_ROWS; ++i) {
            printf("%d\t", matrix[i][j]);
        }
        printf("\n");
    }
}
int main() {
    int matrix[MAX_ROWS][MAX_COLS] = {{1, 2, 3},
                                         {4, 5, 6},
                                         {7, 8, 9}};

    printRowMajor(matrix);
    printColumnMajor(matrix);
    return 0;
}

```

Question 2

```

#include <stdio.h>
#define MAX_ROWS 3
#define MAX_COLS 3
int calculateMatrixSum(int
matrix[MAX_ROWS][MAX_COLS]) {
    int sum = 0;
    for (int i = 0; i < MAX_ROWS; ++i) {
        for (int j = 0; j < MAX_COLS;
++j) {

```

```

        sum += matrix[i][j];
    }
}
return sum;
}
int main() {
    int matrix[MAX_ROWS][MAX_COLS] = {{1,
2, 3},
                                         {4,
5, 6},
                                         {7,
8, 9}};
    int sum = calculateMatrixSum(matrix);
    printf("Sum of the matrix: %d\n",
sum);
    return 0;
}

```

Question 3

```

#include <stdio.h>
#define ROWS 3
#define COLS 3
void addMatrices(int mat1[ROWS][COLS],
int mat2[ROWS][COLS], int
result[ROWS][COLS]) {
    for (int i = 0; i < ROWS; ++i) {
        for (int j = 0; j < COLS; ++j) {

```

```

        result[i][j] = mat1[i][j] +
mat2[i][j];
    }
}

void multiplyMatrices(int
mat1[ROWS][COLS], int mat2[ROWS][COLS],
int result[ROWS][COLS]) {
    for (int i = 0; i < ROWS; ++i) {
        for (int j = 0; j < COLS; ++j) {
            result[i][j] = 0;
            for (int k = 0; k < COLS;
++k) {
                result[i][j] +=
mat1[i][k] * mat2[k][j];
            }
        }
    }
}

void displayMatrix(int
matrix[ROWS][COLS]) {
    for (int i = 0; i < ROWS; ++i) {
        for (int j = 0; j < COLS; ++j) {
            printf("%d\t", matrix[i][j]);
        }
        printf("\n");
    }
    printf("\n");
}

```

```

int main() {
    int matrix1[ROWS][COLS] = {{1, 2, 3},
                                {4, 5, 6},
                                {7, 8,
9}}};
    int matrix2[ROWS][COLS] = {{9, 8, 7},
                                {6, 5, 4},
                                {3, 2,
1}}};
    int sumMatrix[ROWS][COLS];
    int productMatrix[ROWS][COLS];
    addMatrices(matrix1, matrix2,
sumMatrix);
    multiplyMatrices(matrix1, matrix2,
productMatrix);
    printf("Matrix 1:\n");
    displayMatrix(matrix1);
    printf("Matrix 2:\n");
    displayMatrix(matrix2);
    printf("Sum of Matrices:\n");
    displayMatrix(sumMatrix);
    printf("Product of Matrices:\n");
    displayMatrix(productMatrix);
    return 0;
}

```

Question 4

```
#include <stdio.h>
```

```

#define SIZE 3
void printSumDiagonal(int matrix[SIZE][SIZE]) {
    int sum = 0;
    for (int i = 0; i < SIZE; ++i) {
        sum += matrix[i][i];
    }
    printf("Sum of diagonal elements: %d\n", sum);
}

void printUpperTriangular(int matrix[SIZE][SIZE]) {
    printf("Upper triangular matrix:\n");
    for (int i = 0; i < SIZE; ++i) {
        for (int j = 0; j < SIZE; ++j) {
            if (i <= j) {
                printf("%d\t", matrix[i][j]);
            } else {
                printf("0\t");
            }
        }
        printf("\n");
    }
}

void printLowerTriangular(int matrix[SIZE][SIZE]) {
    printf("Lower triangular matrix:\n");
    for (int i = 0; i < SIZE; ++i) {
        for (int j = 0; j < SIZE; ++j) {
            if (i >= j) {
                printf("%d\t", matrix[i][j]);
            } else {
                printf("0\t");
            }
        }
        printf("\n");
    }
}

int main() {
    int matrix[SIZE][SIZE] = {{1, 2, 3},
                               {4, 5, 6},

```

```

                                {7, 8, 9}};
    printSumDiagonal(matrix);
    printUpperTriangular(matrix);
    printLowerTriangular(matrix);
    return 0;
}

```

Question 5

```

#include <stdio.h>
#define ROWS 3
#define COLS 3
void findFrequency(int matrix[ROWS][COLS]) {
    int oddCount = 0, evenCount = 0;
    for (int i = 0; i < ROWS; ++i) {
        for (int j = 0; j < COLS; ++j) {
            if (matrix[i][j] % 2 == 0) {
                evenCount++;
            } else {
                oddCount++;
            }
        }
    }
    printf("Frequency of odd elements: %d\n",
oddCount);
    printf("Frequency of even elements: %d\n",
evenCount);
}
int main() {
    int matrix[ROWS][COLS] = {{1, 2, 3},
                                {4, 5, 6},
                                {7, 8, 9}};

    findFrequency(matrix);
    return 0;
}

```


Question 6

```
#include <stdio.h>
#define ROWS 3
#define COLS 3
void findRowSum(int matrix[ROWS][COLS]) {
    printf("Sum of each row:\n");
    for (int i = 0; i < ROWS; ++i) {
        int rowSum = 0;
        for (int j = 0; j < COLS; ++j) {
            rowSum += matrix[i][j];
        }
        printf("Row %d: %d\n", i + 1, rowSum);
    }
}
void findColumnSum(int matrix[ROWS][COLS]) {
    printf("\nSum of each column:\n");
    for (int j = 0; j < COLS; ++j) {
        int colSum = 0;
        for (int i = 0; i < ROWS; ++i) {
            colSum += matrix[i][j];
        }
        printf("Column %d: %d\n", j + 1, colSum);
    }
}
int main() {
    int matrix[ROWS][COLS] = {{1, 2, 3},
                                {4, 5, 6},
                                {7, 8, 9}};

    findRowSum(matrix);
    findColumnSum(matrix);
    return 0;
}
```

Question 7

```
#include <stdio.h>

int main() {
    // Initialize a 3x3 matrix
    int matrix[3][3] = {
        {1, 2, 3},
        {4, 5, 6},
        {7, 8, 9}
    };

    // Print the initialized matrix
    printf("Initialized 3x3 Matrix:\n");
    for (int i = 0; i < 3; ++i) {
        for (int j = 0; j < 3; ++j) {
            printf("%d\t", matrix[i][j]);
        }
        printf("\n");
    }

    return 0;
}
```

Question 8

```
#include <stdio.h>
#define SIZE 3
void checkSpecialMatrix(int matrix[SIZE][SIZE]) {
    int isDiagonal = 1, isUpperTriangular = 1,
    isLowerTriangular = 1;
    for (int i = 0; i < SIZE; ++i) {
```

```

        for (int j = 0; j < SIZE; ++j) {
            if (i != j && matrix[i][j] != 0) {
                isDiagonal = 0;
            }
            if (i > j && matrix[i][j] != 0) {
                isUpperTriangular = 0;
            }
            if (i < j && matrix[i][j] != 0) {
                isLowerTriangular = 0;
            }
        }
    }
    if (isDiagonal) {
        printf("The matrix is a diagonal\nmatrix.\n");
    } else if (isUpperTriangular) {
        printf("The matrix is an upper triangular\nmatrix.\n");
    } else if (isLowerTriangular) {
        printf("The matrix is a lower triangular\nmatrix.\n");
    } else {
        printf("The matrix is not a special\nmatrix.\n");
    }
}

int main() {
    int matrix[SIZE][SIZE];
    printf("Enter the elements of the %dx%d\nmatrix:\n", SIZE, SIZE);
    for (int i = 0; i < SIZE; ++i) {
        for (int j = 0; j < SIZE; ++j) {
            scanf("%d", &matrix[i][j]);
        }
    }
    checkSpecialMatrix(matrix);
}

```

```
    return 0;
}
```

Question 9

```
#include <stdio.h>
#define ROWS 3
#define COLS 3
int isSparseMatrix(int matrix[ROWS][COLS]) {
    int zeroCount = 0, nonZeroCount = 0;
    for (int i = 0; i < ROWS; ++i) {
        for (int j = 0; j < COLS; ++j) {
            if (matrix[i][j] == 0) {
                zeroCount++;
            } else {
                nonZeroCount++;
            }
        }
    }
    if (zeroCount > (ROWS * COLS) / 2) {
        return 1;
    } else {
        return 0;
    }
}

void main() {
    int matrix[ROWS][COLS];
    int i, j;
    printf("Enter the elements of the %dx%d\n", ROWS, COLS);
    for (i = 0; i < ROWS; ++i) {
        for (j = 0; j < COLS; ++j) {
            scanf("%d", &matrix[i][j]);
        }
    }
}
```

```
    if (isSparseMatrix(matrix)) {  
        printf("The matrix is a sparse matrix.\n");  
    } else {  
        printf("The matrix is not a sparse  
matrix.\n");  
    }  
}
```

Week-8

Question 1

```
#include <stdio.h>  
  
int main() {  
    int number = 10;  
    int *ptr = &number;  
    printf("Value of number: %d\n", number);  
    printf("Value pointed to by ptr: %d\n", *ptr);  
    *ptr = 20;  
    printf("Updated value of number: %d\n", number);  
    double doubleNumber = 3.14;  
    double *doublePtr = &doubleNumber;  
    printf("Value of doubleNumber: %lf\n", doubleNumber);  
    printf("Value pointed to by doublePtr: %lf\n", *doublePtr);  
  
    return 0;  
}
```

Question 2

```
#include <stdio.h>  
  
void addNumbers(int *num1, int *num2, int *sum) {  
    *sum = *num1 + *num2;  
}
```

```

int main() {
    int number1, number2, result;
    printf("Enter first number: ");
    scanf("%d", &number1);
    printf("Enter second number: ");
    scanf("%d", &number2);
    addNumbers(&number1, &number2, &result);
    printf("Sum of %d and %d is: %d\n", number1, number2, result);
    return 0;
}

```

Question-3

```

#include <stdio.h>
void swapNumbers(int *num1, int *num2) {
    int temp = *num1;
    *num1 = *num2;
    *num2 = temp;
}
int main() {
    int number1, number2;
    printf("Enter first number: ");
    scanf("%d", &number1);
    printf("Enter second number: ");
    scanf("%d", &number2);
    printf("Before swapping: \n");
    printf("First number: %d\n", number1);
    printf("Second number: %d\n", number2);
    swapNumbers(&number1, &number2);
    printf("After swapping: \n");
    printf("First number: %d\n", number1);
    printf("Second number: %d\n", number2);

    return 0;
}

```

Question 4

```

#include <stdio.h>
void inputArray(int *arr, int size) {
    printf("Enter %d elements:\n", size);
    for (int i = 0; i < size; ++i) {

```

```

        scanf("%d", arr + i);}
    }
    void printArray(int *arr, int size) {
        printf("Array elements are:\n");
        for (int i = 0; i < size; ++i) {
            printf("%d ", *(arr + i));
        }
        printf("\n");
    }
}
int main() {
    int size;
    printf("Enter the size of the array: ");
    scanf("%d", &size);
    int array[size];
    inputArray(array, size);
    printArray(array, size);
    return 0;
}

```

Question-5

```

#include <stdio.h>
void copyArray(int *source, int *destination, int size) {
    for (int i = 0; i < size; ++i) {
        *(destination + i) = *(source + i);
    }
}

void printArray(int *arr, int size) {
    printf("Array elements are:\n");
    for (int i = 0; i < size; ++i) {
        printf("%d ", *(arr + i));
    }
    printf("\n");
}

int main() {
    int size;

    printf("Enter the size of the array: ");
    scanf("%d", &size);
    int sourceArray[size];
    int destinationArray[size];
    printf("Enter %d elements for the source array:\n", size);
    for (int i = 0; i < size; ++i) {
        scanf("%d", &sourceArray[i]);
    }

    copyArray(sourceArray, destinationArray, size);
    printf("\nSource Array:\n");
}

```

```

    printArray(sourceArray, size);
    printf("\nDestination Array (copied from source array):\n");
    printArray(destinationArray, size);

    return 0;
}

```

Question-6

```

#include <stdio.h>
void swapArrays(int *arr1, int *arr2, int size) {
    int temp[size];
    for (int i = 0; i < size; ++i) {
        temp[i] = *(arr1 + i);
    }
    for (int i = 0; i < size; ++i) {
        *(arr1 + i) = *(arr2 + i);
    }
    for (int i = 0; i < size; ++i) {
        *(arr2 + i) = temp[i];
    }
}

void printArray(int *arr, int size) {
    printf("Array elements are:\n");
    for (int i = 0; i < size; ++i) {
        printf("%d ", *(arr + i));
    }
    printf("\n");
}

int main() {
    int size;
    printf("Enter the size of the arrays: ");
    scanf("%d", &size);
    int array1[size];
    int array2[size];
    printf("Enter %d elements for the first array:\n", size);
    for (int i = 0; i < size; ++i) {

```



```

        scanf("%d", &array1[i]);
    }
    printf("Enter %d elements for the second array:\n", size);
    for (int i = 0; i < size; ++i) {
        scanf("%d", &array2[i]);
    }
    printf("\nArrays before swapping:\n");
    printf("Array 1:\n");
    printArray(array1, size);
    printf("Array 2:\n");
    printArray(array2, size);
    swapArrays(array1, array2, size);
    printf("\nArrays after swapping:\n");
    printf("Array 1 (swapped):\n");
    printArray(array1, size);
    printf("Array 2 (swapped):\n");
    printArray(array2, size);

    return 0;}

```

Question-7

```

#include <stdio.h>
void reverseArray(int *arr, int size) {
    int *start = arr;
    int *end = arr + size - 1;
    while (start < end) {
        int temp = *start;
        *start = *end;
        *end = temp;
        start++;
        end--;
    }
}

void printArray(int *arr, int size) {
    printf("Array elements are:\n");
    for (int i = 0; i < size; ++i) {
        printf("%d ", *(arr + i));
    }
    printf("\n");
}

int main() {
    int size;
    printf("Enter the size of the array: ");
    scanf("%d", &size);
    int array[size];
    printf("Enter %d elements for the array:\n", size);
    for (int i = 0; i < size; ++i) {
        scanf("%d", &array[i]);
    }
}

```

```

    printf("\nOriginal Array:\n");
    printArray(array, size);
    reverseArray(array, size);
    printf("\nArray after reversing:\n");
    printArray(array, size);
    return 0;
}

```

Question 8

```

#include <stdio.h>

void addMatrices(int *mat1, int *mat2, int *result, int rows, int cols) {
    for (int i = 0; i < rows; ++i) {
        for (int j = 0; j < cols; ++j) {
            *(result + i * cols + j) = *(mat1 + i * cols + j) + *(mat2 + i *
cols + j);
        }
    }
}

void printMatrix(int *mat, int rows, int cols) {
    printf("Matrix elements are:\n");
    for (int i = 0; i < rows; ++i) {
        for (int j = 0; j < cols; ++j) {
            printf("%d ", *(mat + i * cols + j));
        }
        printf("\n");
    }
}

int main() {
    int rows, cols;
    printf("Enter the number of rows: ");
    scanf("%d", &rows);

    printf("Enter the number of columns: ");
    scanf("%d", &cols);
    int matrix1[rows][cols];
    int matrix2[rows][cols];
    int resultMatrix[rows][cols];

```

```

printf("Enter elements for the first matrix:\n");
for (int i = 0; i < rows; ++i) {
    for (int j = 0; j < cols; ++j) {
        scanf("%d", &matrix1[i][j]);
    }
}
printf("Enter elements for the second matrix:\n");
for (int i = 0; i < rows; ++i) {
    for (int j = 0; j < cols; ++j) {
        scanf("%d", &matrix2[i][j]);
    }
}
addMatrices(&matrix1[0][0], &matrix2[0][0], &resultMatrix[0][0], rows,
cols);
printf("\nMatrix 1:\n");
printMatrix(&matrix1[0][0], rows, cols);

printf("\nMatrix 2:\n");
printMatrix(&matrix2[0][0], rows, cols);

printf("\nResult Matrix (Matrix 1 + Matrix 2):\n");
printMatrix(&resultMatrix[0][0], rows, cols);

return 0;
}

```

Question 9

```

#include <stdio.h>
void multiplyMatrices(int *mat1, int *mat2, int *result, int rows1, int
cols1, int cols2) {
    for (int i = 0; i < rows1; ++i) {
        for (int j = 0; j < cols2; ++j) {
            *(result + i * cols2 + j) = 0;
            for (int k = 0; k < cols1; ++k) {
                *(result + i * cols2 + j) += *(mat1 + i * cols1 + k) * *(mat2
+ k * cols2 + j);
            }
        }
    }
}
void printMatrix(int *mat, int rows, int cols) {
    printf("Matrix elements are:\n");
    for (int i = 0; i < rows; ++i) {
        for (int j = 0; j < cols; ++j) {
            printf("%d ", *(mat + i * cols + j));
        }
        printf("\n");
    }
}

```

```

}
int main() {
    int rows1, cols1, rows2, cols2;
    printf("Enter the number of rows for matrix 1: ");
    scanf("%d", &rows1);
    printf("Enter the number of columns for matrix 1: ");
    scanf("%d", &cols1);
    printf("Enter the number of rows for matrix 2: ");
    scanf("%d", &rows2);
    printf("Enter the number of columns for matrix 2: ");
    scanf("%d", &cols2);
    if (cols1 != rows2) {
        printf("Error: The number of columns in matrix 1 must be equal to the
number of rows in matrix 2 for multiplication.\n");
        return 1;
    }
    int matrix1[rows1][cols1];
    int matrix2[rows2][cols2];
    int resultMatrix[rows1][cols2];
    printf("Enter elements for matrix 1:\n");
    for (int i = 0; i < rows1; ++i) {
        for (int j = 0; j < cols1; ++j) {
            scanf("%d", &matrix1[i][j]);
        }
    }
    printf("Enter elements for matrix 2:\n");
    for (int i = 0; i < rows2; ++i) {
        for (int j = 0; j < cols2; ++j) {
            scanf("%d", &matrix2[i][j]);
        }
    }
    multiplyMatrices(&matrix1[0][0], &matrix2[0][0], &resultMatrix[0][0],
rows1, cols1, cols2);
    printf("\nMatrix 1:\n");
    printMatrix(&matrix1[0][0], rows1, cols1);
    printf("\nMatrix 2:\n");
    printMatrix(&matrix2[0][0], rows2, cols2);
    printf("\nResult Matrix (Matrix 1 * Matrix 2):\n");
    printMatrix(&resultMatrix[0][0], rows1, cols2);
    return 0;
}

```

Week 9

Week 9 Question 1

```
#include <stdio.h>
int main() {
    char mainString[100], string[50];
    int i, j, found;
    printf("Enter the main string: ");
    gets(mainString);
    printf("Enter the substring to search: ");
    gets(string);
    for (i = 0; mainString[i] != '\0'; ++i) {
        found = 1;
        for (j = 0; string[j] != '\0'; ++j) {
            if (mainString[i + j] != string[j]) {
                found = 0;
                break;
            }
        }
    }
    if (found) {
        printf("string found at position %d.\n", i);
        return 0;
    }
}
```

```

    }
}
printf("string not found in the main string.\n");

return 0;
}

```

Question 2

```

#include <stdio.h>
#include <string.h>
#define MAX_SIZE 100
void reverseWords(char sentence[MAX_SIZE]);
int main() {
    char sentence[MAX_SIZE];
    printf("Enter a sentence: ");
    gets(sentence);
    reverseWords(sentence);
    printf("Reversed sentence: %s\n", sentence);
    return 0;
}
void reverseWords(char sentence[MAX_SIZE]) {
    int start, end, length;
    length = strlen(sentence);
    for (start = 0, end = length - 1; start < end; ++start, --end) {
        char temp = sentence[start];
        sentence[start] = sentence[end];
        sentence[end] = temp;
    }
    start = 0;
    for (end = 0; end <= length; ++end) {
        if (sentence[end] == ' ' || sentence[end] == '\0') {
            int wordStart, wordEnd;
            wordStart = start;
            wordEnd = end - 1;
            while (wordStart < wordEnd) {
                char temp = sentence[wordStart];
                sentence[wordStart] = sentence[wordEnd];
                sentence[wordEnd] = temp;
                ++wordStart;
                --wordEnd;
            }
            start = end + 1;
        }
    }
}

```

Question 3

```
#include <stdio.h>
int main() {
    char inputString[1000];
    int vowels = 0, consonants = 0, digits = 0, spaces = 0, other = 0;
    printf("Enter a string: ");
    gets(inputString);
    for (int i = 0; inputString[i] != '\0'; ++i) {
        char currentChar = inputString[i];
        if ((currentChar >= 'a' && currentChar <= 'z') || (currentChar >= 'A'
&& currentChar <= 'Z')) {
            if (currentChar == 'a' || currentChar == 'e' || currentChar == 'i'
|| currentChar == 'o' || currentChar == 'u' ||
                currentChar == 'A' || currentChar == 'E' || currentChar == 'I'
|| currentChar == 'O' || currentChar == 'U') {
                ++vowels;
            } else {
                ++consonants;
            }
        } else if (currentChar >= '0' && currentChar <= '9') {
            ++digits;
        } else if (currentChar == ' ' || currentChar == '\t' || currentChar ==
'\n') {
            ++spaces;
        } else {
            ++other;
        }
    }
    printf("Vowels: %d\n", vowels);
    printf("Consonants: %d\n", consonants);
    printf("Digits: %d\n", digits);
    printf("Spaces: %d\n", spaces);
    printf("Other characters: %d\n", other);
    return 0;
}
```

Question 4

```
#include <stdio.h>
int main() {
    char inputString[1000];
    printf("Enter a string: ");
    gets(inputString);
    printf("Separated characters: ");
    for (int i = 0; inputString[i] != '\0'; ++i) {
```

```

        printf("%c ", inputString[i]);
    }
    return 0;
}

```

Question 5

```

#include <stdio.h>
#include <string.h>
#define MAX_SIZE 100
int main() {
    char firstString[MAX_SIZE], secondString[MAX_SIZE];
    printf("Enter the first string: ");
    gets(firstString);
    printf("Enter the second string: ");
    gets(secondString);
    strcat(firstString, " ");
    strcat(firstString, secondString);
    printf("Concatenated string: %s\n", firstString);
    return 0;
}

```

Question 6

```

#include <stdio.h>
#include <string.h>
#define MAX_SIZE 100
int main() {
    char inputString[MAX_SIZE];
    printf("Enter a string: ");
    gets(inputString);
    for (int i = 0; i < strlen(inputString); ++i) {
        if (islower(inputString[i])) {
            inputString[i] = toupper(inputString[i]);
        } else if (isupper(inputString[i])) {
            inputString[i] = tolower(inputString[i]);
        }
    }
    printf("Toggled case string: %s\n", inputString);
    return 0;
}

```

Question 7

```

#include <stdio.h>
#define MAX_SIZE 100

```



```

int areIdentical(char str1[MAX_SIZE], char str2[MAX_SIZE]);
int main() {
    char firstString[MAX_SIZE], secondString[MAX_SIZE];
    printf("Enter the first string: ");
    gets(firstString);
    printf("Enter the second string: ");
    gets(secondString);
    if (areIdentical(firstString, secondString)) {
        printf("Identical\n");
    } else {
        printf("Not Identical\n");
    }
    return 0;
}
int areIdentical(char str1[MAX_SIZE], char str2[MAX_SIZE]) {
    int i = 0;
    while (str1[i] != '\0' && str2[i] != '\0') {
        if (str1[i] != str2[i]) {
            return 0;
        }
        ++i;
    }
    if (str1[i] != str2[i]) {
        return 0;
    }
    return 1;
}

```

Question 8

```

#include <stdio.h>
#include <string.h>
#define MAX_STUDENTS 100
#define MAX_NAME_LENGTH 50
void swap(char a[], char b[]) {
    char temp[MAX_NAME_LENGTH];
    strcpy(temp, a);
    strcpy(a, b);
    strcpy(b, temp);
}
void bubbleSort(char names[][MAX_NAME_LENGTH], int n) {
    for (int i = 0; i < n - 1; ++i) {
        for (int j = 0; j < n - i - 1; ++j) {
            if (strcmp(names[j], names[j + 1]) > 0) {
                swap(names[j], names[j + 1]);
            }
        }
    }
}

```

```

    }
}

}

}

}

int main() {
    int numStudents;
    printf("Enter the number of students: ");
    scanf("%d", &numStudents);
    if (numStudents <= 0 || numStudents > MAX_STUDENTS)
    {
        printf("Invalid number of students.
Exiting.\n");
        return 1;
    }
    char studentNames[MAX_STUDENTS][MAX_NAME_LENGTH];
    for (int i = 0; i < numStudents; ++i) {
        printf("Enter the name of student %d: ", i + 1);
        scanf("%s", studentNames[i]);
    }
    bubbleSort(studentNames, numStudents);
    printf("\nSorted List of Student Names:\n");
    for (int i = 0; i < numStudents; ++i) {
        printf("%s\n", studentNames[i]);
    }
    return 0;
}

```

9. Write a C program to multiply two matrix using pointers.

```

#include <stdio.h>
#include <stdlib.h>

```

```

int main() {
    int n, m, p;

```

```

printf("Enter the number of rows in the first matrix: ");
scanf("%d", &n);
printf("Enter the number of columns in the first matrix (and rows in the
second matrix): ");
scanf("%d", &m);
printf("Enter the number of columns in the second matrix: ");
scanf("%d", &p);
int *A = (int*)malloc(n * m * sizeof(int));
int *B = (int*)malloc(m * p * sizeof(int));
int *C = (int*)malloc(n * p * sizeof(int));
if (!A || !B || !C) {
    printf("Error: Memory allocation failed.\n");
    exit(1);
}
printf("Enter elements of the first matrix:\n");
for (int i = 0; i < n; ++i) {
    for (int j = 0; j < m; ++j) {
        printf("Enter element [%d][%d]: ", i + 1, j + 1);
        scanf("%d", A + i * m + j);
    }
}
printf("Enter elements of the second matrix:\n");
for (int i = 0; i < m; ++i) {
    for (int j = 0; j < p; ++j) {
        printf("Enter element [%d][%d]: ", i + 1, j + 1);
        scanf("%d", B + i * p + j);
    }
}
for (int i = 0; i < n; ++i) {
    for (int j = 0; j < p; ++j) {
        int sum = 0;
        for (int k = 0; k < m; ++k) {
            sum += *(A + i * m + k) * *(B + k * p + j);
        }
        *(C + i * p + j) = sum;
    }
}
printf("Resultant matrix:\n");
for (int i = 0; i < n; ++i) {
    for (int j = 0; j < p; ++j) {

```

```
    printf("%d ", *(C + i * p + j));  
    }  
    printf("\n");  
    }  
    free(A);  
    free(B);  
    free(C);  
    return 0;  
}
```

Week 10 C Programming codes

1. Write a C program to find length of string using pointers.

```
#include <stdio.h>  
  
int strlen(const char *str) {  
    int l = 0;  
    while (*str != '\0') {  
        l++;  
        str++;  
    }  
    return l;  
}  
  
int main(){  
    char a[100];  
    printf("Enter a string: ");
```

```
scanf("%s",a);  
int l= strlen(a);  
printf("Length of the string: %d\n",l);  
return 0;  
}
```

2. Write a C program to copy one string to another using pointer.

```
#include <stdio.h>  
  
void copyString(char *dest, const char *src) {  
    while ((*dest++ = *src++) != '\0');  
}  
  
int main() {  
    char str[100],newstr[100];  
    printf("Enter the source string: ");  
    scanf("%s",str);  
    copyString(newstr,str);  
    printf("Copied string: %s\n",newstr);  
  
    return 0;
```

```
}
```

3. Write a C program to concatenate two strings using pointers

```
#include <stdio.h>

void concatenateStrings(char *dest, const char *src)
{
    while (*dest != '\0') {
        dest++;
    }
    while ((*dest++ = *src++) != '\0');
}

int main() {
    char firststr[100], secondstr[100];
    printf("Enter the first string: ");
    scanf("%s", firststr);
    printf("Enter the second string: ");
    scanf("%s", secondstr);
    concatenateStrings(firststr, secondstr);
    printf("Concatenated string: %s\n", firststr);

    return 0;
}
```

4. Write a C program to compare two strings using pointers.

```
#include <stdio.h>

int cmpstr(const char *str1, const char *str2) {
    while (*str1 != '\0' && *str2 != '\0') {
        if (*str1 != *str2) {
            return 0;
        }
        str1++;
        str2++;
    }
    return (*str1 == '\0' && *str2 == '\0');
}

int main() {
    char firstStr[100], secondStr[100];
    printf("Enter the first string: ");
    scanf("%s", firstStr);
    printf("Enter the second string: ");
    scanf("%s", secondStr);
    if (cmpstr(firstStr, secondStr)) {
        printf("The strings are equal.\n");
    } else {
        printf("The strings are not equal.\n");
    }
    return 0;
}
```

```
}
```

5. WAP to find largest among three numbers using pointer.

```
#include <stdio.h>

int findLargest(int *n1, int *n2, int *n3) {
    int l = *n1;
    if (*n2 > l) {
        l = *n2;
    }
    if (*n3 > l) {
        l = *n3;
    }
    return l;
}

int main() {
    int n1,n2,n3;
    printf("Enter the first number: ");
    scanf("%d", &n1);
    printf("Enter the second number: ");
    scanf("%d", &n2);
    printf("Enter the third number: ");
    scanf("%d", &n3);
    int l = findLargest(&n1, &n2, &n3);
    printf("The largest number is: %d\n", l);
}
```



```
    return 0;
}
```

6. WAP to find largest among three numbers using pointer.

```
#include <stdio.h>
```

```
int findLargest(int *n1, int *n2, int *n3) {
    int l = *n1;
    if (*n2 > l) {
        l = *n2;
    }
    if (*n3 > l) {
        l = *n3;
    }
    return l;
}
```

```
int main() {
    int n1,n2,n3;
    printf("Enter the first number: ");
    scanf("%d", &n1);
    printf("Enter the second number: ");
    scanf("%d", &n2);
    printf("Enter the third number: ");
    scanf("%d", &n3);
    int l = findLargest(&n1, &n2, &n3);
    printf("The largest number is: %d\n", l);
}
```

```
        return 0;
    }

```

7. WAP to find factorial of a number using pointer.

```
#include <stdio.h>

long long Fact(int *n) {
    long long f = 1;
    for (int i = 1; i <= *n; i++) {
        f *= i;
    }

    return f;
}

int main() {
    int n;
    printf("Enter a number: ");
    scanf("%d", &n);
    long long f = Fact(&n);
    printf("Factorial of %d is: %lld\n", n, f);
    return 0;
}

```

8. Write a program to print largest even number present in an array using pointer to an array.

```
#include <stdio.h>

int findLargestEven(int *a, int s) {
    int lEven = -1;
    for (int i = 0; i < s; i++) {
        if (a[i] % 2 == 0 && a[i] > lEven) {
            lEven = a[i];
        }
    }
    return lEven;
}

int main() {
    int s;
    printf("Enter the size of the array: ");
    scanf("%d", &s);
    int n[s];
    printf("Enter the array elements:\n");
    for (int i = 0; i < s; i++) {
        scanf("%d", &n[i]);
    }
    int lEven = findLargestEven(n, s);
    if (lEven != -1) {
        printf("The largest even number is: %d\n", lEven);
    }
}
```

```
} else {  
    printf("No even numbers found in the array.\n");  
}  
return 0;  
}
```

9. WAP to find sum of elements of an array using array of pointer.

```
#include <stdio.h>  
  
int findArraySum(int *a[], int s) {  
    int sum = 0;  
    for (int i = 0; i < s; i++) {  
        sum += *a[i];  
    }  
    return sum;  
}  
  
int main() {  
    int s;  
    printf("Enter the size of the array: ");  
    scanf("%d", &s);  
    int n[s];  
    printf("Enter the array elements:\n");  
    for (int i = 0; i < s; i++) {  
        scanf("%d", &n[i]);  
    }  
}
```

```
int *ps[s];

for (int i = 0; i < s; i++) {
    ps[i] = &n[i];
}

int sum = findArraySum(ps, s);

printf("Sum of elements in the array: %d\n", sum);


return 0;
}
```

10. WAP to compute simple interest using pointers.

```
#include <stdio.h>

float CSI(float *p, float *r, float *t) {
    return (*p * *r * *t) / 100.0;
}

int main() {
    float p, r, t;

    printf("Enter principal amount: ");
    scanf("%f", &p);

    printf("Enter rate of interest: ");
    scanf("%f", &r);

    printf("Enter time in years: ");
    scanf("%f", &t);

    float i = CSI(&p, &r, &t);
```

```
printf("Simple Interest: %.2f\n", i);  
  
return 0;  
  
}
```

11. Write a program to print largest even number present in an array using pointer to an array.

```
#include <stdio.h>  
  
int findLargestEven(int *a, int s) {  
    int lEven = -1;  
    for (int i = 0; i < s; i++) {  
        if (a[i] % 2 == 0 && a[i] > lEven) {  
            lEven = a[i];  
        }  
    }  
    return lEven;  
}  
  
int main() {  
    int s;  
    printf("Enter the size of the array: ");  
    scanf("%d", &s);  
    int n[s];  
    printf("Enter the array elements:\n");  
    for (int i = 0; i < s; i++) {
```

```
        scanf("%d", &n[i]);
    }

    int lEven = findLargestEven(n, s);

    if (lEven != -1) {
        printf("The largest even number is: %d\n", lEven);
    } else {
        printf("No even numbers found in the array.\n");
    }

    return 0;
}
```

Week 11 C Programming Codes

1. Write a C function to return the maximum of three integers.

```
#include <stdio.h>

int findMaximum(int num1, int num2, int num3) {
    int max = num1;
    if (num2 > max) {
        max = num2;
    }
    if (num3 > max) {
        max = num3;
    }
}
```

```
        return max;
    }

int main() {
    int num1, num2, num3;

    printf("Enter the first number: ");
    scanf("%d", &num1);

    printf("Enter the second number: ");
    scanf("%d", &num2);

    printf("Enter the third number: ");
    scanf("%d", &num3);

    int maximum = findMaximum(num1, num2, num3);
    printf("The maximum number is: %d\n", maximum);

    return 0;
}
```

2. Write a C function to check if a given number is prime or not.

```
#include <stdio.h>

int isPrime(int n) {
    if (n <= 1) {
        return 0;
    }

    for (int i = 2; i * i <= n; i++) {
```



```

        if (n % i == 0) {
            return 0;
        }
    }
    return 1;
}

int main() {
    int n;

    printf("Enter a number: ");
    scanf("%d", &n);
    if (isPrime(n)) {
        printf("%d is a prime number.\n", n);
    } else {
        printf("%d is not a prime number.\n", n);
    }
    return 0;
}

```

3. Write a C function to compute the factorial of a non-negative integer.

```

#include <stdio.h>

unsigned long long factorial(int n) {
    if (n < 0) {
        return 0;
    }
}

```

```

    }

    if (n == 0 || n == 1) {
        return 1;
    }

    unsigned long long r = 1;
    for (int i = 2; i <= n; i++) {
        r *= i;
    }

    return r;
}

int main() {
    int n;

    printf("Enter a non-negative integer: ");
    scanf("%d", &n);

    unsigned long long r = factorial(n);
    printf("The factorial of %d is: %llu\n", n, r);

    return 0;
}

```

4. Write a C function to swap the values of two integers in actual arguments.

```

#include <stdio.h>

void swapIntegers(int *a, int *b) {

```

```
int temp = *a;

*a = *b;

*b = temp;
}

int main() {

    int num1, num2;

    printf("Enter the first integer: ");

    scanf("%d", &num1);

    printf("Enter the second integer: ");

    scanf("%d", &num2);

    swapIntegers(&num1, &num2);

    printf("After swapping:\n");

    printf("First integer: %d\n", num1);

    printf("Second integer: %d\n", num2);


    return 0;

}
```

5. Write a C function to compute the sum and average of an array of integers.

```
#include <stdio.h>

void computeSumAndAverage(int *arr, int size, int *sum, float *average) {

    *sum = 0;

    for (int i = 0; i < size; i++) {
```

```
        *sum += *(arr + i);
    }

    *average = (float)(*sum) / size;
}

int main() {
    int size;

    printf("Enter the size of the array: ");
    scanf("%d", &size);

    int numbers[size];

    printf("Enter the array elements:\n");
    for (int i = 0; i < size; i++) {
        scanf("%d", &numbers[i]);
    }

    int sum;

    float average;

    computeSumAndAverage(numbers, size, &sum, &average);

    printf("Sum of the array elements: %d\n", sum);
    printf("Average of the array elements: %.2f\n", average);

    return 0;
}
```

6. Write a C function to find the GCD (Greatest Common Divisor) of two nonnegative integers using Euclid's algorithm.

```
#include <stdio.h>

int findGCD(int a, int b) {
    while (b != 0) {
        int temp = b;
        b = a % b;
        a = temp;
    }
    return a;
}

int main() {
    int num1, num2;
    printf("Enter the first non-negative integer: ");
    scanf("%d", &num1);
    printf("Enter the second non-negative integer: ");
    scanf("%d", &num2);
    int gcd = findGCD(num1, num2);
    printf("The GCD of %d and %d is: %d\n", num1, num2, gcd);

    return 0;
}
```

7. Write a C function to check if a given string is a valid palindrome, considering only alphanumeric characters and ignoring cases.

```
#include <stdio.h>

#include <ctype.h>

#include <string.h>

int isPalindrome(const char *str) {

    int length = strlen(str);

    int start = 0;

    int end = length - 1;

    while (start < end) {

        while (!isalnum(str[start]) && start < end) {

            start++;

        }

        while (!isalnum(str[end]) && start < end) {

            end--;

        }

        char char1 = tolower(str[start]);

        char char2 = tolower(str[end]);

        if (char1 != char2) {

            return 0;

        }

        start++;

    }

}
```

```

        end--;
    }
    return 1;
}

int main() {
    char input[100];
    printf("Enter a string: ");
    fgets(input, sizeof(input), stdin);
    input[strcspn(input, "\n")] = '\0';
    if (isPalindrome(input)) {
        printf("The string is a valid palindrome.\n");
    } else {
        printf("The string is not a palindrome.\n");
    }
    return 0;
}

```

8. Write a C function to calculate the sum and difference of two complex numbers.

```

#include <stdio.h>

typedef struct {
    float real;
    float imaginary;
}

```

```

} ComplexNumber;

void addComplex(ComplexNumber num1, ComplexNumber num2,
ComplexNumber *result) {

    result->real = num1.real + num2.real;

    result->imaginary = num1.imaginary + num2.imaginary;

}

void subtractComplex(ComplexNumber num1, ComplexNumber num2,
ComplexNumber *result) {

    result->real = num1.real - num2.real;

    result->imaginary = num1.imaginary - num2.imaginary;

}

int main() {

    ComplexNumber complex1, complex2, sum, difference;

    printf("Enter the real part of the first complex number: ");

    scanf("%f", &complex1.real);

    printf("Enter the imaginary part of the first complex number: ");

    scanf("%f", &complex1.imaginary);

    printf("Enter the real part of the second complex number: ");

    scanf("%f", &complex2.real);

    printf("Enter the imaginary part of the second complex number: ");

    scanf("%f", &complex2.imaginary);

    addComplex(complex1, complex2, &sum);

    subtractComplex(complex1, complex2, &difference);

    printf("Sum: %.2f + %.2fi\n", sum.real, sum.imaginary);

```



```
printf("Difference: %.2f + %.2fi\n", difference.real, difference.imaginary);

return 0;

}
```

9. Write a C function to find the second largest and second smallest elements in an array of integers.

```
#include <stdio.h>

void findSecondLargestAndSmallest(int arr[], int size, int *secondLargest, int
*secondSmallest) {

    if (size < 2) {

        printf("Array should have at least two elements.\n");

        return;

    }

    *secondLargest = (arr[0] > arr[1]) ? arr[0] : arr[1];

    *secondSmallest = (arr[0] < arr[1]) ? arr[0] : arr[1];

    for (int i = 2; i < size; i++) {

        if (arr[i] > *secondLargest) {

            *secondLargest = arr[i];

        } else if (arr[i] < *secondSmallest) {

            *secondSmallest = arr[i];

        }

    }

}

int main() {

    int size;
```

```

printf("Enter the size of the array: ");
scanf("%d", &size);
if (size <= 0) {
    printf("Array size should be greater than 0.\n");
    return 1;
}

int numbers[size];

printf("Enter the array elements:\n");
for (int i = 0; i < size; i++) {
    scanf("%d", &numbers[i]);
}

int secondLargest, secondSmallest;

findSecondLargestAndSmallest(numbers, size, &secondLargest,
&secondSmallest);

printf("Second Largest Element: %d\n", secondLargest);
printf("Second Smallest Element: %d\n", secondSmallest);

return 0;
}

```

10. Write a C function to find the number of occurrences of each unique element in an array.

```

#include <stdio.h>

void countOccurrences(int arr[], int size) {
    int frequency[size];

```

```
for (int i = 0; i < size; i++) {  
    frequency[i] = 0;  
}  
  
for (int i = 0; i < size; i++) {  
    int currentElement = arr[i];  
    int isEncountered = 0;  
    for (int j = 0; j < i; j++) {  
        if (arr[j] == currentElement) {  
            isEncountered = 1;  
            break;  
        }  
    }  
    if (!isEncountered) {  
        int count = 1;  
        for (int j = i + 1; j < size; j++) {  
            if (arr[j] == currentElement) {  
                count++;  
            }  
        }  
        printf("Element %d occurs %d times\n", currentElement, count);  
    }  
}  
}
```

```
int main() {  
    int size;  
  
    printf("Enter the size of the array: ");  
  
    scanf("%d", &size);  
  
    if (size <= 0) {  
        printf("Array size should be greater than 0.\n");  
        return 1;  
    }  
  
    int numbers[size];  
  
    printf("Enter the array elements:\n");  
  
    for (int i = 0; i < size; i++) {  
        scanf("%d", &numbers[i]);  
    }  
  
    countOccurrences(numbers, size);  
  
    return 0;  
}
```