

DPDP COMPLIANCE AUDIT

documenso

Digital Personal Data Protection Act 2023



Grade B — Adequate

Scanned: 16 March 2026

Files indexed: 1763

CONFIDENTIAL — Internal Use Only

DPDP Compliance Scan Report

This codebase has 7 critical compliance gap(s) that require immediate attention under the Digital Personal Data Protection Act 2023. An additional 4 significant gap(s) were identified that should be addressed within 30 days. The estimated total remediation effort is 14.6–45.8 engineering days.

Total findings: 39

HIGH: 7

MEDIUM: 4

PASS: 26

Compliance score by section

DPDP Section	Weight	Score	Status
Section 6	22	22/22 (100%)	PASS
Section 6(6)	8	8/8 (100%)	PASS
Section 8(1)	18	0/18 (0%)	FAIL
Section 8	10	10/10 (100%)	PASS
Section 8(3)	8	8/8 (100%)	PASS
Section 8(4)	8	8/8 (100%)	PASS
Section 8(6)	8	4.0/8 (50%)	WARN
Section 9	6	6/6 (100%)	PASS
Section 11	6	6/6 (100%)	PASS
Section 16	4	0/4 (0%)	FAIL
Section 5	2	0/2 (0%)	FAIL

Estimated Total Remediation Effort: 14.6–45.8 engineering days

Rule	Section	Severity	File
CROSS_BORDER_TRANSFER_RISK	Section 16 — Cross-Border Transfer	HIGH	apps/remix/app/components/tables/admin-organisations-table.tsx
PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT	Section 6 — Consent / Section 5 — Purpose Limitation	HIGH	packages/lib/client-only/hooks/use-analytics.ts
PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT	Section 6 — Consent / Section 5 — Purpose Limitation	HIGH	packages/lib/server-only/telemetry/telemetry-client.ts
PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT	Section 6 — Consent / Section 5 — Purpose Limitation	HIGH	packages/lib/client-only/hooks/use-analytics.ts
CONSENT_MISSING	Section 6 — Consent	HIGH	MULTIPLE
HARDCODED_SECRET	Section 8(1) — Security	HIGH	packages/email/mailer.ts

PLAINTEXT_PII_IN_LOGS	Section 8(1) — Security	HIGH	MULTIPLE
NO_ERROR_HANDLING_IN_AUTH	Section 8(6) — Breach	MEDIUM	apps/remix/app/routes/_authenticate+/admin+/documents._index.tsx
INCOMPLETE_DELETION_COVERAGE	Section 8 — Data Principal Rights	MEDIUM	N/A
PURPOSE_LIMITATION_RISK	Section 5 — Purpose Limitation	MEDIUM	apps/openpage-api/lib/growth/get-signer-conversion.ts
PURPOSE_LIMITATION_RISK	Section 5 — Purpose Limitation	MEDIUM	packages/lib/server-only/user/get-signer-conversion.ts
DATA_PORTABILITY_MISSING	Section 11 — Data Portability	LOW	N/A
CHILDRENS_DATA_PATTERN	Section 9 — Children's Data	LOW	packages/trpc/server/trpc.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/envelope-router/use-envelope.types.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/general/envelope-signing/envelope-signing-complete-dialog
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/server/router.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/dialogs/team-create-dialog.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/context.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/routes/embed+/_v0+_layout.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/embedding-router/update-embedding-document.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/general/envelope-editor/envelope-editor-fields-page.ts

CONSENT_PRESENT	Section 6 — Consent	PASS	packages/lib/client-only/providers/envelope-editor-provider.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/auth/server/index.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/envelope-router/create-envelope.types.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/embedding-router/create-embedding-template.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/auth/server/lib/utils/delete-account-provider.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/general/document/document-edit-form.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/auth/server/routes/passkey.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/trpc.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/routes/_unauthenticated+o.\$orgUrl.signin.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/general/envelope-editor/envelope-editor-recipient-form
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/embedding-router/update-embedding-template.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/tables/inbox-table.tsx
CONSENT_PRESENT	Section 6 — Consent	PASS	packages/trpc/server/embedding-router/update-embedding-envelope.ts

CONSENT_PRESENT	Section 6 — Consent	PASS	packages/auth/server/routes/two-factor.ts
CONSENT_PRESENT	Section 6 — Consent	PASS	apps/remix/app/components/general/direct-template/direct-template-page.tsx
AUDIT_TRAIL_ADEQUATE	Section 8(4) — Audit Trail	PASS	apps/remix/app/components/general/document/document-audit-log-download-button.ts
DELETION_MECHANISM_PRESENT	Section 8 — Data Principal Rights	PASS	N/A
DATA_ACCESS_PRESENT	Section 11 — Right to Access	PASS	packages/api/hono.ts

Details

Finding 1 of 39

[Section 16 — Cross-Border Transfer]

1. [HIGH] CROSS_BORDER_TRANSFER_RISK — apps / remix / app / components / tables / admin-organisations-table.tsx

Estimated fix time: 16–48 hours

Foreign cloud storage/CDN detected with PII models in repo. Cross-border transfer risk.

Finding 2 of 39

[Section 6 — Consent / Section 5 — Purpose Limitation]

2. [HIGH] PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT — packages / lib / client-only / hooks / use-analytics.ts

Estimated fix time: 4–16 hours

PII flows from envelope-signing/envelope-signing-complete-dialog.tsx to analytics service (hooks/use-analytics.ts) through 1 intermediate file(s). No analytics-specific consent detected on this flow path. DPDP Section 6 requires explicit consent for analytics processing separate from functional/auth consent.

Fix:

1. Add analytics consent checkbox at envelope-signing/envelope-signing-complete-dialog.tsx before user data is collected.
2. Store analytics consent separately from auth consent in your consent table with purpose='analytics'.
3. Check analytics consent in hooks/use-analytics.ts before calling the analytics SDK.
4. If analytics is essential, disclose it in your privacy notice under Section 5 and obtain consent under Section 6.

Finding 3 of 39

[Section 6 — Consent / Section 5 — Purpose Limitation]

3. [HIGH] PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT — packages / lib / server-only / telemetry / telemetry-client.ts

Estimated fix time: 4–16 hours

PII flows from server/router.ts to analytics service (telemetry/telemetry-client.ts) through 1 intermediate file(s). No analytics-specific consent detected on this flow path. DPDP Section 6 requires explicit consent for analytics processing separate from functional/auth consent.

Fix:

1. Add analytics consent checkbox at server/router.ts before user data is collected.
2. Store analytics consent separately from auth consent in your consent table with purpose='analytics'.
3. Check analytics consent in telemetry/telemetry-client.ts before calling the analytics SDK.
4. If analytics is essential, disclose it in your privacy notice under Section 5 and obtain consent under Section 6.

Finding 4 of 39

[Section 6 — Consent / Section 5 — Purpose Limitation]

4. [HIGH] PII_FLOW_TO_ANALYTICS_WITHOUT_CONSENT — packages / lib / client-only / hooks / use-analytics.ts

Estimated fix time: 4–16 hours

PII flows from forms/signup.tsx to analytics service (hooks/use-analytics.ts) through 1 intermediate file(s). No analytics-specific consent detected on this flow path. DPDP Section 6 requires explicit consent for analytics processing separate from functional/auth consent.

Fix:

1. Add analytics consent checkbox at forms/signup.tsx before user data is collected.
2. Store analytics consent separately from auth consent in your consent table with purpose='analytics'.
3. Check analytics consent in hooks/use-analytics.ts before calling the analytics SDK.
4. If analytics is essential, disclose it in your privacy notice under Section 5 and obtain consent under Section 6.

Finding 5 of 39

[Section 6 — Consent]

5. [HIGH] CONSENT_MISSING — MULTIPLE:86

Evidence snippet: : row.original.user.email.slice(0, 1).toUpperCase();

Estimated fix time: 63–190 hours

Affected files (24):

- apps/remix/app/routes/_authenticated+/admin+/documents._index.tsx
- packages/trpc/server/template-router/schema.ts
- packages/ui/primitives/document-flow/field-items-advanced-settings/email-field.tsx
- packages/api/v1/schema.ts
- apps/remix/app/routes/embed+/v1+/authoring+/template.edit.\$id.tsx
- apps/remix/app/routes/embed+/v2+/authoring+/envelope.edit.\$id.tsx
- ... and 18 more files

Personal data collection and API endpoint detected with no consent mechanism. Detected in 24 files: documents._index.tsx, schema.ts, email-field.tsx, schema.ts and 20 more

Finding 6 of 39

[Section 8(1) — Security]

6. [HIGH] HARDCODED_SECRET — packages / email / mailer.ts**Estimated fix time:** 1–3 hours

Hardcoded password detected. Secrets should be in environment variables.

Finding 7 of 39

[Section 8(1) — Security]

7. [HIGH] PLAINTEXT_PII_IN_LOGS — MULTIPLE**Estimated fix time:** 4–11 hours**Affected files (4):**

- packages/lib/jobs/definitions/internal/sync-email-domains.handler.ts
- packages/lib/jobs/definitions/internal/sync-email-domains.handler.ts
- packages/lib/jobs/definitions/internal/sync-email-domains.handler.ts
- packages/lib/server-only/user/service-accounts/legacy-service-account.ts

PII keyword appears in logging call. Detected in 4 files: sync-email-domains.handler.ts, sync-email-domains.handler.ts, sync-email-domains.handler.ts, legacy-service-account.ts

Finding 8 of 39

[Section 8(6) — Breach]

8. [MEDIUM] NO_ERROR_HANDLING_IN_AUTH — apps / remix / app / routes / _authenticated+ / admin+ / documents._index.tsx**Estimated fix time:** 2–6 hours

Auth routes have no try/catch or try/except blocks. Errors may go unlogged.

Finding 9 of 39

[Section 8 — Data Principal Rights]

9. [MEDIUM] INCOMPLETE_DELETION_COVERAGE — N / A**Estimated fix time:** 2–8 hours

Deletion mechanism detected but may not cover all PII storage. Uncovered files: packages/lib/jobs/definitions/internal/sync-email-domains.ts, packages/lib/jobs/definitions/internal/seal-document.handler.ts, apps/remix/app/components/general/envelope-signing/envelope-signing-complete-dialog.tsx, packages/lib/server-only/user/service-accounts/deleted-account.ts, packages/trpc/server/admin-router/get-email-domain.types.ts. DPDP Section 8 requires complete erasure of all personal data across all systems when a user requests deletion.

Fix:

1. Audit deletion endpoint to ensure it cascades to: packages/lib/jobs/definitions/internal/sync-email-domains.ts, packages/lib/jobs/definitions/internal/seal-document.handler.ts, apps/remix/app/components/general/envelope-signing/envelope-signing-complete-dialog.tsx, packages/lib/server-only/user/service-accounts/deleted-account.ts, packages/trpc/server/admin-router/get-email-domain.types.ts.
2. Use database CASCADE DELETE or explicit multi-table deletion.
3. Add a deletion checklist in code comments listing every table that stores user PII.

Finding 10 of 39

[Section 5 — Purpose Limitation]

10. [MEDIUM] PURPOSE_LIMITATION_RISK — apps / openpage-api / lib / growth / get-signer-conversion.ts**Estimated fix time:** 4–12 hours

PII appears in file whose path suggests marketing/analytics/reporting. Data may be used for purposes beyond collection.

Finding 11 of 39

[Section 5 — Purpose Limitation]

11. [MEDIUM] PURPOSE_LIMITATION_RISK — packages / lib / server-only / user / get-signer-conversion.ts**Estimated fix time:** 4–12 hours

PII appears in file whose path suggests marketing/analytics/reporting. Data may be used for purposes beyond collection.

Finding 12 of 39

[Section 11 — Data Portability]

12. [LOW] DATA_PORTABILITY_MISSING — N / A**Estimated fix time:** 8–24 hours

No data export or portability endpoint detected. DPDP Section 11 requires Data Fiduciaries to provide personal data in a commonly used, machine-readable format upon request.

Finding 13 of 39

[Section 9 — Children's Data]

13. [LOW] CHILDRENS_DATA_PATTERN — packages / trpc / server / trpc.ts**Estimated fix time:** 1–4 hours

Child/minor/student term paired with PII collection in same file. Requires human validation.

Finding 14 of 39

[Section 6 — Consent]

14. [PASS] CONSENT_PRESENT — packages / trpc / server / envelope-router / use-envelope.types.ts

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utls/get-session.ts

Finding 15 of 39

[Section 6 — Consent]

15. [PASS] CONSENT_PRESENT — apps / remix / app / components / general / envelope-signing / envelope-signing-complete-dialog.tsx

Consent covered via imported module: packages/lib/client-only/providers/session.tsx

Finding 16 of 39

[Section 6 — Consent]

16. [PASS] CONSENT_PRESENT — apps / remix / server / router.ts

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utls/get-session.ts

Finding 17 of 39

[Section 6 — Consent]

17. [PASS] CONSENT_PRESENT — apps / remix / app / components / dialogs / team-create-dialog.tsx

Consent covered via imported module: packages/lib/client-only/providers/session.tsx

Finding 18 of 39

[Section 6 — Consent]

18. [PASS] CONSENT_PRESENT — packages / trpc / server / context.tsConsent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 19 of 39

[Section 6 — Consent]

19. [PASS] CONSENT_PRESENT — apps / remix / app / routes / embed+ / _v0+ / _layout.tsxConsent covered via imported module: apps/remix/app/routes/_unauthenticated+/signin.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 20 of 39

[Section 6 — Consent]

20. [PASS] CONSENT_PRESENT — packages / trpc / server / embedding-router / update-embedding-document.tsConsent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 21 of 39

[Section 6 — Consent]

21. [PASS] CONSENT_PRESENT — apps / remix / app / components / general / envelope-editor /
envelope-editor-fields-page.tsx

Consent covered via imported module: packages/auth/server/lib/utls/get-session.ts

Finding 22 of 39

[Section 6 — Consent]

22. [PASS] CONSENT_PRESENT — packages / lib / client-only / providers / envelope-editor-provider.tsxConsent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 23 of 39

[Section 6 — Consent]

23. [PASS] CONSENT_PRESENT — packages / auth / server / index.tsConsent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 24 of 39

[Section 6 — Consent]

24. [PASS] CONSENT_PRESENT — packages / trpc / server / envelope-router / create-envelope.types.ts
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 25 of 39

[Section 6 — Consent]

25. [PASS] CONSENT_PRESENT — packages / trpc / server / embedding-router / create-embedding-template.ts
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 26 of 39

[Section 6 — Consent]

26. [PASS] CONSENT_PRESENT — packages / auth / server / lib / utls / delete-account-provider.ts
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 27 of 39

[Section 6 — Consent]

27. [PASS] CONSENT_PRESENT — apps / remix / app / components / general / document / document-edit-form.tsx
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 28 of 39

[Section 6 — Consent]

28. [PASS] CONSENT_PRESENT — packages / auth / server / routes / passkey.ts
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 29 of 39

[Section 6 — Consent]

29. [PASS] CONSENT_PRESENT — packages / trpc / server / trpc.ts
Consent covered via imported module: packages/lib/client-only/providers/session.tsx,
packages/auth/server/lib/utls/get-session.ts

Finding 30 of 39

[Section 6 — Consent]

30. [PASS] CONSENT_PRESENT — apps / remix / app / routes / _unauthenticated+ / o.\$orgUrl.signin.tsx
Framework auth/consent middleware detected in this file.

Finding 31 of 39

[Section 6 — Consent]

31. [PASS] CONSENT_PRESENT — apps / remix / app / components / general / envelope-editor / envelope-editor-recipient-form.tsx

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utils/get-session.ts

Finding 32 of 39

[Section 6 — Consent]

32. [PASS] CONSENT_PRESENT — packages / trpc / server / embedding-router / update-embedding-template.ts

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utils/get-session.ts

Finding 33 of 39

[Section 6 — Consent]

33. [PASS] CONSENT_PRESENT — apps / remix / app / components / tables / inbox-table.tsx

Consent covered via imported module: packages/lib/client-only/providers/session.tsx

Finding 34 of 39

[Section 6 — Consent]

34. [PASS] CONSENT_PRESENT — packages / trpc / server / embedding-router / update-embedding-envelope.ts

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utils/get-session.ts

Finding 35 of 39

[Section 6 — Consent]

35. [PASS] CONSENT_PRESENT — packages / auth / server / routes / two-factor.ts

Consent covered via imported module: packages/lib/client-only/providers/session.tsx, packages/auth/server/lib/utils/get-session.ts

Finding 36 of 39

[Section 6 — Consent]

36. [PASS] CONSENT_PRESENT — apps / remix / app / components / general / direct-template / direct-template-page.tsx

Consent covered via imported module: packages/lib/client-only/providers/session.tsx

Finding 37 of 39

[Section 8(4) — Audit Trail]

37. [PASS] AUDIT_TRAIL_ADEQUATE — apps / remix / app / components / general / document / document-audit-log-download-button.tsx

Audit trail infrastructure detected (2/3 checks passed). Access logging: ✓ Audit model: ✗ Change tracking: ✓

Finding 38 of 39

[Section 8 — Data Principal Rights]

38. [PASS] DELETION_MECHANISM_PRESENT — N / A

Data deletion mechanism or user-facing DELETE endpoint detected. Users can exercise right to erasure.

Finding 39 of 39

[Section 11 — Right to Access]

39. [PASS] DATA_ACCESS_PRESENT — packages / api / hono.ts

Data access endpoint detected for authenticated users.