

PRANA
GRAND

ELITE


PERFORMANCE

PEAK POWER	10 kW	10 kW
PEAK TORQUE	38 Nm	38 Nm
DRIVETRAIN	Direct	Direct
MOTOR	BLOC	BLOC
MAX SPEED	123 Kmph ¹	123 Kmph ¹
ACCELERATION (0-60)	< 4.0 Sec ¹	< 4.0 Sec ¹
GRADABILITY	15 Deg	15 Deg

RIDE MODES

PRACTICE	Max Speed (60 Kmph)	Max Speed (60 Kmph)
DRIVE	Max Speed (80 Kmph)	Max Speed (80 Kmph)
SPORTS	Max Speed (123 Kmph)	Max Speed (123 Kmph)
REVERSE	Max Speed (5 Kmph)	Max Speed (5 Kmph)

DIMENSION

WHEEL BASE	1415	1415
SEAT HEIGHT	770 mm	772 mm
KERB WEIGHT	157.3 Kg	181 Kg
GROUND CLEARANCE	150 mm	150 mm

PRANA

GRAND



ELITE



RANGE

RANGE REAL WORLD

*150 to 60 kmph driving on drive mode with single rider]

150 Km²250 Km²

BATTERY SYSTEM

BATTERY CHEMISTRY

LFP

LFP

ENERGY CAPACITY

5 kWh

8.44 kWh

BATTERY CYCLE

1500³1500³

IP RATING

Steel Enclosure with IP67
Rating: Shielded from Water
and Dust Ingress

Steel Enclosure with IP67
Rating: Shielded from Water
and Dust Ingress

CONTROLLER

CONTROLLER TYPE

FOC

FOC

IP RATING

IP65

IP65

CHARGING

CHARGING PORT

Waterproof 5 Pin with
Rubber Cap

Waterproof 5 Pin with
Rubber Cap

CHARGING SUPPLY

230 V AC

230 V AC

CHARGING CURRENT

15A⁴15A⁴

TIME TO FULL CHARGE

4 Hours & 40 MINS

7 Hours & 30 MINS

TANK CAP CYCLE

30000

30000

THROTTLE CONTROL

Mechanical Throttle Unit

Mechanical Throttle Unit

PRANA
GRAND

ELITE


MECHANICAL

FRAME	Dual Cradle Steel	Dual Cradle Steel
FRONT SUSPENSION	Telescopic	Telescopic
REAR SUSPENSION	Mono Shock	Mono Shock
BRAKE SYSTEM	Sequential Braking System	Sequential Braking System
BRAKE CALIPERS	All Floating - Hydraulic Brake System	All Floating - Hydraulic Brake System
BRAKE CUT OFF SENSOR CYCLE	100000 ³	100000 ³
BRAKE ROTOR	275 mm - Front 220 mm - Rear	275 mm - Front 220 mm - Rear
TYRES	110/70/17 - Front 140/70/17 - Rear	110/70/17 - Front 140/70/17 - Rear

SAFETY

HEADLIGHT	Dual LEDLights, Signal: Front and Rear LED lights with Hazard,Tail light Assembly: Dual LED Lights with central LEDbrake light, Sidestand Sensor,Tyre Pressure Sensor	Dual LEDLights, Signal: Front and Rear LED lights with Hazard,Tail light Assembly: Dual LED Lights with central LEDbrake light, Sidestand Sensor,Tyre Pressure Sensor
STOPPING DISTANCE (60 - 0 in Meter)	LH Brake: 16.05m RH Brake: 26.09m LH & RH Brake: 13.14m	LH Brake: 18.68m RH Brake: 27.13m LH & RH Brake: 14.98m
PROTECTIONS	EARTH LEAKAGE, OVERCHARGE, OVERHEAT, OVER-DISCHARGE & INTELLIGENT CHARGING ADJUSTMENT	EARTH LEAKAGE, OVERCHARGE, OVERHEAT, OVER-DISCHARGE & INTELLIGENT CHARGING ADJUSTMENT

PRANA

GRAND



ELITE



SMART TECH

CAN CONNECTION

Every individual component has connected with CAN - BMS. Motor controller, Battery Charger, Instrument Cluster

Every individual component has connected with CAN - BMS. Motor controller, Battery Charger, Instrument Cluster

INSTRUMENT CLUSTER

4.3" TFT LCD Display

4.3" TFT LCD Display

OPERATING SYSTEM

RTOS

RTOS

WLAN

Supports 802.11a/b/g/n/ac Wi-Fi standards

Supports 802.11a/b/g/n/ac Wi-Fi standards

BLUETOOTH

Supports Bluetooth 5, Bluetooth low energy

Supports Bluetooth 5, Bluetooth low energy

POSITIONING

GPS/GLONASS

GPS/GLONASS

VEHICLE WARRANTY

STANDARD WARRANTY

1 year or 30,000km⁵1 year or 30,000km⁵

VEHICLE WARRANTY

LIMITED WARRANTY

3 years or 45,000km⁶3 years or 45,000km⁶

EXTENDED WARRANTY

5 years or 60,000km⁶5 years or 60,000km⁶

EXTENDED+ WARRANTY

5 years or 80,000km⁶5 years or 80,000km⁶

Disclaimer:

1:The speed and acceleration may vary depending upon the road conditions and driving positions.

2:Your actual range will vary depending on the driving mode, battery age and condition, driving style and operating, environmental and climate conditions. The Range Estimates on the vehicle display are based on the remaining battery energy, IDC-rated consumption, your personal driving patterns and external conditions. The displayed range on the screen may decrease faster than the actual distance driven.

The life time of product is listed as per the individual component specification.

3:The cell standard operating cycles may vary depending upon the Driving pattern.

4:The charging time will vary depending on the SOC of the battery pack.

5:The actual usage depends upon the environmental conditions.

6:Whichever is earlier. Terms and conditions apply and are explained in the warranty manual.