


Cardio Training Template



Client Name:	Maria
Outcome Goal:	Maria and her friends enjoyed the first tournament and made it to the semi-final round. A different 3-on-3 tournament is happening, this time at the end of July, and now she and her friends think they can compete for the tournament title or, at the very least, finish in the top three.
Process Goals:	She is committed to performing her best. She has joined a recreational activity with her teammates. In addition to playing in the rec league once a week and playing pick-up with her friends twice a week, Maria will perform the following workouts: Base: Every week, Maria will perform two steady-state workouts for aerobic conditioning and one high-intensity interval training (HIIT) workout doing agility drills to improve her footwork and anaerobic conditioning. Build: She will do one steady-state workout for aerobic conditioning and two HIIT workouts to improve her anaerobic threshold and overall aerobic capacity. One of the HIIT workouts will feature SAQ drills, and the other will be done on a piece of cardio equipment. Taper: She will reduce training volume and intensity to allow her body to rest and recover prior to the tournament. Recover: She will do low- to moderate-intensity workouts to promote recovery and maintain her overall aerobic endurance.
Assessment Considerations:	Maria performed an overhead squat assessment. She was able to maintain control of her kinetic chain and did not present with any identifiable postural distortions or muscle imbalances. She recognizes the benefits of flexibility training and will be stretching before she plays basketball and before each of her workouts.

Annual Plan

MONTH	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Phase			Base		Build		Taper	Recover				

Base Phase

For the SAQ workout, perform a self-myofascial release using a foam roller prior to a dynamic warm-up for 30 to 45 seconds for each muscle group of calves, hip flexors, quadriceps, adductors, and latissimus dorsi. Dynamic flexibility includes low-intensity agility drills like high knees, butt kickers, side shuffles, backpedals, and skips before each running workout. Start the indoor cycling workout at a steady pace and gradually build pace during the first 5 to 7 minutes. For the running workout, start walking for 4 to 5 minutes and gradually progress to a running pace for the workout.

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

For an SAQ workout, self-myofascial release using a foam roller prior to a dynamic warm-up for 30 to 45 seconds for each muscle group of calves, hip flexors, quadriceps, adductors, and latissimus dorsi. Dynamic flexibility includes low-intensity agility drills like high knees, butt kickers, side shuffles, backpedals, and skips before each running workout. Start the indoor cycling workout at a steady pace and gradually build pace during the first 5 to 7 minutes. For the HIIT workout, ride at a low-intensity steady state for 5 minutes before starting the HIIT intervals.

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

Every day during taper, self-myofascial release using a foam roller for two sets of 30 to 45 seconds for each muscle group of calves, peroneals, hip flexors, quadriceps, adductors, piriformis, latissimus dorsi, and spinal erectors. Static stretch for all of the same muscles to ensure optimal length–tension relationships prior to the tournament. Perform 5 minutes of low-intensity jogging prior to the agility workout. Start walking and gradually increase the intensity to a slow running pace for the running workout.

[illegible]

Warm-Up:

[illegible]