

Cardio Training Template

Client Name:	Marcia
Outcome Goal:	She played competitive high school basketball, club basketball in college, and a competitive recreation league for five years after college, but she has not played consistently for five years and was invited to play in a co-ed 3-on-3 basketball tournament. She and her friends do not have high expectations but want to be competitive in every game they play.
Process Goals:	Base: Improve overall aerobic fitness and start doing speed, agility, and quickness (SAQ) so her muscles can prepare for the rapid changes of direction required during basketball. Do three cardio-specific workouts a week: two workouts will focus specifically on SAQ drills, and the other workout will focus on aerobic steady-state training to improve overall conditioning. In addition to the three workouts, she will be playing pick-up basketball one time a week, which will help with her overall conditioning. Build: Work on the ability to accelerate and change direction while continuing to improve overall aerobic capacity. Do three cardio-specific workouts a week: two workouts will focus on high-intensity interval training (HIIT) using SAQ drills, and one workout will focus on aerobic steady-state to improve endurance. In addition to the three workouts, she will be playing pick-up basketball two times a week with her teammates, which will help with her overall fitness level. Taper: Perform steady-state running and walking to maintain aerobic endurance while allowing muscles to rest and recover prior to the tournament. Recover: After the tournament, focus on doing low- to moderate-intensity, steady-state exercise to maintain endurance while allowing muscles to rest and recover from the demands of the tournament.
Assessment Considerations:	Maria is an engineer and alternates between working on a computer and being on the factory floor working with the production team. She cannot keep her arms raised overhead during the overhead squat assessment, and she demonstrates an anterior tilt to the pelvis, which means that she has muscle imbalances related to the upper extremity and lumbo-pelvic-hip postural distortion.

Annual Plan

MONTH	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Phase	Base		Build		Taper	Recover						

Base Phase

For SAQ workouts, self-myofascial release using a foam roller prior to a dynamic warm-up for 30 to 45 seconds for each muscle group of calves, hip flexors, quadriceps, adductors, and latissimus dorsi. Dynamic flexibility includes low-intensity agility drills like high knees, butt kickers, side shuffles, backpedals, and skips before each running workout. For indoor cycling, start at a slow pace and gradually build intensity at the start of the workout.

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

For SAQ workouts, self-myofascial release using a foam roller prior to a dynamic warm-up for 30 to 45 seconds for each muscle group of calves, hip flexors, quadriceps, adductors, and latissimus dorsi. Dynamic flexibility includes low-intensity agility drills like high knees, butt kickers, side shuffles, backpedals, and skips before each running workout.

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

[illegible]