


Cardio Training Template



Client Name:	Joanne
Outcome Goal:	She will complete her first mountain bike race at a distance of 30 kilometers (18.6 miles) and improve her overall aerobic capacity and extend time to fatigue.
Process Goals:	Base: Ride 3 days a week, two off-road and one on-road, and cross-train one day to develop aerobic conditioning and improve endurance. Build: Ride three days a week off-road at a steady-state pace and do two days of anaerobic, high-intensity interval training (HIIT) off the bike to improve overall conditioning. Taper phase: Reduce training volume to allow complete recovery prior to the race to ensure optimal energy availability in muscles. She will do one off-road ride, one on-road ride, both low-mileage and one low-intensity steady-state cross-training workout. Recover: Road cycling and low-to-moderate intensity aerobic steady-state cross-training will remove metabolic by-products and allow muscles to experience complete recovery before the start of the next training cycle.
Assessment Considerations:	Her feet were overpronated during the overhead squat assessment, which could indicate tight calf muscles, and she also demonstrated an anterior tilt to the pelvis, which could indicate tight hip flexors and latissimus dorsi. Warm-up flexibility will be needed to address those length–tension relationships to ensure optimal force production during the exercise program.

Annual Plan

MONTH	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	Off-season		Base			Build			Taper	Recover		

Base Phase

She will perform self-myofascial release using a foam roller prior to the start of each workout. The focus will be on muscles used in cycling, specifically the calves, peroneals, quadriceps, adductors, piriformis, and hip flexors, for 30 to 45 seconds for each muscle group, both right and left. She will start each cycling ride at a slow pace and gradually increase the speed during the first 8 to 10 minutes of the ride.

[illegible]

Cardio Training Template

Build Phase

Warm-Up:

She will perform self-myofascial release using a foam roller prior to the start of each workout. The focus will be on muscles used in cycling, specifically the calves, peroneals, quadriceps, adductors, piriformis, and hip flexors, for 30 to 45 seconds for each muscle group, both right and left. She will start each cycling ride at a slow pace and gradually increase the speed during the first 8 to 10 minutes of the ride. She will do 3 to 5 minutes of rowing at a gradually increasing pace before starting HIIT on the rowing machine. She will static stretch latissimus dorsi and pectorals prior to the start of the heavy rope workout.

Workout	Mode	Intensity	Time: Work	Time: Rest	Reps	Notes
1	Rowing machine	HIIT Stages 3 and 4	60 sec.	60 sec.	15	Exercise to the point of being breathless and allow breathing to return to normal during recovery.
2	Mountain biking: Moderate trail	Stages 2 and 3	Distance: 12 to 15 miles			Ride a flatter trail to build endurance and improve aerobic capacity.
3	Mountain biking: Hard trail	Stage 2	Distance: 10 to 12 miles			Ride a more challenging trail to improve skill and bike handling; increase distance to improve endurance.
4	Heavy rope	HIIT Stages 3 and 4	Tabata protocol 20:10 x 8	5-min. treadmill walking between Tabata intervals with rope	2	The mountain bike requires a lot of upper-body strength to control the handlebars while going downhill. Doing HIIT with heavy rope can improve the anaerobic conditioning of upper-body muscles.
5	Road cycling	Stages 2 and 3	Distance: 20 to 25 miles			One long road ride per week at a faster pace to develop cycling-specific leg strength and improve endurance

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

[illegible]

NASM
NATIONAL ACADEMY OF SPORTS MEDICINE

Warm-Up:

[illegible]