

Skinfold Measurement Worksheet



The National Academy of Sports Medicine uses the Durnin formula (sometimes known as the Durnin–Wommersley formula) to calculate a client’s percentage of body fat.

Measurement	Instruction	Technique
Biceps	A vertical fold on the front of the arm over the biceps muscle, halfway between the shoulder and the elbow	
Triceps	A vertical fold on the back of the upper arm, with the arm relaxed and held freely at the side. This skin fold should also be taken halfway between the shoulder and the elbow	
Subscapular	A 45-degree angle fold of 1 to 2 cm, below the inferior angle of the scapula	
Iliac Crest	A 45-degree angle fold, taken just above the iliac crest and medial to the axillary line	

TIP: All skinfold measurements should be taken on the right side of the body. After the four sites have been measured, add the totals of the four sites, find the appropriate sex and age categories for the body composition on the Durnin–Wommersley body fat percentage calculation table at the end of this worksheet.

Skinfold Measurement Worksheet



Durnin Womersley Body Fat Percentage Calculation

Sum of Folds	Men					Women				
	<19	20–29	30–39	40–49	>50	<19	20–29	30–39	40–49	>50
5	–7.23	–7.61	–1.70	–5.28	–6.87	–2.69	–3.97	0.77	3.91	4.84
10	0.41	0.04	5.05	3.30	2.63	5.72	4.88	8.72	11.71	13.10
15	5.00	4.64	9.09	8.47	8.38	10.78	10.22	13.50	16.40	18.07
20	8.32	7.96	12.00	12.22	12.55	14.44	14.08	16.95	19.78	21.67
25	10.92	10.57	14.29	15.16	15.84	17.33	17.13	19.66	22.44	24.49
30	13.07	12.73	16.17	17.60	18.56	19.71	19.64	21.90	24.64	26.83
35	14.91	14.56	17.77	19.68	20.88	21.74	21.79	23.81	26.51	28.82
40	16.51	16.17	19.17	21.49	22.92	23.51	23.67	25.48	28.14	30.56
45	17.93	17.59	20.41	23.11	24.72	25.09	25.34	26.96	29.59	32.10
50	19.21	18.87	21.53	24.56	26.35	26.51	26.84	28.30	30.90	33.49
55	20.37	20.04	22.54	25.88	27.83	27.80	28.21	29.51	32.09	34.75
60	21.44	21.11	23.47	27.09	29.20	28.98	29.46	30.62	33.17	35.91
65	22.42	22.09	24.33	28.22	30.45	30.08	30.62	31.65	34.18	36.99
70	23.34	23.01	25.13	29.26	31.63	31.10	31.70	32.60	35.11	37.98
75	24.20	23.87	25.87	30.23	32.72	32.05	32.71	33.49	35.99	38.91
80	25.00	24.67	26.57	31.15	33.75	32.94	33.66	34.33	36.81	39.79
85	25.76	25.43	27.23	32.01	34.72	33.78	34.55	35.12	37.58	40.61
90	26.47	26.15	27.85	32.83	35.64	34.58	35.40	35.87	38.31	41.39
95	27.15	26.83	28.44	33.61	36.52	35.34	36.20	36.58	39.00	42.13
100	27.80	27.48	29.00	34.34	37.35	36.06	36.97	37.25	39.66	42.84
105	28.42	28.09	29.54	35.05	38.14	36.74	37.69	37.90	40.29	43.51
110	29.00	28.68	30.05	35.72	38.90	37.40	38.39	38.51	40.89	44.15
115	29.57	29.25	30.54	36.37	39.63	38.03	39.06	39.10	41.47	44.76
120	30.11	29.79	31.01	36.99	40.33	38.63	39.70	39.66	42.02	45.36

Skinfold Measurement Worksheet



125	30.63	30.31	31.46	37.58	41.00	39.21	40.32	40.21	42.55	45.92
130	31.13	30.82	31.89	38.15	41.65	39.77	40.91	40.73	43.06	46.47
135	31.62	31.30	32.31	38.71	42.27	40.31	41.48	41.24	43.56	47.00
140	32.08	31.77	32.71	39.24	42.87	40.83	42.04	41.72	44.03	47.51
145	32.53	32.22	33.11	39.76	43.46	41.34	42.57	42.19	44.49	48.00
150	32.97	32.66	33.48	40.26	44.02	41.82	43.09	42.65	44.94	48.47
155	33.39	33.08	33.85	40.74	44.57	42.29	43.59	43.09	45.37	48.93
160	33.80	33.49	34.20	41.21	45.10	42.75	44.08	43.52	45.79	49.38
165	34.20	33.89	34.55	41.67	45.62	43.20	44.55	43.94	46.20	49.82
170	34.59	34.28	34.88	42.11	46.12	43.63	45.01	44.34	46.59	50.24
175	34.97	34.66	35.21	42.54	46.61	44.05	45.46	44.73	46.97	50.65
180	35.33	35.02	35.53	42.96	47.08	44.46	45.89	45.12	47.35	51.05
185	35.69	35.38	35.83	43.37	47.54	44.86	46.32	45.49	47.71	51.44
190	36.04	35.73	36.13	43.77	48.00	45.25	46.73	45.85	48.07	51.82
195	36.38	36.07	36.43	44.16	48.44	45.63	47.14	46.21	48.41	52.19
200	36.71	36.40	36.71	44.54	48.87	46.00	47.53	46.55	48.75	52.55

Skinfold Measurement Worksheet



Client Name _____ Start Date _____

Skinfold Measurement

Site	Measurement 1	Measurement 2
Biceps		
Triceps		
Iliac Crest		
Subscapular		
Total		

To determine body fat percentage, use the Durin-Wormsley conversion chart provided.

Estimated Body Fat % _____ End Date _____

Client Name _____ Start Date _____

Skinfold Measurement

Site	Measurement 1	Measurement 2
Biceps		
Triceps		
Iliac Crest		
Subscapular		
Total		

To determine body fat percentage, use the Durin-Wormsley conversion chart provided.

Estimated Body Fat % _____ End Date _____