ZONING COMPLIANCE LETTER

Pelican Business Park | Denver, CO

Subject	Zoning verification for Pelican Business Park
Address	8781 Station Parkway, Denver, CO 82637
Date	June 22, 2021
Zoning District	6-6

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 43 spaces provided versus 43 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 3 spaces provided versus 3 spaces required by code.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 30 spaces provided versus 30 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 11 spaces provided versus 11 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 20 spaces provided versus 20 spaces required by code.

Permitted Uses and Parking

Parking is conforming with 28 spaces provided versus 28 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 27 spaces provided versus 27 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 14 spaces provided versus 14 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 30 spaces provided versus 30 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 7.7 acres and is generally level with frontage along Station Parkway.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 2.2 acres and is generally level with frontage along Station Parkway.

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 23 spaces provided versus 23 spaces required by code.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 45 spaces provided versus 45 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 10.10 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 47.47 acres and is generally level with frontage along Station Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 44 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Code Compliance

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 31 spaces provided versus 31 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 22.22 acres and is generally level with frontage along Station Parkway. Access to the site is provided by 32 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 26 spaces provided versus 26 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 2 spaces provided versus 2 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 24 spaces provided versus 24 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 26 spaces provided versus 26 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 21 spaces provided versus 21 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 18.18 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 2.2 acres and is generally level with frontage along Station Parkway.

Zoning Classification

Parking is conforming with 29 spaces provided versus 29 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 15.15 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer.

Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 29.29 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 14 spaces provided versus 14 spaces required by code.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Site Description

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 32 spaces provided versus 32 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 40 spaces provided versus 40 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 31 spaces provided versus 31 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Parking is conforming with 21 spaces provided versus 21 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 3 spaces provided versus 3 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 47.47 acres and is generally level with frontage along Station Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 38 spaces provided versus 38 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Parking is conforming with 5 spaces provided versus 5 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 25.25 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 8.8 acres and is generally level with frontage along Station Parkway. Access to the site is provided by 18 curb cuts and the property is served by municipal water and sanitary sewer.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 45 spaces provided versus 45 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 38 spaces provided versus 38 spaces required by code.

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 40.40 acres and is generally level with frontage along Station Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Parking is conforming with 27 spaces provided versus 27 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 37 spaces provided versus 37 spaces required by code.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 42 spaces provided versus 42 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Parking is conforming with 11 spaces provided versus 11 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Access to the site is provided by 34 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 44.44 acres and is generally level with frontage along Station Parkway.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 14 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

Parking is conforming with 15 spaces provided versus 15 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Access and Utilities

Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 29 spaces provided versus 29 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 10 spaces provided versus 10 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

Access and Utilities

The site contains approximately 3.3 acres and is generally level with frontage along Station Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 41 spaces provided versus 41 spaces required by code.

Parking is conforming with 6 spaces provided versus 6 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 39 spaces provided versus 39 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 19 spaces provided versus 19 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 36 spaces provided versus 36 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

The site contains approximately 8.8 acres and is generally level with frontage along Station Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 7 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 25 spaces provided versus 25 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 24 spaces provided versus 24 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Topography and Flood Zone

The site contains approximately 36.36 acres and is generally level with frontage along Station Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 16.16 acres and is generally level with frontage along Station Parkway. Access to the site is provided by 25 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 48 spaces provided versus 48 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 46 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 38.38 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

Parking is conforming with 21 spaces provided versus 21 spaces required by code. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 9 spaces provided versus 9 spaces required by code.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 39 spaces provided versus 39 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Permitted Uses and Parking

The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 8 spaces provided versus 8 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Denver Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Pelican Business Park Owner LLC

By: Andre Okafor Title: Manager Date: 06/22/2021

_____

Harlow Logistics LLC

By: Anthony Evans Title: President Date: 06/22/2021

Exhibit A - Property

Pelican Business Park, 8781 Station Parkway, Denver, CO 82637. Parcel containing approximately 14.51 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only