PHASE I ENVIRONMENTAL SITE ASSESSMENT

Zephyr Cottages | Portland, OR

Site	Zephyr Cottages
Address	5503 Orchard Parkway, Portland, OR 16550
Prepared For	Beacon Hollow Investors
Report Date	February 21, 2018
Standard	ASTM E1527-21

Topography and Flood Zone

The site contains approximately 18.18 acres and is generally level with frontage along Orchard Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 34 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Access to the site is provided by 34 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 15.15 acres and is generally level with frontage along Orchard Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Site Reconnaissance

A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site.

Access and Utilities

The site contains approximately 30.30 acres and is generally level with frontage along Orchard Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 42.42 acres and is generally level with frontage along Orchard Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Historical Use

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Access and Utilities

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 6.6 acres and is generally level with frontage along Orchard Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Records Review

Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Access and Utilities

The site contains approximately 10.10 acres and is generally level with frontage along Orchard Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 48.48 acres and is generally level with frontage along Orchard Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Historical Use

A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 35 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 26.26 acres and is generally level with frontage along Orchard Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Site Reconnaissance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.25	4	No	Reviewed - no action
CERCLIS / SEMS	0.25	0	No	None
RCRA - Generators	1.0	2	No	Reviewed - no action
RCRA - TSD	0.5	7	No	None
LUST	0.5	0	No	None
UST	0.25	0	No	None
State Hazardous Waste Sites	1.0	4	No	None
Brownfields	0.25	0	No	None
Engineering Controls	0.5	2	No	None
Institutional Controls	1.0	1	No	None
ERNS	0.25	7	No	None
Drycleaner Facilities	0.25	0	No	None
Solid Waste Landfills	0.5	2	No	None
Voluntary Cleanup	0.25	1	No	Reviewed - no action
Historical Auto Stations	0.5	0	No	Reviewed - no action
NPL (Superfund)	0.5	1	No	None
CERCLIS / SEMS	0.5	2	No	Reviewed - no action
RCRA - Generators	0.5	2	No	None
RCRA - TSD	0.5	2	No	None
LUST	0.25	2	No	Reviewed - no action
UST	0.5	0	No	None
State Hazardous Waste Sites	0.25	0	No	None
Brownfields	0.25	0	No	Reviewed - no action
Engineering Controls	0.5	7	No	None
Institutional Controls	1.0	0	No	None
ERNS	0.5	0	No	None
Drycleaner Facilities	0.5	1	No	None
Solid Waste Landfills	1.0	0	No	None
Voluntary Cleanup	0.5	2	No	None
Historical Auto Stations	0.25	7	No	None

Report generated 02/21/2018. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation.

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Findings and Opinions

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 13.13 acres and is generally level with frontage along Orchard Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 6.6 acres and is generally level with frontage along Orchard Parkway. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer.

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 40.40 acres and is generally level with frontage along Orchard Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Historical Use

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Topography and Flood Zone

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 16.16 acres and is generally level with frontage along Orchard Parkway.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Site Reconnaissance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Certification

I certify that, to the best of my knowledge and belief, the statements of fact contained in this report are true and correct and that I have no present or prospective interest in Zephyr Cottages and no personal interest with respect to the parties involved.

The analyses, opinions and conclusions are limited only by the reported assumptions and limiting conditions. The inspection of the property was performed on January 24, 2018.

_____

Hector Evans, RPLS

Ridgeway Geo-Environmental

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only