ZONING COMPLIANCE LETTER

Lantern Industrial Park | Grand Rapids, MI

Subject	Zoning verification for Lantern Industrial Park
Address	4385 Quarry Street, Grand Rapids, MI 96976
Date	July 26, 2023
Zoning District	37-37

Zoning Classification

The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 23 spaces provided versus 23 spaces required by code. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 5 spaces provided versus 5 spaces required by code.

The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 14 spaces provided versus 14 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 27 spaces provided versus 27 spaces required by code. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 27 spaces provided versus 27 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

Parking is conforming with 9 spaces provided versus 9 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 18 spaces provided versus 18 spaces required by code. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 3 spaces provided versus 3 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 36 spaces provided versus 36 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 12.12 acres and is generally level with frontage along Quarry Street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 6 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 14 spaces provided versus 14 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 33 spaces provided versus 33 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 30.30 acres and is generally level with frontage along Quarry Street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 10.10 acres and is generally level with frontage along Quarry Street. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 45 spaces provided versus 45 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 13 spaces provided versus 13 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 35 spaces provided versus 35 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 42 spaces provided versus 42 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Parking is conforming with 18 spaces provided versus 18 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 22.22 acres and is generally level with frontage along Quarry Street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 37.37 acres and is generally level with frontage along Quarry Street.

Permitted Uses and Parking

Parking is conforming with 48 spaces provided versus 48 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 38 spaces provided versus 38 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 30.30 acres and is generally level with frontage along Quarry Street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site contains approximately 12.12 acres and is generally level with frontage along Quarry Street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 36 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Grand Rapids Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 6 spaces provided versus 6 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Lantern Industrial Park Owner LLC

By: Sofia Moreno Title: Manager Date: 07/26/2023

_____

Trident Manufacturing

By: Grace Hughes Title: Authorized Signatory Date: 07/26/2023

Exhibit A - Property

Lantern Industrial Park, 4385 Quarry Street, Grand Rapids, MI 96976. Parcel containing approximately 2.45 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only