PHASE I ENVIRONMENTAL SITE ASSESSMENT

Driftwood Town Center | San Diego, CA

Site	Driftwood Town Center
Address	3892 Peachtree Court, San Diego, CA 51055
Prepared For	Juniper Peak Real Estate Fund
Report Date	March 10, 2022
Standard	ASTM E1527-21

Access and Utilities

The site contains approximately 48.48 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 43.43 acres and is generally level with frontage along Peachtree Court.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 48.48 acres and is generally level with frontage along Peachtree Court. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 7.7 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 23.23 acres and is generally level with frontage along Peachtree Court.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 10.10 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Records Review

Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Access and Utilities

Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 45.45 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 4.4 acres and is generally level with frontage along Peachtree Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer.

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Topography and Flood Zone

The site contains approximately 18.18 acres and is generally level with frontage along Peachtree Court. Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 36.36 acres and is generally level with frontage along Peachtree Court.

Site Reconnaissance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	0	No	Reviewed - no action
CERCLIS / SEMS	0.5	0	No	None
RCRA - Generators	0.25	0	No	None
RCRA - TSD	0.25	2	No	None
LUST	0.5	7	No	Reviewed - no action
UST	0.25	0	No	None
State Hazardous Waste Sites	1.0	7	No	None
Brownfields	0.5	2	No	Reviewed - no action
Engineering Controls	1.0	0	No	None
Institutional Controls	0.5	2	No	None
ERNS	1.0	0	No	Reviewed - no action
Drycleaner Facilities	1.0	0	No	None
Solid Waste Landfills	0.25	0	No	None
Voluntary Cleanup	1.0	4	No	None
Historical Auto Stations	0.5	7	No	None
NPL (Superfund)	1.0	4	No	None
CERCLIS / SEMS	0.25	7	No	None
RCRA - Generators	1.0	2	No	None
RCRA - TSD	0.5	2	No	None
LUST	0.5	0	No	None
UST	0.25	1	No	Reviewed - no action
State Hazardous Waste Sites	1.0	2	No	Reviewed - no action
Brownfields	1.0	0	No	None
Engineering Controls	0.25	0	No	None
Institutional Controls	0.5	1	No	None
ERNS	0.5	2	No	Reviewed - no action
Drycleaner Facilities	1.0	7	No	None
Solid Waste Landfills	0.25	0	No	None
Voluntary Cleanup	1.0	4	No	None
Historical Auto Stations	0.5	0	No	Reviewed - no action

Report generated 03/10/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Records Review

No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical Use

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation.

Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical Use

Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 37.37 acres and is generally level with frontage along Peachtree Court.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 3.3 acres and is generally level with frontage along Peachtree Court.

Access to the site is provided by 32 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 3.3 acres and is generally level with frontage along Peachtree Court. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Site Description

Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 39.39 acres and is generally level with frontage along Peachtree Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.5	0	No	Reviewed - no action
CERCLIS / SEMS	0.25	4	No	Reviewed - no action
RCRA - Generators	0.25	1	No	None
RCRA - TSD	0.25	0	No	None
LUST	0.25	0	No	None
UST	0.25	0	No	None
State Hazardous Waste Sites	0.25	7	No	None
Brownfields	1.0	0	No	None
Engineering Controls	0.5	4	No	None
Institutional Controls	0.25	7	No	None
ERNS	0.5	0	No	None
Drycleaner Facilities	0.5	0	No	Reviewed - no action
Solid Waste Landfills	0.5	0	No	None
Voluntary Cleanup	0.25	1	No	None
Historical Auto Stations	1.0	2	No	None
NPL (Superfund)	0.25	0	No	None
CERCLIS / SEMS	1.0	0	No	None
RCRA - Generators	1.0	4	No	None
RCRA - TSD	0.25	4	No	Reviewed - no action
LUST	0.5	0	No	None
UST	1.0	1	No	None
State Hazardous Waste Sites	0.5	0	No	Reviewed - no action
Brownfields	0.5	1	No	None
Engineering Controls	1.0	0	No	None
Institutional Controls	1.0	2	No	None
ERNS	1.0	0	No	None
Drycleaner Facilities	0.5	1	No	None
Solid Waste Landfills	1.0	0	No	Reviewed - no action
Voluntary Cleanup	1.0	7	No	None
Historical Auto Stations	1.0	2	No	Reviewed - no action

Report generated 03/10/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical Use

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 5.5 acres and is generally level with frontage along Peachtree Court. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 38.38 acres and is generally level with frontage along Peachtree Court.

Site Reconnaissance

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site.

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 24.24 acres and is generally level with frontage along Peachtree Court.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 10.10 acres and is generally level with frontage along Peachtree Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Site Reconnaissance

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site.

Topography and Flood Zone

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 2.2 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 12.12 acres and is generally level with frontage along Peachtree Court. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	4	No	None
CERCLIS / SEMS	1.0	2	No	Reviewed - no action
RCRA - Generators	0.5	0	No	None
RCRA - TSD	0.5	0	No	None
LUST	1.0	7	No	None
UST	0.5	4	No	Reviewed - no action
State Hazardous Waste Sites	0.25	1	No	None
Brownfields	0.25	2	No	None
Engineering Controls	1.0	0	No	None
Institutional Controls	0.5	7	No	None
ERNS	0.5	0	No	None
Drycleaner Facilities	1.0	1	No	None
Solid Waste Landfills	1.0	0	No	None
Voluntary Cleanup	0.5	7	No	None
Historical Auto Stations	1.0	0	No	None
NPL (Superfund)	0.25	4	No	None
CERCLIS / SEMS	0.5	2	No	Reviewed - no action
RCRA - Generators	1.0	0	No	None
RCRA - TSD	0.25	4	No	None
LUST	1.0	0	No	None
UST	0.25	1	No	None
State Hazardous Waste Sites	0.25	1	No	None
Brownfields	0.25	2	No	None
Engineering Controls	0.5	4	No	None
Institutional Controls	0.5	2	No	None
ERNS	1.0	0	No	Reviewed - no action
Drycleaner Facilities	0.25	2	No	None
Solid Waste Landfills	0.5	0	No	None
Voluntary Cleanup	0.25	7	No	None
Historical Auto Stations	0.5	0	No	None

Report generated 03/10/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions

Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Site Reconnaissance

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

The site contains approximately 24.24 acres and is generally level with frontage along Peachtree Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 28 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 6 curb cuts and the property is served by municipal water and sanitary sewer.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation.

Access and Utilities

Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Site Reconnaissance

A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 10.10 acres and is generally level with frontage along Peachtree Court.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 46.46 acres and is generally level with frontage along Peachtree Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Findings and Opinions

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.25	7	No	None
CERCLIS / SEMS	1.0	0	No	None
RCRA - Generators	1.0	1	No	Reviewed - no action
RCRA - TSD	0.25	1	No	Reviewed - no action
LUST	0.25	1	No	None
UST	0.25	7	No	None
State Hazardous Waste Sites	0.25	0	No	None
Brownfields	1.0	0	No	None
Engineering Controls	0.5	1	No	None
Institutional Controls	0.5	0	No	None
ERNS	0.25	0	No	None
Drycleaner Facilities	0.25	0	No	None
Solid Waste Landfills	1.0	0	No	None
Voluntary Cleanup	1.0	0	No	None
Historical Auto Stations	1.0	0	No	None
NPL (Superfund)	0.5	7	No	None
CERCLIS / SEMS	0.25	4	No	None
RCRA - Generators	0.25	7	No	None
RCRA - TSD	1.0	7	No	None
LUST	0.25	0	No	None
UST	1.0	0	No	None
State Hazardous Waste Sites	1.0	0	No	None
Brownfields	0.25	0	No	None
Engineering Controls	0.25	4	No	None
Institutional Controls	1.0	4	No	None
ERNS	0.5	0	No	Reviewed - no action
Drycleaner Facilities	0.5	7	No	None
Solid Waste Landfills	1.0	4	No	None
Voluntary Cleanup	0.25	0	No	None
Historical Auto Stations	1.0	7	No	Reviewed - no action

Report generated 03/10/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Findings and Opinions

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Site Reconnaissance

Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 41.41 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 16.16 acres and is generally level with frontage along Peachtree Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 18.18 acres and is generally level with frontage along Peachtree Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 9.9 acres and is generally level with frontage along Peachtree Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 4 curb cuts and the property is served by municipal water and sanitary sewer.

Findings and Opinions

A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 15.15 acres and is generally level with frontage along Peachtree Court. Access to the site is provided by 46 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only